

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 1 of 8 2017-02-10

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Rain Fragrance Oil - FF #10

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2 Hazards Identification

21 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910 1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 2: Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous

membranes, musculo-skeletal system, male reproductive system.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil -FF #10

Page 2 of 8 2017-02-10

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin, testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

22 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

a direct water jet on burning material

Resp

P281	Use personal protective equipment as required
sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

P391 Collect Spillage

23 Other Hazards



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 3 of 8 2017-02-10

No data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402	12, 26	
Linalool					
24851-98-7	246-495-9	10 - 20 %	H402		
Methyldihy	ydrojasmonate				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39	
Butylphen	utylphenyl Methylpropional		H411		
105-95-3	203-347-8	2 - 5 %	H401	11, 15	
Ethylene k	orassylate				
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	11, 15	
Citronellol	1				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15	
Hexyl cinn	namaldehyde				
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3	
Benzyl Be	nzoate				
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl ac	etate				
127-51-5	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31	
a-Isometh	yl ionone				
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402		
Linalyl ace	etate				
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15	
2,6-dimeth	nyloct-7-en-2-ol				
31906-04-4	250-863-4	1 - 2 %	H317; H402		
Hydroxyis	ohexyl 3-cyclohe	xene carboxalde	ehyde		
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	11, 15, 3	
phenethyl	alcohol				
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	12, 2	
2-t-Butylcy	clohexyl acetate)			
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19	
Acetyl ced	drene				
54464-57-2	259-174-3	1 - 2 %	H315; H317; H400; H410	11, 31	
Tetramethyl Acetyloctahydronaphthalenes					
151-05-3	205-781-3	1 - 2 %	H303; H316; H402; H412	11, 15	
1,1-Dimet	hyl-2-phenylethyl	l acetate			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 4 of 8 2017-02-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
1205-17-0	214-881-6	1 - 2 %	H303; H317; H401; H411	
a-Methyl-	1,3-benzodioxo	le-5-propionalde	hyde	
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402	11, 15, 31
Hydroxyc	itronellal			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	11, 15
Geranyl a	acetate			
120-57-0	204-409-7	0.1 - 1.0 %	H303; H317; H401	31
Piperonal	1			
106-02-5	203-354-6	0.1 - 1.0 %	H316; H317; H411	
Pentaded	alactone			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylt	etrahydro Benz	aldehyde	H411	
82356-51-2	429-900-5	0.1 - 1.0 %	H317; H400; H410	
3-Methylo	cyclopentadecei	none		
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H316; H317	12, 15, 26, 3, 31
trans-alpl	ha-1-(2,6,6-Trim	ethyl-2-cyclohex	en-1-yl)-2-buten-1-one (trans-alpha-Damas	cone)
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol				
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H402	15
Nerol				
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319	
Lauric ald	lehyde			
Son Soction 1	6 for full toxt of	CHS algorification	on aadaa	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.58

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Wost important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Refer to Section 2.2 "Response"



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 5 of 8 2017-02-10

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 6 of 8 2017-02-10

Respiratory protection:

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection:

Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Welting Point: Not determined

Flashpoint (CCCFP): 198 F (92.22 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@ 20C): 0.0409 **%VOC:** 4.14

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,608.32) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,725.82) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 33.16) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 7 of 8 2017-02-10

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity

Suspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12 Ecological Information

121 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.		
U.S. DOT (Non-Bulk)		Not Regulated	l - Not Dangerou	s Goods			
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082		
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082		



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rain Fragrance Oil - FF #10

Page 8 of 8 2017-02-10

Environmentally Hazardous Liquid, n.o.s.

Substance,

9

Ш

UN3082

Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):

All components of the substance/mixture are listed or exempt

40CFR (EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (NFS)

Canadian Regulations:

DSL /NDSL 100.00% of the components are listed or exempt.

Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(3.30) Skin Corrosion/Irritation, Category 2

(2.98) Eye Damage/Eye Irritation, Category 2A

(2.45) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(15.00) Sensitization, Skin, Category 1B

(1.57) Reproductive Toxicology, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.