

7820 E. Pleasant Valley Road

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Safety Data Sheet

Crafter's Choice™ Balsam Pine

Fragrance Oil - FF #49

Page 1 of 7 2017-06-01

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Balsam Pine Fragrance Oil - FF #49

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

H315: Causes skin irritation
H317: May cause an allergic skin reaction
H333: May be harmful if inhaled
H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation.
	16 : Causes eye irritation.
	19 : May cause photo-induced skin irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
	4 : Harmful or fatal if swallowed, can enter lungs and cause damage
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Balsam Pine Fragrance Oil - FF #49

Page 2 of 7 2017-06-01

Signal Word: Warning	
Hazard statments	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H410	Very toxic to aquatic life with long lasting effects
Precautionary Statement	s
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
54464-57-2	259-174-3	20 - 30 %	H315; H317; H400; H410	11, 31
Tetrameth	yl Acetyloctahyd	ronaphthalenes		
125-12-2	204-727-6	20 - 30 %	H227; H316; H401	11, 15
lsobornyl a	acetate			
32388-55-9	251-020-3	10 - 20 %	H316; H317; H400; H410	16, 19
Acetyl cea	lrene			
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3
Benzyl Be	nzoate			
65113-99-7	265-453-0	2 - 5 %	H316; H319; H401; H411	31
Pentametl	hylcyclopent-3-ei	ne-butanol		
68990-83-0	294-461-7	2 - 5 %	H304; H316; H400; H410	3
Juniperus mexicana				
28219-61-6	248-908-8	2 - 5 %	H319; H400; H410	11, 15, 31
Ethyl trimethylcyclopentene butenol				

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Balsam Pine Fragrance Oil - FF #49

SDS Type: GHS / OSHA

Page 3 of 7 2017-06-01

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
105-95-3	203-347-8	2 - 5 %	H401	11, 15
Ethylene	brassylate			
8021-29-2	294-351-9	1 - 2 %	H226; H304; H316; H319; H400; H410	12, 16, 3, 31
Abies sib	irica oil			
469-61-4	207-418-4	1 - 2 %	H304; H316; H400	4
alpha-Ce	drene			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylt	etrahydro Benz	aldehyde	H411	
80-56-8 a-Pinene	201-291-9	0.1 - 1.0 %	H226; H303; H304; H315; H317; H400; H410	11, 15, 25
68647-72-3 Limonene	232-433-8 9	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.72

4. First Aid Measures

4.1 Description of first aid measures

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Rinse mouth with water and obtain medical advice.		
both acute and delayed		
no data available		
Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed		
Refer to Section 2.2 "Response"		

5. Fire-Fighting measur	es
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from t	he substance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

Safety Data Sheet

Crafter's Choice™ Balsam Pine

SDS Type: GHS / OSHA

Fragrance Oil - FF #49

Page 4 of 7 2017-06-01

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure	e Limits:					
Compon	ent		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	a-Pinene		20			
-	ing Controls: e controls - Pers	Use local exhaust as needed. onal protective equipment				
Eye prote	ection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure				
Respirato	ory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriat		on where appropriate.			
Skin prot	ection:	Avoid Skin contact. Use chemically resistant gloves as needed.				

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Golden Yellow(G5)
Viscosity:	Liquid

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice[™] Balsam Pine Fragrance Oil - FF #49

Page 5 of 7 2017-06-01

Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0329
%VOC:	2.453
Specific Gravity @ 25 C:	0.9650
Density @ 25 C:	0.9620
Refractive Index @ 20 C:	1.4790
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,181.35) Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 5,261.37) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 107.57) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met



Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Balsam Pine Fragrance Oil - FF #49

Page 6 of 7 2017-06-01

Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Very toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	111		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	111		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):

40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations: All components of the substance/mixture are listed or exempt

This product contains NO components of concern.

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Balsam Pine Fragrance Oil - FF #49

Page 7 of 7 2017-06-01

California Proposition 65 Warning	This product contains the following components:		
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (NFS)		
Canadian Regulations:			
DSL / NDSL 100.00% of the components are listed or exemp			
16. Other Information			
GHS H-Statements referred to under section 3			
Total Fractional Values			
(TFV) Risk	(TFV) Risk		

(TFV) Risk(2.89) Skin Corrosion/Irritation, Category 2(1.77) Aquatic Chronic Toxicity, Category 1

(TFV) Risk (28.00) Sensitization, Skin, Category 1B

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.