

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 1 of 8 2017-07-11

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Mahogany & Amber Fragrance Oil

1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5

H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16 : Causes eye irritation.

19 : May cause photo-induced skin irritation.9 : Harmful if absorbed through the skin.

Acute Oral 2: Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, spleen, blood, bile duct, male reproductive system.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 2 of 8 2017-07-11

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### **Hazard pictograms**







#### **Signal Word: Warning**

#### **Hazard statments**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life

### **Precautionary Statements**

#### Prevention:

H411

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Toxic to aquatic life with long lasting effects

#### Response:

۰	ponos.	
	P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage

#### 2.3 Other Hazards

#### no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 3 of 8 2017-07-11

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411	28, 3	
Benzyl Be	Benzyl Benzoate				
24851-98-7	246-495-9	2 - 5 %	H402		
Methyldihy	ydrojasmonate				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39	
Butylphen	yl Methylpropion	al	H411		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15	
Hexameth	ylindanopyran				
105-95-3	203-347-8	2 - 5 %	H401	11, 15	
Ethylene b	orassylate				
28219-61-6	248-908-8	2 - 5 %	H319; H400; H410	11, 15, 31	
Ethyl trime	ethylcyclopenten	e butenol			
139504-68-0	412-300-2	2 - 5 %	H320; H401; H411		
1-(2-Butyl	cyclohexyloxy)-2	2-butanol			
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9	
Coumarin					
19870-74-7	243-384-7	2 - 5 %	H316	15	
Cedrol me	ethyl ether				
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	31	
Pentamethylcyclopent-3-ene-butanol					
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412	31	
Benzyl Sa	licylate				
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15	
	nyloct-7-en-2-ol				
10339-55-6	233-732-6	1 - 2 %	H227; H303; H315; H319; H402	11, 15	
3,7-Dimeti	hyl-1,6-nonadien				
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19	
Acetyl cea	Irene				
54464-57-2	259-174-3	1 - 2 %	H315; H317; H400; H410	11, 31	
·	yl Acetyloctahyd	•			
31906-04-4	250-863-4	1 - 2 %	H317; H402		
Hydroxyisohexyl 3-cyclohexene carboxaldehyde					
128-37-0	204-881-4	1 - 2 %	H316; H400; H410		
•	hydroxytoluene				
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31	
2-Methyl-3	3-(p-isopropylphe	enyl)propionaldel	hyde		



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

### Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 4 of 8 2017-07-11

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410	
Amyl sali	cylate			
120-57-0	204-409-7	0.1 - 1.0 %	H303; H317; H401	31
Piperona	I			
1843-05-6	217-421-2	0.1 - 1.0 %	H317	
Methanoi	ne, [2-hydroxy-4	l-(octyloxy)pheny	rl]phenyl-	
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H402	11, 15, 31
4-Methox	y-alpha-methylb	penzenepropanal	1	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	11, 15, 26
6,7-Dihyo	dro-1,1,2,3,3-pei	ntamethyl-4(5H)-	indanone (Cashmeran)	
Son Soction	16 for full toxt of	CHS classification	an codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.09

#### 4. First Aid Measures

#### 4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Flush immediately with water for at least 15 minutes. **Eye Exposure:** 

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

#### 5. **Fire-Fighting measures**

#### **Extinguishing media** 5.1

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 5 of 8 2017-07-11

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

**128-37-0** Butylated hydroxytoluene 2

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Conforms to standard

Viscosity: Liquid



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 6 of 8 2017-07-11

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Not determined

None Expected

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0036 **%VOC:** 0.007

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,949.41) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,209.32) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 59.37) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 7 of 8 2017-07-11

### 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

#### 15. Regulatory Information

#### **U.S. Federal Regulations:**

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

No Warning required

**Canadian Regulations:** 



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

67801-20-1

Crafter's Choice™ Mahogany & Amber Fragrance Oil

Page 8 of 8 2017-07-11

**DSL/NDSL** 

267-140-4 0.1 - 1.0 %

125109-85-5 412-050-4 0.1 - 1.0 %

99.45% of the components are listed or exempt.

3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

Isopropylphenylbutanal

#### 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk

(1.11) Skin Corrosion/Irritation, Category 2

(1.32) Eye Damage/Eye Irritation, Category 2A

(2.50) Aquatic Acute Toxicity, Category 1

(TFV) Risk

(14.00) Sensitization, Skin, Category 1A

(1.47) Reproductive Toxicology, Category 2

(7.30) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.