

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

Fragrance Oil

Page 1 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Frosted Eucalyptus Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	sification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Frosted Eucalyptus

Fragrance Oil

Page 2 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger

Hazard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

Fragrance Oil

Page 3 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihy	/drojasmonate		
107-41-5	203-489-0	10 - 20 %	H315; H319
Hexylene	Glycol		
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402
2,6-dimeth	nyloct-7-en-2-ol		
140-11-4	205-399-7	5 - 10 %	H303; H401; H412
Benzyl ace	etate		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	nzoate		
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
14901-07-6	238-969-9	2 - 5 %	H303; H401; H411
lonone			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	ronaphthalenes	
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401
Terpineol			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
Geraniol			
115-95-7		1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace			
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402
Eucalyptol			
80-54-6		1 - 2 %	H227; H302; H315; H317; H360; H401;
	yl Methylpropiona		H412
6485-40-1	229-352-5	1 - 2 %	H227; H303; H313; H317; H401
I-Carvone			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Frosted Eucalyptus

Fragrance Oil

Page 4 of 9 Print Date: 2023-03-29

www.WholesaleS		Conc.	
Ingredient	EC#	Range	GHS Classification
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benza	aldehyde	H411
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	1		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
Allyl cyclo	ohexylpropionate	Э	
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A	Acetate		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß-	ionone		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	erpinene		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-	dimethylhydroci	innamal	
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace	tate		
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401
cis-3-Hex	enyl methyl carl	bonate	
14073-97-3	237-926-1	0.1 - 1.0 %	H227; H302; H315; H317; H402; H412
I-Menthor	ne		
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
a-Isometh	nyl ionone		
52475-86-2	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410
1-Methyl-	4-(4-methyl-3-p	entenyl)cyclohex	-3-ene-1-carbaldehyde
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.16

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

Page 5 of 9 Fragrance Oil 7820 E Pleasant Valley Road Print Date: 2023-03-29 Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure: Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available **Risks:** Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. Fire-Fighting measures 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective 5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 6 of 9 Print Date: 2023-03-29

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lin Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
80-56-8	pinene	20
127-91-3 beta Pinene		20
Engineering	Controls: Use local exhaust as needed.	

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint(G1) to Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	178 F (81.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1147
%VOC:	13.54
Specific Gravity @ 25 C:	0.9420
Density (g/mL) @ 25 C:	0.9390
Refractive Index @ 20 C:	1.4760
Soluble in:	Oil

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

Fragrance Oil

Page 7 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3106.3781) May be harmful if swallowed
(LD50: 4248.6969) May be harmful in contact with skin
(LD50: 33.2351) May be harmful if inhaled
Causes skin irritation
Causes serious eye irritation
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
May damage fertility or the unborn child
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity Acute acquatic toxicity Not classified - the classification criteria are not met Chronic acquatic toxicity Toxic to aquatic life with long lasting effects Toxicity Data on soil no data available Toxicity on other organisms no data available 12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Other adverse effects

no data available no data available no data available no data available



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Frosted Eucalyptus

Fragrance Oil

Page 8 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 101-86-0 : (10 - 20 %) : Hexyl cinnamal					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082	
IMDG (Sea)						
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082	

15. Regulatory Information

U.S. Federal Regulations

	-			
TSCA (Toxic Substance Control Act)				All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)			RCLA and CAA)	This product contains NO components of concern.
U.S	. State Regulati	ions		
California Proposition 65 Warning			arning	This product contains the following components:
	123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
Car	adian Regulati	ons		
I	DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:
	94201-73-7	303-662-1	<= 8 ppm	Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

(2.18) Reproductive Toxicity, Category 2

(1.55) Aquatic Chronic Toxicity, Category 4

Revised Date: 2023-02-07 00:00

Page 9 of 9

Print Date: 2023-03-29

Crafter's Choice[™] Frosted Eucalvptus Product:

Fragrance Oil 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn child H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects Total Fractional Values (TFV) Risk (TFV) Risk (150.44) Acute Toxicity Inhalation, Category 5 (22.38) Aquatic Chronic Toxicity, Category 3 (12.50) Reproductive Toxicity, Category 1B (11.00) Sensitization, Skin, Category 1B (5.50) Sensitization, Skin, Category 1 (5.50) Sensitization, Skin, Category 1A (5.17) Skin Corrosion/Irritation, Category 3 (4.29) Eye Damage/Eye Irritation, Category 2A (4.17) Reproductive Toxicity, Category 1B (3.70) Skin Corrosion/Irritation, Category 2

(1.61) Acute Toxicity Oral, Category 5

(2.19) Aquatic Chronic Toxicity, Category 2

(1.18) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.