

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Black Salt & Cypress Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada	a, Puerto Rico	, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1010 1200 o	f title 20)

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

skin reaction

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Black Salt & Cypress

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 2 of 8 Print Date: 2023-03-16

Hazard statements	
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Be	nzoate		
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihydrojasmonate			
105-95-3	203-347-8	5 - 10 %	H401
Ethylene brassylate			
19870-74-7	243-384-7	5 - 10 %	H317; H400; H410
Cedrol methyl ether			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
Tetramethyl Acetyloctahydronaphthalenes			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress Fragrance Oil

Page 3 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

(800) 359-0944 www.Wholesales	SuppliesPlus.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ac	cetate			
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411	
a-Isometi	hyl ionone			
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410	
Hexyl sal	licylate			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	
Linalool				
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;	
delta-3-C	arene		H401; H411	
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411	
Ethyl 2,2-	-dimethylhydroci	innamal		

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.71

4. First Aid Measures		
4.1 Description of first aid measures		
·		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	Symptoms: no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment: Refer to Section 2.2 "Response"		
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress

Fragrance Oil

Page 4 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

 Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 80-56-8
 pinene
 20
 20

 13466-78-9
 delta-3-Carene
 20
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.
as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.



Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress Fragrance Oil

Page 5 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0198
%VOC:	1.40
Specific Gravity @ 25 C:	0.9890
Density (g/mL) @ 25 C:	0.9860
Refractive Index @ 20 C:	1.4820
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3305.0465) May be harmful if swallowed
Not classified - the classification criteria are not met
(LD50: 88.5854) May be harmful if inhaled
Causes skin irritation
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress Fragrance Oil

Page 6 of 8 Print Date: 2023-03-16

May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

2. Ecological Information						
12.1 Toxicity						
Acute acquatic toxicity	Very Toxic to aquatic life Toxic to aquatic life with long lasting effects					
Chronic acquatic toxicity						
Toxicity Data on soil	no data available					
Toxicity on other organisms	no data available					
12.2 Persistence and degradability	no data available					
12.3 Bioaccumulative potential	no data available					
12.4 Mobility in soil	no data available					
12.5 Other adverse effects	no data available					

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient c 120-51-4 : (20 - 3			:	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Black Salt & Cypress Product: Fragrance Oil

www.WholesaleSuppliesPlu Environmentally Haz Substance, Liquid					
			9	111	UN3082
15. Regulate U.S. Federal Regulat	ory Infori tions	mation			
TSCA (Toxic Sub	stance Co	ntrol Act)	A	Il components of the substance/m	ixture are listed or exempt
40 CFR(EPCRA, S U.S. State Regulation		CLA and CAA) Т	his product contains NO compone	nts of concern.
California Propos	sition 65 W	arning	Т	his product contains the following	components:
123-35-3(NF 2	204-622-5	0.01 - 0.1%	beta	a-Myrcene (Natural Source)	
94-59-7 2	202-345-4	<= 49 ppm	Safı	ole (Natural Source)	
93-15-2 2	202-223-0	<= 21 ppm	Met	hyl Eugenol (Natural Source)	
Canadian Regulation	าร				
DSL				9.99% of the components are liste omponents are liste	d or exempt.The following
476332-65-7		0.01 - 0.1%		Indeno[4,5b] furan, decahydro-2,2	,6,6,7,8,,8-heptamethyl

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour H302 : Harmful if swallowed H313 : May be harmful in contact with skin H317 : May cause an allergic skin reaction H320 : Causes eye irritation H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects **Total Fractional Values** (TFV) Risk (56.44) Acute Toxicity Inhalation, Category 5 (5.00) Sensitization, Skin, Category 1B (2.00) Sensitization, Skin, Category 1
- (1.51) Acute Toxicity Oral, Category 5
- (1.19) Skin Corrosion/Irritation, Category 3 (1.12) Skin Corrosion/Irritation, Category 2

Department	issuing data sheet:
Department	E-mail address:

- H227 : Combustible liquid H304 : May be fatal if swallowed and enters airways H316 : Causes mild skin irritation H319 : Causes serious eye irritation H332 : Harmful if inhaled H402 : Harmful to aquatic life H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (34.96) Aquatic Chronic Toxicity, Category 3
- (3.49) Aquatic Chronic Toxicity, Category 2
- (2.00) Sensitization, Skin, Category 1A
- (1.39) Aquatic Chronic Toxicity, Category 4
- (1.18) Aquatic Acute Toxicity, Category 1



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Salt & Cypress Fragrance Oil

Page 8 of 8 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.