

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 1 of 7 2018-03-02

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

Product Name: Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com m

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

H316: Causes mild skin irritation
H317: May cause an allergic skin reaction
H333: May be harmful if inhaled
H350: May cause cancer
H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation.
	16 : Causes eye irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Sensitization/Allergic Respons	e 31 : May cause allergic skin reaction.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Danger



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 2 of 7 2018-03-02

Hazard statments		
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H333	May be harmful if inhaled	
H350	May cause cancer	
H411	Toxic to aquatic life with long lasting effects	
Precautionary Statements		
Prevention:		
P201	Obtain special instructions before use	
P202	Do not handle until all safety precautions have been read and understood	
P272	Contaminated work clothing should not be allowed out of the workplace	
P273	Avoid release to the environment	
P281	Use personal protective equipment as required	
Response:		
P302 + P352	IF ON SKIN: Wash with soap and water	
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell	
P308 + P313	IF exposed or concerned: Get medical advice/attention	
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention	
P363	Wash contaminated clothing before reuse	
P391	Collect Spillage	
2.3 Other Hazards		

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31
Tetrameth	yl Acetyloctahyd	ronaphthalenes		
6259-76-3	228-408-6	2 - 5 %	H315; H317; H319; H400; H410	11, 15
Hexyl salid	cylate			
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412	31
Benzyl Salicylate				
105-95-3	203-347-8	2 - 5 %	H401	11, 15
Ethylene brassylate				
68990-83-0	294-461-7	1 - 2 %	H304; H316; H400; H410	3
Juniperus mexicana				
5462-06-6	226-749-5	0.1 - 1.0 %	H227; H303; H317; H402	11, 15, 31
4-Methoxy	/-alpha-methylbe	nzenepropanal		



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 3 of 7 2018-03-02

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8016-96-4	282-490-8	0.1 - 1.0 %	H315; H317; H319; H401; H411	11, 15
Vetiveria.	zizanoides root	oil		
8008-45-5	282-013-3	0.1 - 1.0 %	H226; H304; H315; H317; H341; H350;	11, 15
Myristica	fragrans (Nutme	eg) kernel oil	H400; H410	
82356-51-2	429-900-5	0.1 - 1.0 %	H317; H400; H410	
3-Methylo	cyclopentadecer	none		
84775-42-8	283-872-7	0.1 - 1.0 %	H303; H316; H341; H351; H401; H412	
Pimpinella	a anisum (anise) fruit extract		
141-13-9	205-460-8	0.1 - 1.0 %	H317; H400; H410	12, 15
2,6,10-Tri	imethyl-9-undec	enal		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31
Eugenol				
See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 0.45

4. First Aid Measures 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Dieles	Defer to Cention 2.0 Il logard

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the subs	stance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 4 of 7 2018-03-02

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined

Crafter'sChoice[®]

Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 5 of 7 2018-03-02

Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0056
%VOC:	0.5
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,109.23) Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 7,525.00) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 239.24) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	May cause cancer
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 6 of 7 2018-03-02

12. Ecological Information	
12.1 Toxicity	
Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class Not Regulated	Pack Group	Sub Risk s Goods	UN-nr.
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9			UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Reg	ulatory Information	
U.S. Federal Re	gulations:	
TSCA (Toxic	Substance Control Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPC	RA, SARA, CERCLA and CAA)	This product contains NO components of concern.
U.S. State Regu	lations:	
California Pr	oposition 65 Warning	This product contains the following components:
140-67-0	205-427-8 <= 30 ppm	Estragole (Methyl chavicol) (NFS)



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

Page 7 of 7 2018-03-02

94-59-7	202-345-4	<= 38 ppm	Safrole (NFS)
93-15-2	202-223-0	<= 10 ppm	Methyl Eugenol (NFS)
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (NFS)
Canadian Regulati	ons:		
DSL / NDSL			99.94% of the components are listed or exempt. The following components are NOT on the List:
211299-54-6	427-580-1	0.01 - 0.1%	4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole,octahydro-2,2,5,8,89a-hexam ethyl-,(4aR,5R,7aS,9R)-
16. Other	Informatio	n	

GHS H-Statements referred to under section 3

- H226 : Flammable liquid and vapour
- H303 : May be harmful if swallowed
- H315 : Causes skin irritation
- H319 : Causes serious eye irritation
- H341 : Suspected of causing genetic defects
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk(1.25) Skin Corrosion/Irritation, Category 3(2.00) Carcinogenicity, Category 1B

H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H351 : Suspected of causing cancer
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk(50.00) Sensitization, Skin, Category 1B(4.53) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.