

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Incense & Oud Fragrance Oil

Page 1 of 8 2018-03-02

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Incense & Oud Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Germ Cell Mutagenicity, Category 2 H341: Suspected of causing genetic defects

Carcinogenicity, Category 1B H350: May cause cancer

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 11 : May cause skin irritation.

16: Causes eye irritation.

Acute Oral 3 : May be harmful if swallowed .

Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 2 of 8 2018-03-02

### **Hazard pictograms**







## Signal Word: Danger

### **Hazard statments**

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

### Response:

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

### 2.3 Other Hazards

#### no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 3 of 8 2018-03-02

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410	11, 31		
Tetrameth	yl Acetyloctahyd	ronaphthalenes				
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411	11, 15		
Hexyl cinn	amaldehyde					
28219-61-6	248-908-8	5 - 10 %	H319; H401; H411	11, 15, 31		
•	Ethyl trimethylcyclopentene butenol					
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3		
•	Benzyl Benzoate					
24851-98-7	246-495-9	2 - 5 %	H402			
	Methyldihydrojasmonate					
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15		
	ylindanopyran					
97-53-0	202-589-1	2 - 5 %	H303; H316; H317; H319; H401	11, 15, 31		
Eugenol						
8015-91-6	283-479-0	2 - 5 %	H227; H303; H313; H316; H319; H341;	11, 15, 31		
	non Leaf Ceylon		H350; H401; H412			
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410	15		
Cedrol me	•					
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	31		
	Pentamethylcyclopent-3-ene-butanol					
104-54-1	203-212-3	0.1 - 1.0 %	H303; H317	11, 15, 31		
Cinnamyl		0.4.4.0.07	11000 11047 11400	10 15 0 00 01 0		
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9		
Coumarin		0.4.4.0.0/	11047	4.4		
70788-30-6	274-892-7	0.1 - 1.0 %	H317	11		
	propylcyclohexai		11040, 11047	0.4		
57082-24-3	260-555-1	0.1 - 1.0 %	H316; H317	31		
	llene acetate	0.04 0.40/	11000 11040 11045 11047 11040 11404	10 10 10 00 01 00		
104-55-2	203-213-9	0.01 - 0.1%	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36		
Cinnamal		0.01 0.40/	H202, H24E, H247, H240, H400, H440	11 15 01		
57378-68-4	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	11, 15, 31		
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)						

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.08



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 4 of 8 2018-03-02

### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 5 of 8 2018-03-02

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Plashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

**Vapor Pressure (mmHg@20 C):** 0.0056 **%VOC:** 0.2032

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Incense & Oud Fragrance Oil

Page 6 of 8 2018-03-02

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

### 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,841.19) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,888.22) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 57.37) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitizationMay cause an allergic skin reactionGerm cell mutagenicitySuspected of causing genetic defects

Carcinogenicity May cause cancer

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 7 of 8 2018-03-02

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.  IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

### 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 0.01 - 0.1% Safrole (NFS)

93-15-2 202-223-0 <= 20 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 <= 15 ppm beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 99.80% of the components are listed or exempt. The following

components are NOT on the List:

54440-17-4 0.1 - 1.0 % 2,3,3-Trimethylindanone

### 16. Other Information

### GHS H-Statements referred to under section 3

H227 : Combustible liquid
H312 : Harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

11401. Toxic to aquatic inc

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Incense & Oud Fragrance Oil

Page 8 of 8 2018-03-02

### **Total Fractional Values**

(TFV) Risk
(1.59) Skin Corrosion/Irritation, Category 2
(1.42) Eye Damage/Eye Irritation, Category 2A
(20.00) Carcinogenicity, Category 1B
(8.84) Aquatic Chronic Toxicity, Category 2

(TFV) Risk(9.00) Sensitization, Skin, Category 1A(2.00) Germ Cell Mutagenicity, Category 2(1.54) Aquatic Acute Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.