

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 1 of 8 2018-11-19

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Autumn Prelude Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

15: May cause eye irritation.

9: Harmful if absorbed through the skin.

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, spleen, blood, bile duct, male reproductive system.

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 2 of 8 2018-11-19

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms





## Signal Word: Warning

#### **Hazard statments**

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

#### 2.3 Other Hazards

no data available


## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

0404

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.		
Ingredient	LO#	Range	GHS Classification	OSHA Classification





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 3 of 8 2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411	12, 2
2-t-Butylc	yclohexyl aceta	te		
101-39-3	202-938-8	5 - 10 %	H303; H317; H401	31
alpha-Me	thylcinnamaldel	nyde		
104-67-6	203-225-4	5 - 10 %	H316; H401; H402; H412	11
gamma-U	Indecalactone			
32210-23-4	250-954-9	5 - 10 %	H303; H317; H401	11, 15
4-tert-But	ylcyclohexyl ace	etate		
68912-13-0	272-805-7	2 - 5 %	H316; H401; H411	11, 15
Hexahydr	o-methanoinder	nyl Propionate		
103-48-0	203-116-1	2 - 5 %	H401	
Phenethy	l isobutyrate			
77-83-8	201-061-8	2 - 5 %	H317; H401; H411	11, 15
Ethyl met	hylphenylglycida	ate		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
121-33-5	204-465-2	2 - 5 %	H303; H319	31
Vanillin				
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl vani	illin			
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin	1			
6413-10-1	229-114-0	2 - 5 %	H227; H316	11
Ethyl 2-m	ethyl-1,3-dioxola	ane-2-acetate (F	-ructone)	
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401	11, 15, 31
Eugenol				
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
	nyl Methylpropio		H412	·
103-26-4	203-093-8	1 - 2 %	H303; H317	
Methyl cir	nnamate			
4940-11-8	225-582-5	1 - 2 %	H302	2
Ethyl mali	tol			
24851-98-7	246-495-9	1 - 2 %	H402	
	ydrojasmonate			
1205-17-0	214-881-6	1 - 2 %	H303; H317; H401; H411	
		le-5-propionaldel		
122-97-4	204-587-6	1 - 2 %	H303; H313; H314; H318; H402	11, 15
	1-propanol		, , , ,, -	,
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402	
Linalyl ac		5 110 /5	,,,,	



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 4 of 8 2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3
Allyl cyclo	ohexylpropionate	Э		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylt	etrahydro Benza	aldehyde	H411	
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411	12, 15, 26, 3, 31
trans-alph	na-1-(2,6,6-Trim	ethyl-2-cyclohexe	n-1-yl)-2-buten-1-one (trans-alpha-Damasc	cone)
1885-38-7	217-552-5	0.1 - 1.0 %	H301; H312; H316; H317	3, 31
Cinnamyl	nitrile			
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31
Methoxy (	dicyclopentadiei	ne carboxaldehyd	le	
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31
delta-1-(2	,6,6-Trimethyl-3	3-cyclohexen-1-yl	-2-buten-1-one (delta-Damascone)	
104-55-2	203-213-9	0.01 - 0.1%	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
Cinnamal	1			
See Section 1	6 for full text of	GHS classification	n codes	

## 4. First Aid Measures

4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 0.39

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

5. Fire-Fighting measures

5.1 Extinguishing media

**Treatment:** 

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 5 of 8 2018-11-19

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point: Not determined



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 6 of 8 2018-11-19

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0236

 %VOC:
 2.41

 Specific Gravity @ 25 C:
 1.0390

 Density @ 25 C:
 1.0360

 Refractive Index @ 20 C:
 1.5160

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

### 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,130.21) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,850.00) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 38.99) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 7 of 8 2018-11-19

## 12. Ecological Information

### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	d - Not Dangerou	s Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	

## 15. Regulatory Information

## U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

**California Proposition 65 Warning** 

This product contains the following components:

123-35-3(NF 204-622-5 <= 80 ppm

beta-Myrcene (NFS)

**Canadian Regulations:** 



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Autumn Prelude Fragrance Oil

Page 8 of 8 2018-11-19

**DSL/NDSL** 

100.84% of the components are listed or exempt. The following components are NOT on the List:

125109-85-5 412-050-4 0.1 - 1.0 %

Isopropylphenylbutanal

#### 16. Other Information

#### GHS H-Statements referred to under section 3

H227 : Combustible liquid

H301 : Toxic if swallowed

H302 : Harmful if swallowed

H312 : Harmful in contact with skin

H314 : Causes severe skin burns and eye damage

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

H320 : Causes eye irritation H332 : Harmful if inhaled H361 : Suspected of damaging fertility or the unborn child H401 : Toxic to aquatic life

H361 : Suspected of damaging fertility or the unborn child
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.74) Skin Corrosion/Irritation, Category 2
 (2.34) Eye Damage/Eye Irritation, Category 2A
 (10.00) Sensitization, Skin, Category 1A
 (1.23) Aquatic Acute Toxicity, Category 1

(2.69) Aquatic Chronic Toxicity, Category 2

## Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.