

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 1 of 8 2018-10-04

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Summer Daze* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

Acute Oral

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid Acute Dermal/Eye 11 : May cause skin irritation.

15 : May cause eye irritation.3 : May be harmful if swallowed .

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, male reproductive system.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 2 of 8 2018-10-04

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 -	+ P352	IF ON SKIN: Wash with soap and water
P304 -	+ P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 -	+ P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 -	+ P313	IF exposed or concerned: Get medical advice/attention
P312		Call a POISON CENTER or doctor/physician if you feel unwell
P333 -	+ P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 -	+ P313	If eye irritation persists: Get medical advice/attention
P362		Take off contaminated clothing and wash before reuse
P363		Wash contaminated clothing before reuse
P391		Collect Spillage

2.3 Other Hazards

no data available





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 3 of 8 2018-10-04

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411	28, 3		
Benzyl Be	nzoate					
24851-98-7	246-495-9	10 - 20 %	H402			
Methyldih	ydrojasmonate					
105-95-3	203-347-8	5 - 10 %	H401	11, 15		
Ethylene brassylate						
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412	31		
Benzyl Sa	licylate					
10339-55-6	233-732-6	2 - 5 %	H227; H303; H315; H319; H402	11, 15		
3,7-Dimet	hyl-1,6-nonadien	-3-ol				
63500-71-0	405-040-6	2 - 5 %	H319			
Tetrahydro	o-2-isobutyl-4-me	ethyl-pyran-4-ol				
6259-76-3	228-408-6	2 - 5 %	H315; H317; H319; H400; H410	11, 15		
Hexyl salid	cylate					
1205-17-0	214-881-6	2 - 5 %	H303; H317; H401; H411			
a-Methyl-1	1,3-benzodioxole	-5-propionaldehy	yde			
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39		
Butylphen	yl Methylpropion	al	H412			
65405-77-8	265-745-8	2 - 5 %	H400; H410	11, 15		
cis-3-Hexe	enyl salicylate					
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15		
Hexameth	Hexamethylindanopyran					
107-75-5	203-518-7	1 - 2 %	H317; H319; H402	11, 15, 31		
Hydroxyci	tronellal					
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15		
Hexyl cinr	namaldehyde					
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	26		
Citral						
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402			
Linalyl ace	etate					
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412	11, 15, 31		
2-Methyl-3-(p-isopropylphenyl)propionaldehyde						
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31		
Limonene						
106-22-9 Citronellol	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15		



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 4 of 8 2018-10-04

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31
delta-1-(2	,6,6-Trimethyl-3	3-cyclohexen-1-yi	l)-2-buten-1-one (delta-Damascone)	
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31
Methoxy o	dicyclopentadie	ne carboxaldehy	de	
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H318; H401	15
Nerol				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
141-12-8	205-459-2	0.1 - 1.0 %	H315; H317; H401	
Neryl ace	tate			
127-91-3 <i>B-Pinene</i>	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
68737-61-1 Dimethylt	272-113-5 etrahydro Benza	0.1 - 1.0 % aldehyde	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
•	•	GHS classification	on codes	

4. First Aid Measures

4.1 Description of first aid measures

Total Hydrocarbon Content (% w/w) = 2.01

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 5 of 8 2018-10-04

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

127-91-3 *ß-Pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 6 of 8 2018-10-04

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0315 **%VOC:** 3.3465

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactionsNone known10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,216.52) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,155.12) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 52.93) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 7 of 8 2018-10-04

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Roa	d/Pail\	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	Ш		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Summer Daze* Fragrance Oil

Page 8 of 8 2018-10-04

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1%

beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL

100.70% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H320 : Causes eye irritation
H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(1.68) Skin Corrosion/Irritation, Category 2
(3.06) Eye Damage/Eye Irritation, Category 2A
(2.08) Aquatic Acute Toxicity, Category 1
(2.08) CTV) Risk
(35.00) Sensitization, Skin, Category 1A
(28.50) Reproductive Toxicology, Category 2
(5.57) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.