

Crafter's Choice<sup>™</sup> White Oak & Cedar Fragrance Oil

Page 1 of 7 2018-11-28

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

1.

Product Name: Crafter's Choice™ White Oak & Cedar Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation.
	16 : Causes eye irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms



Signal Word: Warning



# **Safety Data Sheet**

#### Crafter's Choice™ White Oak & Cedar Fragrance Oil

Page 2 of 7 2018-11-28

Hazard statments	
H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
24851-98-7	246-495-9	5 - 10 %	H402	
Methyldih	ydrojasmonate			
31906-04-4	250-863-4	2 - 5 %	H317; H402	
Hydroxyis	ohexyl 3-cyclohe	exene carboxalde	ehyde	
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetrameth	nyl Acetyloctahyd	lronaphthalenes		
28219-61-6	248-908-8	2 - 5 %	H319; H401; H411	11, 15, 31
Ethyl trim	Ethyl trimethylcyclopentene butenol			
68990-83-0	294-461-7	1 - 2 %	H304; H316; H400; H410	3
Juniperus mexicana				
66068-84-6	266-100-3	1 - 2 %	H315; H401; H411	11, 15
Isocamphenyl cyclohexanol (mixed isomers)				
105-95-3	203-347-8	1 - 2 %	H401	11, 15
Ethylene brassylate				
4707-47-5	225-193-0	1 - 2 %	H402	
Methyl atı	Methyl atrarate			



# Safety Data Sheet

#### Crafter's Choice<sup>™</sup> White Oak & Cedar Fragrance Oil

Page 3 of 7 2018-11-28

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8014-09-3	282-493-4	1 - 2 %	H304; H316; H401; H411	
Pogosten	non cablin oil			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	11, 15
4-tert-But	ylcyclohexyl ace	etate		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylpher	nyl Methylpropio	nal	H412	
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31
Eugenol				
32388-55-9	251-020-3	0.1 - 1.0 %	H316; H317; H400; H410	16, 19
Acetyl ceo	drene			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402	
Linalyl ac	etate			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H316; H317	31, 4
beta-Cary	rophyllene			
70788-30-6	274-892-7	0.1 - 1.0 %	H317	11
Trimethyl-	propylcyclohexa	anepropanol		
See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 0.52

# 4. First Aid Measures

## 4.1 Description of first aid measures

••••••••••••••••••••••••••••••••••••••	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effects	Rinse mouth with water and obtain medical advice. , both acute and delayed
Symptoms:	no data available
Risks: 4.3 Indication of any immediate medical at	Refer to Section 2.2 "Hazard Statements" ttention and special treatment needed
Treatment:	•
	Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substance or mixture	



# Safety Data Sheet

#### Crafter's Choice™ White Oak & Cedar Fragrance Oil

Page 4 of 7 2018-11-28

During fi	e fighting:
-----------	-------------

#### 5.3 Advice for firefighters

**Further information:** 

Water may be ineffective

Standard procedure for chemical fires

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

- **Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
- **Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



# Safety Data Sheet

Crafter's Choice™ White Oak & Cedar Fragrance Oil

Page 5 of 7 2018-11-28

# 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0037
%VOC:	0.3981
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information	
11.1 Toxicological Effects	
Acute Toxicity Estimates (ATEs) based on the individual Ingr	edient Toxicity Data utilizing the "Additivity Formula"
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,000.00) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 7,107.14) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 92.99) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met



# Safety Data Sheet

#### Crafter's Choice<sup>™</sup> White Oak & Cedar Fragrance Oil

Page 6 of 7 2018-11-28

May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Not classified - the classification criteria are not met
Toxic to aquatic life with long lasting effects
no data available
no data available
no data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082



# Safety Data Sheet

Crafter's Choice™ White Oak & Cedar Fragrance Oil

Page 7 of 7 2018-11-28

15. Regulatory Information U.S. Federal Regulations:							
TSCA (Toxic Substance Control Act):			All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:			This product contains NO components of concern.				
California Propo 123-35-3(NF		-	This product contains the following components: beta-Myrcene (NFS)				
Canadian Regulation	ons:						
DSL / NDSL			99.85% of the components are listed or exempt. The following components are NOT on the List:				
36306-87-3	252-961-2	0.01 - 0.1%	3,3,5,5-Tetramethyl-4-ethoxyvinyl cyclohexanone				
67801-20-1	267-140-4	0.01 - 0.1%	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol				
476332-65-7		0.01 - 0.1%	2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl				

## 16. Other Information

#### GHS H-Statements referred to under section 3

H227 : Combustible liquid

- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H361 : Suspected of damaging fertility or the unborn child
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk(1.23) Skin Corrosion/Irritation, Category 3(3.10) Aquatic Chronic Toxicity, Category 2

- H302 : Harmful if swallowed
- H315 : Causes skin irritation
- H319 : Causes serious eye irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk(465.00) Sensitization, Skin, Category 1A

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.