

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 1 of 8 2019-03-04

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ White Washed Woods Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2 H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

9: Harmful if absorbed through the skin.

Acute Oral 2: Harmful if swallowed

Sensitization/Allergic Response 31: May cause allergic skin reaction.

32 : May cause light-induced allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, bile duct.

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 2 of 8 2019-03-04





Signal Word: Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

•	polise.	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
24851-98-7	246-495-9	10 - 20 %	H402		
Methyldihydrojasmonate			11045, 11047, 11400, 11440	44.04	
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410	11, 31	
Tetramethyl Acetyloctahydronaphthalenes					



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 3 of 8 2019-03-04

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
121-32-4	204-464-7	5 - 10 %	H303; H319; H320; H402	
Ethyl vani	illin			
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin)			
104-61-0	203-219-1	2 - 5 %	H316	12, 15
gamma-N	lonalactone			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H319; H320; H402	
Linalyl Ac	etate			
105-95-3	203-347-8	2 - 5 %	H401	11, 15
Ethylene l	brassylate			
68990-83-0	294-461-7	2 - 5 %	H304; H316; H400; H410	3
Juniperus	mexicana			
8008-56-8	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31, 32
Citrus me	dica limonum (L	.emon) peel oil		
104-50-7	203-208-1	1 - 2 %	H303	11, 15
gamma-C	Octalactone			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H319;	10, 12, 16, 26, 31, 36
Cinnamal	1		H401	
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;	12, 15, 3, 31, 9
Iso Euger	nol		H335; H401	
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401	
Methyl atr	rarate			
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H400;	
delta-3-Ca	arene		H410	
8028-48-6	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus aur	rantium dulcis (0	Orange) fruit extra	act	
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317; H413	31, 4
beta-Cary	ophyllene/			
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Limonene)			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.88

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 4 of 8 2019-03-04

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 5 of 8 2019-03-04

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

13466-78-9 *delta-3-Carene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0281 **%VOC:** 2.9585

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 6 of 8 2019-03-04

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition productsNone known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,750.75) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,415.43) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 75.79) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 7 of 8 2019-03-04

14. **Transport Information**

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Class Not Regulated	Pack Group I - Not Dangerou	Sub Risk s Goods	UN-nr.
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL/NDSL 99.97% of the components are listed or exempt. The following

components are NOT on the List:

This product contains the following components:

94201-19-1 303-602-4 0.01 - 0.1% 1-Oxaspiro[4.5]decan-2-one, 8-methyl-, cis-

16. Other Information

GHS H-Statements referred to under section 3

H226: Flammable liquid and vapour H227: Combustible liquid H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways

H312: Harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H332: Harmful if inhaled H320 : Causes eye irritation

H335 : May cause respiratory irritation H400: Very Toxic to aquatic life H401: Toxic to aquatic life H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects H413: May cause long lasting harmful effects to aquatic

life

Total Fractional Values

(TFV) Risk (TFV) Risk

(1.68) Skin Corrosion/Irritation, Category 2 (50.00) Sensitization, Skin, Category 1A



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ White Washed Woods Fragrance Oil

Page 8 of 8 2019-03-04

(1.29) Eye Damage/Eye Irritation, Category 2

(6.03) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.