

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Fiddle Leaf Fig Fragrance Oil

Page 1 of 8  
2019-02-20

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product Name:** Crafter's Choice™ Fiddle Leaf

**Fig Fragrance Oil**

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC  
7820 E. Pleasant Valley Road  
Independence, Ohio 44131  
Phone: 1-800-908-7028  
www.Crafters-Choice.com

#### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

##### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

##### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation. 16 : Causes eye irritation. 19 : May cause photo-induced skin irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

**Hazard pictograms**

## Crafter's Choice™ Fiddle Leaf Fig Fragrance Oil

Page 2 of 8  
2019-02-20**Signal Word: Danger****Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

**Precautionary Statements****Prevention:**

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

**Response:**

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

**2.3 Other Hazards**

no data available

**3. Composition/Information on Ingredients****3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8030-55-5 <i>Dipterocarpus Turbinatus</i> Wood Oil	232-444-8	5 - 10 %	H304; H316	11, 15
28219-61-6 <i>Ethyl trimethylcyclopentene butenol</i>	248-908-8	2 - 5 %	H319; H401; H411	11, 15, 31

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Fiddle Leaf Fig Fragrance Oil

Page 3 of 8  
2019-02-20

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>54464-57-2</b> <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
<b>105-95-3</b> <i>Ethylene brassylate</i>	203-347-8	2 - 5 %	H401	11, 15
<b>8008-57-9</b> <i>Citrus Aurantium Dulcis (Orange) Peel Oil</i>	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31
<b>22457-23-4</b> <i>5-Methyl-3-heptanone oxime</i>	245-010-8	2 - 5 %	H303; H316; H402; H412	
<b>32210-23-4</b> <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	1 - 2 %	H303; H317; H401	11, 15
<b>68990-83-0</b> <i>Juniperus mexicana</i>	294-461-7	1 - 2 %	H304; H316; H400; H410	3
<b>104-50-7</b> <i>gamma-Octalactone</i>	203-208-1	1 - 2 %	H303	11, 15
<b>32388-55-9</b> <i>Acetyl cedrene</i>	251-020-3	1 - 2 %	H303; H317; H400; H410	16, 19
<b>63500-71-0</b> <i>Isobutyl Methyl Tetrahydropyranol</i>	405-040-6	1 - 2 %	H319	
<b>103-95-7</b> <i>2-Methyl-3-(p-isopropylphenyl)propionaldehyde</i>	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31
<b>8023-89-0</b> <i>Canarium Luzonicum Gum Nonvolatiles</i>	232-557-2	0.1 - 1.0 %	H226; H303; H304; H313; H315; H317; H400; H410	12, 3, 31
<b>91-64-5</b> <i>Coumarin</i>	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
<b>68737-61-1</b> <i>Dimethyltetrahydro Benzaldehyde</i>	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401; H411	12, 15, 31
<b>19870-74-7</b> <i>Cedrol methyl ether</i>	243-384-7	0.1 - 1.0 %	H317; H400; H410	15
<b>80-56-8</b> <i>a-Pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	11, 15, 25
<b>470-82-6</b> <i>Eucalyptol</i>	207-431-5	0.1 - 1.0 %	H226; H303; H316; H317	26, 27, 3
<b>67633-96-9</b> <i>cis-3-Hexenyl methyl carbonate</i>	266-797-4	0.1 - 1.0 %	H227; H317; H401	
<b>5989-27-5</b> <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 23
<b>57378-68-4</b> <i>delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)</i>	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 4.58

## 4. First Aid Measures

### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
------------	---------------------------------

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable:	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
-----------------------	--------------------------

### 5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
----------------------	---------------------------------------

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
80-56-8 <i>a-Pinene</i>	20			

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Conforms to Standard
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	192 F (88.89 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.0761
<b>%VOC:</b>	5.8165
<b>Specific Gravity @ 25 C:</b>	Not determined
<b>Density @ 25 C:</b>	Not determined

Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,542.33) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 5,219.34) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 82.24) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

## 12. Ecological Information

### 12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available

**12.4 Mobility in soil**

no data available

**12.5 Other adverse effects**

no data available

**13. Disposal Conditions****13.1 Waste treatment methods**

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

**14. Transport Information**

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b>	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082

**15. Regulatory Information****U.S. Federal Regulations:**

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:**

**California Proposition 65 Warning** This product contains the following components:

93-15-2	202-223-0	<= 6 ppm	Methyl Eugenol (NFS)
89-82-7	201-943-2	<= 40 ppm	Pulegone (NFS)
123-35-3(NF)	204-622-5	0.01 - 0.1%	beta-Myrcene (NFS)

**Canadian Regulations:**

**DSL / NDSL** 100.05% of the components are listed or exempt.

**16. Other Information****GHS H-Statements referred to under section 3**

H226 : Flammable liquid and vapour

H313 : May be harmful in contact with skin

H317 : May cause an allergic skin reaction

H302 : Harmful if swallowed

H315 : Causes skin irritation

H318 : Causes serious eye damage

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

**Crafter's Choice™ Fiddle Leaf Fig Fragrance Oil**

Page 8 of 8  
2019-02-20

---

H319 : Causes serious eye irritation

H401 : Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H400 : Very Toxic to aquatic life

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values**

(TFV) Risk

(1.13) Aspiration Hazard, Category 1

(10.00) Sensitization, Skin, Category 1A

(TFV) Risk

(1.93) Skin Corrosion/Irritation, Category 3

(4.36) Aquatic Chronic Toxicity, Category 2

**Remarks**

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.