

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Dragon Milk Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 o	f title 29)
Flammable Liquids, Category 4	, H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization Skin Category 1A	H317 · May cause an allergic skin reaction

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 1

H317 : May cause an allergic skin reaction H318 : Causes serious eve damage

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk Fragrance Oil

Page 2 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

h	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk Fragrance Oil

Page 3 of 8 Print Date: 2023-03-24

CAS#	SuppliesPlus.com	Conc.	
Ingredient	EC#	Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl B	enzoate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramet	hyl Acetyloctahy	dronaphthalenes	S
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
123-51-3	204-633-5	2 - 5 %	H226; H303; H313; H315; H318; H335
Isoamyl a	alcohol		
103-37-7	203-105-1	2 - 5 %	H302; H402
Benzyl bi	utyrate		
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethy	rl alcohol		
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
Ethyl Var	nillin		
106-32-1	203-385-5	1 - 2 %	H227; H401; H411
Ethyl octa	anoate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ce	drene		
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarir	า		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentame	thylcyclopent-3-	ene-butanol	
4940-11-8	225-582-5	1 - 2 %	H302; H401
Ethyl Mal	ltol		
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411
Trimethy	l-propylcyclohex	anepropanol	
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hydroxyi	sohexyl 3-cycloł	nexene carboxalo	dehyde
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410
Cedrol m	ethyl ether		
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411
alpha-dai	mascone		
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2	2,6,6-Trimethyl-3		I)-2-buten-1-one (delta-Damascone)
80-71-7	201-303-2	0.1 - 1.0 %	H302; H317; H402
	clopentenolone		. ,
		GHS classification	on codes
			assification codes which where not shown in section 2
000			

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.02



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk Fragrance Oil

Page 4 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effect	cts, both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medica			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the su	, ,		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective		
Further information:	Standard procedure for chemical fires		

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk Fragrance Oil

Page 5 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir	nits:					
Component				ACGIH	OSHA	OSHA STEL ppm
					••	
123-51-3	Isoamyl ale	cohol	100	125	100	
Engineering	Controls:	Use local exhaust as needed.				

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	168 F (75.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.5447
%VOC:	7.60
Specific Gravity @ 25 C:	0.9750

Crafter'sChoice[®]

....

_.

-

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] Dragon Milk
	Fragrance Oil

f 8 ·24

7820 E Pleasant Valley Road	
Independence, OH 44131	
(800) 359-0944	
www.WholesaleSuppliesPlus.com	
Density (g/mL) @ 25 C:	
Refractive Index @ 20 C:	
Soluble in:	

Page 6 of
Print Date: 2023-03-

0. Stabilit	y and Reactivity
-------------	------------------

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

0.9720 1.4830 Oil

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2746.3961) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3701.0490) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 90.3854) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.	Ecological	Information
-----	------------	-------------

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

duct:	Crafter's Choice [™] Dragon Milk
	Fragrance Oil

Page 7 of 8 Print Date: 2023-03-24

www.WholesaleSuppliesPlus.com		
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	111		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	111		UN3082
Substance, Liquid, n.o.s.					

15. Regula	tory Infor	mation	
U.S. Federal Regul	ations		
TSCA (Toxic Su	Ibstance Co	ntrol Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA		RCLA and CAA)	This product contains NO components of concern.
U.S. State Regulati	ons		
California Prop	osition 65 W	arning	This product contains the following components:
123-35-3(NF	204-622-5	<= 20 ppm	beta-Myrcene (Natural Source)
140-67-0	205-427-8	<= 2 ppm	Estragole (Methyl chavicol) (Natural Source)
89-82-7	201-943-2	<= 1 ppm	Pulegone (Natural Source)
Canadian Regulati	ons		
DSL			99.85% of the components are listed or exempt.The following components are NOT on the List:
1450625-49-		0.1 - 1.0 %	Clearwood



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Dragon Milk Fragrance Oil

Page 8 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

- (TFV) Risk
- (55.32) Acute Toxicity Inhalation, Category 5
- (5.10) Sensitization, Skin, Category 1B
- (3.00) Sensitization, Skin, Category 1A
- (2.25) Skin Corrosion/Irritation, Category 3
- (1.45) Aquatic Chronic Toxicity, Category 4
- (1.38) Skin Corrosion/Irritation, Category 2
- (1.06) Aquatic Acute Toxicity, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

- H301 : Toxic if swallowed
 H316 : Causes mild skin irritation
 H319 : Causes serious eye irritation
 H335 : May cause respiratory irritation
 H402 : Harmful to aquatic life
- (TFV) Risk
- (24.34) Aquatic Chronic Toxicity, Category 3
- (4.75) Eye Damage/Eye Irritation, Category 2A
- (2.43) Aquatic Chronic Toxicity, Category 2
- (1.82) Acute Toxicity Oral, Category 5
- (1.44) Eye Damage/Eye Irritation, Category 1
- (1.35) Acute Toxicity Dermal, Category 5
- (1.00) Sensitization, Skin, Category 1