

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Hemp

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Bamboo Hemp Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
14 042 240 0505	

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Reproductive Toxicity, Category 1B

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Cate	aony 5	H303 : May be harmful if swallowed
•	• •	-
Acute Toxicity Dermal, C	ategory 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation,	Category 2	H315 : Causes skin irritation
Sensitization, Skin, Cate	gory 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritatio	on, Category 1	H318 : Causes serious eye damage
Acute Toxicity Inhalation	, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, C	ategory 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, C	ategory 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity,	Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provis	ions 1910.1200 of title	29)
Skin Corrosion/Irritation,	Category 2	H315 : Causes skin irritation
Sensitization, Skin, Cate	gory 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritatio	on, Category 1	H318 : Causes serious eye damage

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Hemp Fragrance Oil

Page 2 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Danger

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bamboo Hemp Fragrance Oil

Page 3 of 8 Print Date: 2023-03-15

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	
Benzyl Be	enzoate			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	
Hexyl cinr	namal			
140-11-4	205-399-7	5 - 10 %	H303; H401; H412	
Benzyl ac	etate			
98-55-5	202-680-6	5 - 10 %	H227; H303; H315; H319; H401	
Terpineol				
106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H402	
Geraniol				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	
Linalool				
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	ydrojasmonate			
106-25-2	203-378-7	2 - 5 %	H303; H315; H317; H319; H401	
Nerol				
122-78-1	204-574-5	1 - 2 %	H227; H302; H313; H314; H317; H318;	
Phenylace	etaldehyde		H401; H412	
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	
phenethyl	alcohol			
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402	
Hydroxyci	itronellal			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethylte	etrahydro Benza	aldehyde	H411	
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	
beta Pinel	ne			
104-54-1	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401	
Cinnamyl	Alcohol			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412	
IsoCycloC	Citral			
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;	
Butylphen	yl Methylpropio	nal	H412	
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	
Hydroxyis	ohexyl 3-cycloh	exene carboxalo	lehyde	
68039-49-6	268-264-1	0.1 - 1.0 %	H227; H303; H315; H317; H319; H401;	
2,4-Dimet	hyl-3-cyclohexe	ne carboxaldehy	de ^{H411}	
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
pinene			H410	
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317	
Beta-Cary	rophyllene			
-	-			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Bamboo Hemp Product: **Fragrance Oil**

7820 E Pleasant Independence, O (800) 359-0944 www.WholesaleS	H 44131		Fragrance Oil Page Print Date: 2023	4 of 8 -03-15
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
68738-99-8	272-124-5	0.1 - 1.0 %	H316; H317	
-		<i>enyl methylene a</i> GHS classificatio		
			ssification codes which where not shown in section 2	
		(% w/w) =		
Total	nyulocarbon oc		- 1.00	
4. Fi	rst Aid Meas	ures		
4.1 Descrip	tion of first aid	measures		
Inhalation	:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Expos	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Expo	osure:		Remove contaminated clothes. Wash thoroughly with water (and soap Contact physician if symptoms persist.	o).
Ingestion:			Rinse mouth with water and obtain medical advice.	
4.2 Most im	portant sympto	oms and effects	, both acute and delayed	
Symptom	s:		no data available	
Risks:				
4.3 Indication	on of any imme	diate medical a	ttention and special treatment needed	
Treatment	::		Refer to Section 2.2 "Response"	
5. Fi	re-Fighting n	neasures		
	ishing media			
Suitable:			Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	e		Do not use a direct water jet on burning material	
5.2 Special	hazards arising	from the subs	tance or mixture	
During fire	e fighting: for firefighters		Water may be ineffective	
Further in	formation:		Standard procedure for chemical fires	
C A	: - ! - ! D - !			

6. **Accidental Release Measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bamboo Hemp Fragrance Oil

Page 5 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lin	nits:				
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10)		
80-56-8	pinene	20)		
127-91-3	beta Pinene	20)		
Engineering	Controls: Use local exhaust as needed.				

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Greenish Yellow(G3-G6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Hemp Fragrance Oil

Page 6 of 8 Print Date: 2023-03-15

www.WholesaleSuppliesPlus.com	
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0316
%VOC:	10.06
Specific Gravity @ 25 C:	0.9890
Density (g/mL) @ 25 C:	0.9860
Refractive Index @ 20 C:	1.5010
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 2597.8230) May be harmful if swallowed
(LD50: 4382.9047) May be harmful in contact with skin
(LD50: 70.3156) May be harmful if inhaled
Causes skin irritation
Causes serious eye damage
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
May damage fertility or the unborn child
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bamboo Hemp Fragrance Oil

Page 7 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available

12.4 Mobility in soil

12.5 Other adverse effects

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

no data available

no data available

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CA	AA) This product contains NO components of concern.
U.S. State Regulations	
Oplifannia Dran apitian CE Manning	This are dust southing the following sources and the

California Proposition 65 Warning

This product contains the following components:

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Hemp

Fragrance Oil

Page 8 of 8 Print Date: 2023-03-15

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

beta-Myrcene (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

123-35-3(NF 204-622-5 0.01 - 0.1%

- H302 : Harmful if swallowed
- H314 : Causes severe skin burns and eye damage
- H317 : May cause an allergic skin reaction
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

- (TFV) Risk
- (71.11) Acute Toxicity Inhalation, Category 5
- (7.71) Eye Damage/Eye Irritation, Category 2A
- (5.00) Reproductive Toxicity, Category 1B
- (4.00) Sensitization, Skin, Category 1A
- (2.01) Eye Damage/Eye Irritation, Category 1
- (1.93) Aquatic Chronic Toxicity, Category 2
- (1.67) Reproductive Toxicity, Category 1B
- (1.14) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC Fragrances™ holds no responsibility. This document is not intended for quality assurance purposes.

- H227 : Combustible liquid
- H304 : May be fatal if swallowed and enters airways
- H316 : Causes mild skin irritation
- H319 : Causes serious eye irritation
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk

- (19.69) Aquatic Chronic Toxicity, Category 3
- (7.00) Sensitization, Skin, Category 1B
- (4.11) Skin Corrosion/Irritation, Category 3
- (3.07) Skin Corrosion/Irritation, Category 2
- (1.96) Aquatic Chronic Toxicity, Category 4
- (1.92) Acute Toxicity Oral, Category 5
- (1.53) Aquatic Acute Toxicity, Category 1