

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

SECTION 1: Identification**1.1 Product identifier**

Trade name Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
1-800-359-0944w
www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

Emergency Telephone Number: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
ChemTel/VelocityEHS +1 813 248-0585 International

SECTION 2: Hazard(s) identification**2.1 Classification of the substance or mixture**

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|--------------------|----------|---------------------------|------------------|
| A.45 | skin sensitization | 1 | Skin Sens. 1 | H317 |
| B.6 | flammable liquid | 4 | Flam. Liq. 4 | H227 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

- Pictograms

GHS07



- Hazard statements

H227

Combustible liquid.

H317

May cause an allergic skin reaction.

- Precautionary statements

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261

Avoid breathing dust/fume/gas/mist/vapors/spray.

P272

Contaminated work clothing must not be allowed out of the workplace.

P280

Wear protective gloves/eye protection/face protection.

P302+P352

If on skin: Wash with plenty of water.

P321

Specific treatment (see on this label).

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

P363

Wash contaminated clothing before reuse.

P370+P378

In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235

Store in a well-ventilated place. Keep cool.

P501

Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

This material is combustible, but will not ignite readily.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| IUPAC name | Identifier | Wt% | Classification acc. to GHS |
|--------------------------|----------------------|---------|--|
| 3-methylbutyl acetate | CAS No 123-92-2 | 1 - < 5 | Flam. Liq. 3 / H226 |
| prop-2-en-1-yl hexanoate | CAS No 123-68-2 | < 1 | Acute Tox. 3 / H311 Flam. Liq. 4 / H227 |
| 2H-chromen-2-one | CAS No 91-64-5 | < 1 | Acute Tox. 3 / H301 Acute Tox. 3 / H311 |
| | CAS No 68039-49-6 | < 1 | Skin Sens. 1A / H317 |

For full text of abbreviations: see SECTION 16.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

SECTION 4: First-aid measures**4.1 Description of first-aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|-----------------------|----------|------------|------------|-------------|------------|--------------|-----------------|-------------------|----------|------------------|
| Country | Name of substance | CAS No | Identifier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation | Source |
| US | 3-methylbutyl acetate | 123-92-2 | REL | 100 (10 h) | 525 (10 h) | | | | | | NIOSH REL |
| US | 3-methylbutyl acetate | 123-92-2 | PEL | 100 | 525 | | | | | | 29 CFR 1910.1000 |
| US | 3-methylbutyl acetate | 123-92-2 | PEL (CA) | 50 | 266 | 100 | 532 | | | | Ca/ OSHA PEL |
| US | 3-methylbutyl acetate | 123-92-2 | TLV® | 50 | | 100 | | | | | ACGIH® 2021 |

Notation

Ceiling-C

STEL

TWA

ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|----------------|------------------------|
| Physical state | liquid |
| Color | clear |
| Particle | not relevant (liquid) |
| Odor | Comparable to standard |

Other safety parameters

| | |
|---|-----------------------|
| pH (value) | not determined |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 288.5 °F at 1,013 hPa |
| Flash point | 175 °F |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

| | |
|-----------------|-----------------------------------|
| Vapor pressure | 4.5 mmHg at 20 °C |
| Density | 0.9318 g/ml at 25 °C |
| Vapor density | this information is not available |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | 455 °F |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

9.2 Other information

| | |
|--|---|
| Solvent content | 99.54 % |
| Solid content | 0.4578 % |
| Temperature class (USA, acc. to NEC 500) | T2C (maximum permissible surface temperature on the equipment: 230°C) |

SECTION 10: Stability and reactivity**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

Other information

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information**12.1 Toxicity**

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

SECTION 14: Transport information

14.1 UN number

| | |
|-----------|---------|
| DOT | UN 3082 |
| IMDG-Code | UN 3082 |
| ICAO-TI | UN 3082 |

14.2 UN proper shipping name

| | |
|--|---|
| DOT | Environmentally hazardous substance, liquid, n.o.s. |
| IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| ICAO-TI | Environmentally hazardous substance, liquid, n.o.s. |
| Technical name (hazardous ingredients) | DIOCTYL ADIPATE, MUSK G CONCENTRATE |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| DOT | 9 |
| IMDG-Code | 9 |
| ICAO-TI | 9 |

14.4 Packing group

| | |
|-----------|-----|
| DOT | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

| | |
|---|--------------------------------------|
| | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment) | DIOCTYL ADIPATE, MUSK G CONCENTRATE |

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

| | |
|--|--|
| Particulars in the shipper's declaration | UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: DIOCTYL ADIPATE, MUSK G CONCENTRATE), 9, III |
| Reportable quantity (RQ) | 354,409 lbs (160,902 kg) (ISO AMYL ACETATE) |
| Danger label(s) | 9, fish and tree |

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02



| | |
|-------------------------|--|
| Environmental hazards | YES (hazardous to the aquatic environment) |
| Special provisions (SP) | 8, 146, 173, 335, IB3, T4, TP1, TP29 |
| ERG No | 171 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|------------------|--|
| Marine pollutant | YES (hazardous to the aquatic environment) (DIOCTYL ADIPATE) |
| Danger label(s) | 9, fish and tree |



| | |
|--------------------------|---------------|
| Special provisions (SP) | 274, 335, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-F |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|-----------------------|--|
| Environmental hazards | YES (hazardous to the aquatic environment) |
| Danger label(s) | 9, fish and tree |



| | |
|--------------------------|-----------------------|
| Special provisions (SP) | A97, A158, A197, A215 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|----------|---------|----------------|----------------------|
| ISO AMYL ACETATE | 123-92-2 | | 1 | 5000 (2270) |

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|-------------------|---------|---------------|------------------------|
| 2H-chromen-2-one | 91-64-5 | | EU Fragrance Allergens |

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|-----------------------|----------|----------|-----------------|---------------------|------------------------------------|
| 3-methylbutyl acetate | 123-92-2 | | | | 1.0 % |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|----------|------------|---------|
| ISO AMYL ACETATE | 123-92-2 | A, O | |

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
 O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-----------------------|----------|---------|-----------------|
| 3-methylbutyl acetate | 123-92-2 | | F3 |

Legend

F3 Flammable - Third Degree

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|-------------------------------|----------|----------------|
| 1-BUTANOL, 3-METHYL-, ACETATE | 123-92-2 | E |

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|----------|------------|
| ISO AMYL ACETATE | 123-92-2 | T |

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 2 | temporary or minor injury may occur |
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|--------------|------------------|--|
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Health | 2 | material that, under emergency conditions, can cause temporary incapacitation or residual injury |
| Instability | 0 | material that is normally stable, even under fire conditions |

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

| Category | Degree of hazard | Description |
|----------------|------------------|-------------|
| Special hazard | | |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® | American Conference of Governmental Industrial Hygienists |
| ACGIH® 2021 | From ACGIH®, 2021 TLVs® and BEIs® Book. Copyright 2021. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DEP CODE | Department of Environmental Protection Code |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DOT | Department of Transportation (USA) |
| EmS | Emergency Schedule |
| ERG No | Emergency Response Guidebook - Number |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| HHS | Higher hazard substance |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| IMDG-Code | International Maritime Dangerous Goods Code |
| IUPAC | International Union of Pure and Applied Chemistry |
| LHS | Lower hazard substance |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Sens. | Skin sensitization |
| STEL | Short-term exposure limit |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--------------------------------------|
| H226 | Flammable liquid and vapor. |
| H227 | Combustible liquid. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H317 | May cause an allergic skin reaction. |

Crafter's Choice™ Fresh Coconut & Watermelon* Fragrance Oil

Version number: GHS 1.0

Date of compilation: 2021-06-02

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.