

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's ChoiceTM Forest Mist

Fragrance Oil

Page 1 of 9 Print Date: 2023-02-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Forest Mist Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
. 4 040 040 0505	

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

- Eye Damage/Eye Irritation, Category 2A
- H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product:

^{lct:} Crafter'sChoice[™] BlackVanilla & Musk Fragrance Oil

Page 2 of 9 Print Date: 2023-02-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
6259-76-3	228-408-6	20 - 30 %	H316; H317; H400; H410
Hexyl salic	ylate		

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter'sChoiceTM BlackVanilla & Musk

Fragrance Oil

Page 3 of 9 Print Date: 2023-02-15

CAS#	EC#	Conc.	
Ingredient		Range	GHS Classification
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahy	rdronaphthalenes	
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl aceta	te	
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402
Acetoxydih	nydrodicyclope	ntadiene	
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401
4-tert-Buty	lcyclohexyl ace	etate	
67634-15-5	266-819-2	2 - 5 %	H315; H317; H400; H411
Ethyl 2,2-a	limethylhydroci	innamal	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401
Citronellol			
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
24851-98-7	246-495-9	2 - 5 %	H402
Methyldihy	drojasmonate		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ace	etate		
63500-71-0	405-040-6	2 - 5 %	H319
Isobutyl M	ethyl Tetrahydı	ropyranol	
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol	,	
103-60-6	203-127-1	1 - 2 %	H316
2-Phenoxy	ethyl isobutyra	te	
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319
phenethyl	alcohol		
25225-08-5	246-735-2	1 - 2 %	H227; H316; H401; H411
	onellene forma		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
	trahydro Benza		H411
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
	· · · •		
Citral			
<i>Citral</i> 5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter'sChoiceTM BlackVanilla & Musk

Fragrance Oil

Page 4 of 9 Print Date: 2023-02-15

H 44131			Print Date: 2023-02-
EC#	Conc. Range	GHS Classification	
203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401	
203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	
203-427-2	0.1 - 1.0 %	H227; H317; H401	
Heptenal			
266-797-4 enyl methyl car	0.1 - 1.0 % bonate	H227; H317; H401	
	H 44131 HuppliesPlus.com EC# 203-378-7 203-377-1 203-427-2 Heptenal 266-797-4	H 44131 http://www.angles.com EC# Conc. Range 203-378-7 0.1 - 1.0 % 203-377-1 0.1 - 1.0 % 203-427-2 0.1 - 1.0 % Heptenal	H 44131 uppliesPlus.com EC# Conc. Range GHS Classification 203-378-7 0.1 - 1.0 % H303; H315; H317; H319; H401 203-377-1 0.1 - 1.0 % H303; H315; H317; H318; H402 203-427-2 0.1 - 1.0 % H227; H317; H401 Heptenal 266-797-4 0.1 - 1.0 % H227; H317; H401

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.75

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical at	tention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the subst	ance or mixture	
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter'sChoiceTM BlackVanilla & Musk

Fragrance Oil

Page 5 of 9 Print Date: 2023-02-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir	nits:					
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl acetate	10)			
Engineering 8.2 Exposure co						

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to StandardColor:Colorless to Yellow Tint (G1)

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter'sChoiceTM BlackVanilla & Musk

Page 6 of 9 Print Date: 2023-02-15

7820 E Pleasant Valley Road	
Independence, OH 44131	
(800) 359-0944	
www.WholesaleSuppliesPlus.co	m

Fragrance Oil

www.WholesaleSuppliesPlus.com	
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0505
%VOC:	7.04
Specific Gravity @ 25 C:	0.9860
Density (g/mL) @ 25 C:	0.9830
Refractive Index @ 20 C:	1.4960
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"Acute toxicity - Oral - (Rat) mg/kg(LD50: 3246.7532) May be harmful if swallowedAcute toxicity - Dermal - (Rabbit) mg/kg(LD50: 3992.8870) May be harmful in contact with skAcute toxicity - Inhalation - (Rat) mg/L/4hr(LD50: 32.8525) May be harmful if inhaled

Skin corrosion / irritation Serious eye damage / irritation

Respiratory sensitization

Skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

(LD50: 3246.7532) May be harmful if swallowed (LD50: 3992.8870) May be harmful in contact with skin (LD50: 32.8525) May be harmful if inhaled Causes skin irritation Causes serious eye irritation Not classified - the classification criteria are not met May cause an allergic skin reaction Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter'sChoice[™] BlackVanilla & Musk Product:

Fragrance Oil Page 7 of 9 7820 E Pleasant Valley Road Print Date: 2023-02-15 Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Aspiration hazard Not classified - the classification criteria are not met **Ecological Information** 12 1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life Toxic to aquatic life with long lasting effects				
Chronic acquatic toxicity					
Toxicity Data on soil	no data available				
Toxicity on other organisms	no data available				
12.2 Persistence and degradability	no data available				
12.3 Bioaccumulative potential	no data available				
12.4 Mobility in soil	no data available				
12.5 Other adverse effects	no data available				

13. **Disposal Conditions**

13.1 Waste treatment methods

12.

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 6259-76-3 : (20 - 30 %) : Hexyl salicylate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter'sChoiceTM BlackVanilla & Musk Fragrance Oil

Page 8 of 9 Print Date: 2023-02-15

www.WholesaleSuppliesPlus.com	
(800) 359-0944	
Independence, OH 44131	
7820 E Pleasant Valley Road	

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:				
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran				
U.S. State Regulations					
California Proposition 65 Warning	No Warning required				
Canadian Regulations					
DSL	100.00% of the components are listed or exempt.				

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H316 : Causes mild skin irritation
- H318 : Causes serious eye damage
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV)	Risk			
		 	 -	

- (200.00) Sensitization, Skin, Category 1
- (152.20) Acute Toxicity Inhalation, Category 5
- (16.15) Sensitization, Skin, Category 1B
- (7.31) Skin Corrosion/Irritation, Category 3
- (2.89) Aquatic Chronic Toxicity, Category 4
- (1.65) Eye Damage/Eye Irritation, Category 2A (1.25) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H227 : Combustible liquid H304 : May be fatal if swallowed and enters airways H317 : May cause an allergic skin reaction H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk
(200.00) Sensitization, Skin, Category 1A
(112.45) Aquatic Chronic Toxicity, Category 3
(11.23) Aquatic Chronic Toxicity, Category 2
(3.19) Skin Corrosion/Irritation, Category 2
(1.75) Aquatic Acute Toxicity, Category 1
(1.54) Acute Toxicity Oral, Category 5



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product:

^{duct:} Crafter'sChoice[™] BlackVanilla & Musk Fragrance Oil

Page 9 of 9 Print Date: 2023-02-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com