

SDS v1 GHS / OSHA

Revised Date: 8/14/2020

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Royal Tonka Fragrance Oil

Page 1 of 8 11/02/2020

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Royal Tonka Fragrance Oil

#### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicology, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

# Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicology, Category 1B H360: May damage fertility or the unborn child

### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Revised Date: 8/14/2020

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Royal Tonka Fragrance Oil

Page 2 of 8 11/02/2020







# Signal Word: Danger

#### **Hazard statments**

H227	Combustible liquid	

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H333 May be harmful if inhaled

H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

#### no data available



SDS v1 GHS / OSHA

Revised Date: 8/14/2020

Crafter's Choice™ Royal Tonka Fragrance Oil

Page 3 of 8

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

(800) 908-7028

Independence, OH 44131

www.crafters-choice.com

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification				
24851-98-7	246-495-9	10 - 20 %	H402				
Methyldihy	Methyldihydrojasmonate						
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410				
Tetramethyl Acetyloctahydronaphthalenes							
105-95-3	203-347-8	5 - 10 %	H401				
Ethylene brassylate							
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410				
Limonene	Limonene						
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402				
Linalyl Acetate							
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402				
Linalool							
10339-55-6	233-732-6	2 - 5 %	H227; H303; H315; H319; H402				
Ethyl Linal	Ethyl Linalool						
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402				
2,6-dimeth	2,6-dimethyloct-7-en-2-ol						
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411				
Benzyl Bei	nzoate						
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410				
Hexameth	ylindanopyran						
31906-04-4	250-863-4	1 - 2 %	H317; H402				
Hydroxyisd	ohexyl 3-cyclohe.	xene carboxalde	hyde				
14901-07-6	238-969-9	1 - 2 %	H316; H401; H411				
Ionone							
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319				
phenethyl alcohol							
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411				
a-Methyl-1	,3-benzodioxole	-5-propionaldehy	/de				
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;				
Butylphenyl Methylpropional H412			H412				
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412				
Geranyl Ad	Geranyl Acetate						
See Section 16 for full text of GHS classification codes							

See Section 16 for full text of GHS classification codes





Revised Date: 8/14/2020

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Royal Tonka Fragrance Oil

Page 4 of 8 11/02/2020

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

indication of any miniodiate medical attention and operat froatment mode

# 5. Fire-Fighting measures

#### 5.1 Extinguishing media

**Treatment:** 

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 8/14/2020

Crafter's Choice™ Royal Tonka Fragrance Oil

Page 5 of 8 11/02/2020

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

No information available

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow to Greenish Yellow (G2-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0668

 %VOC:
 6.64

 Specific Gravity @ 25 C:
 0.9410

 Density @ 25 C:
 0.9380

 Refractive Index @ 20 C:
 1.4670

 Soluble in:
 Oil



SDS v1 GHS / OSHA

Revised Date: 8/14/2020

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Royal Tonka Fragrance Oil

Page 6 of 8 11/02/2020

#### 10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4362.9511) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 65.4523) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

#### 12. **Ecological Information**

#### 12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 8/14/2020

Crafter's Choice™ Royal Tonka Fragrance Oil

Page 7 of 8

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact	:
------------------	--	---

54464-57-2 : (5 - 10 %) : Tetramethyl Acetyloctahydronaphthalenes

Regulator	Class	Pack Group Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082	
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082	
IMDG (Sea)				
Environmentally Hazardous	9	III	UN3082	

# 15. Regulatory Information

Substance, Liquid, n.o.s.

#### U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 

## California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

140-67-0 205-427-8 <= 2 ppm Estragole (Methyl chavicol) (Natural Source)

89-82-7 201-943-2 <= 1 ppm Pulegone (Natural Source)

Canadian Regulations

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

# GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction





Revised Date: 8/14/2020

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Royal Tonka Fragrance Oil

Page 8 of 8 11/02/2020

H319: Causes serious eye irritation

H361: Suspected of damaging fertility or the unborn child

H401: Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk

(76.39) Acute Toxicity Inhalation, Category 5

(15.00) Sensitization, Skin, Category 1A

(6.00) Sensitization, Skin, Category 1B

(3.00) Reproductive Toxicology, Category 1B

(1.72) Eye Damage/Eye Irritation, Category 2

(1.31) Eye Damage/Eye Irritation, Category 2A

H320 : Causes eye irritation

H400: Very Toxic to aquatic life

H402: Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects

(TFV) Risk

(60.76) Aquatic Chronic Toxicity, Category 3

(6.07) Aquatic Chronic Toxicity, Category 2

(3.19) Skin Corrosion/Irritation, Category 3

(2.65) Skin Corrosion/Irritation, Category 2

(1.50) Sensitization, Skin, Category 1

(1.15) Acute Toxicity Oral, Category 5

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.