

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-02-17

Product: Applejack 'n Peel* (SNC) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Applejack 'n Peel* (SNC) Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Rustic Escentuals 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

Page 2 of 8 Print Date: 2023-02-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements H227 Combustible liquid H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H400 Very Toxic to aquatic life H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	•
	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

Page 3 of 8 Print Date: 2023-02-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H412
Limonene			
97-53-0	202-589-1	10 - 20 %	H303; H316; H317; H319; H401
Eugenol			
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl acetate		
104-55-2 Cinnamal	203-213-9	5 - 10 %	H303; H312; H315; H317; H319; H401; H412
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin			
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl	alcohol		
122-97-4	204-587-6	2 - 5 %	H303; H313; H314; H318; H402
3-Phenyl-1	l-propanol		
105-53-3	203-305-9	1 - 2 %	H227; H319; H402
Diethyl ma	lonate		
103-26-4	203-093-8	0.1 - 1.0 %	H303; H317
Methyl cini	namate		
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldehy	yde		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylte	trahydro Benzalo	-	H411
1885-38-7	217-552-5	0.1 - 1.0 %	H301; H312; H316; H317; H332; H402
Cinnamyl ı			
19009-56-4	242-745-6	0.1 - 1.0 %	H315; H317; H401; H411
-	ecanal (Aldehyde	,	
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411
Amyl Cinn			
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

Page 4 of 8 7820 E Pleasant Vallev Road Print Date: 2023-02-17 Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Conc. CAS# EC# **GHS Classification** Ingredient Range See Section 16 for full text of GHS classification codes See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 23.44 4. **First Aid Measures** 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. **Fire-Fighting measures** 5.1 Extinguishing media Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective 5.3 Advice for firefighters Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8

Print Date: 2023-02-17

Product: Applejack 'n Peel* (SNC) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

8.

Exposure L	imits:					
Componen	nt		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene		20)		
Engineering	g Controls:	Use local exhaust as needed.				
3.2 Exposure o	controls - Per	sonal protective equipment				
F		Tink the second as wellow from a biald				الملحة والمراجع المراجع

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	145 F (62.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.3044



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com			Page 6 of 8 Print Date: 2023-02-17
%VOC:	26.85		
Specific Gravity @ 25 C:	1.0010		
Density (g/mL) @ 25 C:	0.9980		
Refractive Index @ 20 C:	1.5210		
Soluble in:	Oil		

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2100.3615) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2358.1258) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 86.1024) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Page 7 of 8 Print Date: 2023-02-17

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	;	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. **Regulatory Information U.S. Federal Regulations TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt 40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. **U.S. State Regulations California Proposition 65 Warning** This product contains the following components: 94-59-7 202-345-4 0.01 - 0.1% Safrole (Natural Source) 93-15-2 202-223-0 <= 95 ppm Methyl Eugenol (Natural Source) 123-35-3(NF 204-622-5 <= 78 ppm beta-Myrcene (Natural Source) **Canadian Regulations**

DSL

100.00% of the components are listed or exempt.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Applejack 'n Peel* (SNC) Fragrance Oil

Page 8 of 8 Print Date: 2023-02-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H314 : Causes severe skin burns and eye damage
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(62.45) Sensitization, Skin, Category 1A
(23.12) Sensitization, Skin, Category 1B
(7.95) Skin Corrosion/Irritation, Category 3
(4.63) Eye Damage/Eye Irritation, Category 2A
(2.38) Acute Toxicity Oral, Category 5
(2.12) Acute Toxicity Dermal, Category 5
(1.68) Aquatic Chronic Toxicity, Category 2

H301 : Toxic if swallowed
H312 : Harmful in contact with skin
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H332 : Harmful if inhaled
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk

- (58.07) Acute Toxicity Inhalation, Category 5
- (18.06) Aquatic Chronic Toxicity, Category 3
- (5.07) Skin Corrosion/Irritation, Category 2
- (2.77) Aquatic Chronic Toxicity, Category 4
- (2.34) Aspiration Hazard, Category 1
- (2.08) Aquatic Acute Toxicity, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.