

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-02-20

Product: Black Velvet Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Black Velvet Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Rustic Escentuals

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.RusticEscentuals.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Black Velvet Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Page 2 of 8 Print Date: 2023-02-20

Signal Word: Warning

Hazard statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411	
Benzyl Be				
105-95-3	203-347-8	5 - 10 %	H401	
Ethylene brassylate				
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexamethylindanopyran				
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahydronaphthalenes				



Black Velvet Fragrance Oil

Product:

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 3 of 8

Print Date: 2023-02-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
24851-98-7	246-495-9	1 - 2 %	H402	
Methyldih	ydrojasmonate			
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410	
Cedrol me	ethyl ether			
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411	
Ionone				
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	
Pentamet	hylcyclopent-3-	ene-butanol		
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410	
Acetyl he	xamethyl tetralir	1		
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	
(ethoxym	ethoxy)cyclodod	decane		
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411	
Trimethyl-	-propylcyclohex	anepropanol		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene)			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarin	1			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Acetate				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	
Linalool				
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihyd	lro-1,1,2,3,3-per	ntamethyl-4(5H)-i	indanone (Cashmeran)	
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411	
Methyl-ß-	ionone			
See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.77

First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Black Velvet Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Page 4 of 8 Print Date: 2023-02-20

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



Black Velvet Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 5 of 8

Print Date: 2023-02-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Product:

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow to Golden Yellow (G4-9)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined None Expected **Explosive Properties:** Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0121 %VOC: 0.87 Specific Gravity @ 25 C: 1.0660 Density (g/mL) @ 25 C: 1.0630 Refractive Index @ 20 C: 1.5400 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



Black Velvet Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 6 of 8

Print Date: 2023-02-20

Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

7820 E Pleasant Valley Road

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1899.6197) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4045.3441) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 165.1950) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Product:

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Black Velvet Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Print Date: 2023-02-20

UN3082

Page 7 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact:

Product:

120-51-4: (60 - 70 %): Benzyl Benzoate

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) Ш 9 **Environmentally Hazardous** UN3082 Substance, Liquid, n.o.s. IMDG (Sea)

Ш

15. Regulatory Information

U.S. Federal Regulations

Environmentally Hazardous

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

9

214-946-9 2 - 5 % 1222-05-5 Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 68 ppm beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H301: Toxic if swallowed H303: May be harmful if swallowed

H304: May be fatal if swallowed and enters airways H315: Causes skin irritation

H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H401: Toxic to aquatic life H320 : Causes eye irritation

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(57.95) Aquatic Chronic Toxicity, Category 3 (30.27) Acute Toxicity Inhalation, Category 5

(5.79) Aquatic Chronic Toxicity, Category 2 (3.38) Aquatic Chronic Toxicity, Category 4



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Black Velvet Fragrance Oil

Page 8 of 8

Print Date: 2023-02-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

(3.10) Sensitization, Skin, Category 1B

(1.24) Skin Corrosion/Irritation, Category 3

(1.05) Acute Toxicity Oral, Category 4

(3.06) Aquatic Acute Toxicity, Category 1

(1.24) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to *IndiMade Brands, LLC* at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.