

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cherry Slush (KY) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Cherry Slush (KY) Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Rustic Escentuals 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

Acute Toxicity Inhalation, Category 4

Exposure, Category 3-RI

Target Organ Systemic Toxicity - Single

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Categor	y 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category	4 H332 : Harmful if inhaled
Target Organ Systemic Toxicity - Si Exposure, Category 3-RI	ngle H335 : May cause respiratory irritation
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category	3 H412 : Harmful to aquatic life with long lasting effects
Classification OSHA (Provisions 1910	.1200 of title 29)
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Categor	y 2A H319 : Causes serious eye irritation

- H332 : Harmful if inhaled
- H335 : May cause respiratory irritation

## **Classification Other**

Page 1 of 8 Print Date: 2023-02-20



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cherry Slush (KY) Fragrance Oil

Page 2 of 8 Print Date: 2023-02-20

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Carcinogenicity

7820 E Pleasant Valley Road

Carolinogonion

# 2.2 Label elements

### Labelling (GHS)

### Hazard pictograms



### Signal Word: Warning

### Hazard statements

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

## **Prevention:**

P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell



7820 E Pleasant Valley Road

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

# Product: Cherry Slush (KY) Fragrance Oil

Page 3 of 8 Print Date: 2023-02-20

Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com	Print Date: 2023-02-20
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P340	Remove victim to fresh air and keep at rest in a position comfortable for breathing
P352	Wash with soap and water
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

### 2.3 Other Hazards

#### no data available

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
100-52-7	202-860-4	40 - 50 %	H227; H302; H313; H316; H319; H332;	
Benzaldeh	yde		H335; H401	
8050-15-5	232-476-2	10 - 20 %	H402; H412	
Methyl este	er of rosin (partia	ally hydrogenated	d)	
628-63-7	211-047-3	5 - 10 %	H226	
Amyl Aceta	ate			
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	
Benzyl Ber	nzoate			
98-86-2	202-708-7	2 - 5 %	H302; H319	
Acetophen	Acetophenone			
105-54-4	203-306-4	2 - 5 %	H226; H319	
Ethyl butyr	Ethyl butyrate			
104-87-0	203-246-9	2 - 5 %	H227; H302; H316; H402	
p-Tolualde	hyde			
91-64-5	202-086-7	2 - 5 %	H301; H317; H402	
Coumarin				
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	
2-t-Butylcyclohexyl acetate				
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	
Benzyl acetate				
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;	
Cinnamal H412				
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411	
Ethyl Methylphenylglycidate				
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cherry Slush (KY) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Page 4 of 8 Print Date: 2023-02-20

Total Hydrocarbon Content (% w/w) = 0.00

4.	First Aid Measures		
4.1	4.1 Description of first aid measures		
	Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
	Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
	Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
	Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2	Most important symptoms and effects, b	both acute and delayed	
	Symptoms:	no data available	
	Risks: Refer to Section 2.2 "Hazard Statements"		
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
,	Treatment:	Refer to Section 2.2 "Response"	
5.	Fire-Fighting measures		
5.1	Extinguishing media		
	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
	Unsuitable Do not use a direct water jet on burning material		
5.2	5.2 Special hazards arising from the substance or mixture		
	During fire fighting: Water may be ineffective		
5.3	Advice for firefighters		
	Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 5 of 8

Print Date: 2023-02-20

Product: Cherry Slush (KY) Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Lir Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
98-86-2	Acetophenone	10			
628-63-7	Amyl Acetate	50	100	100	)
140-11-4	Benzyl acetate	10			

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow(G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	132 F (55.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	1.3501
%VOC:	68.66



7820 E Pleasant Valley Road

Independence, OH 44131

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cherry Slush (KY) Fragrance Oil

Page 6 of 8 Print Date: 2023-02-20

(800) 359-0944 www.RusticEscentuals.com		
Specific Gravity @ 25 C:	1.0160	
Density (g/mL) @ 25 C:	1.0130	
Refractive Index @ 20 C:	1.5150	
Soluble in:	Oil	

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information

## **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1623.3198) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2342.4275) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 14.3378) Harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause respiratory irritation
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

# 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity
Chronic acquatic toxicity
Toxicity Data on soil
Toxicity on other organisms

Toxic to aquatic life Harmful to aquatic life with long lasting effects no data available no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

# Product: Cherry Slush (KY) Fragrance Oil

 7820 E Pleasant Valley Road
 Page 7 of 8

 Independence, OH 44131
 Print Date: 2023-02-20

 (800) 359-0944
 Print Date: 2023-02-20

 www.RusticEscentuals.com
 no data available

 12.2 Persistence and degradability
 no data available

 12.3 Bioaccumulative potential
 no data available

 12.4 Mobility in soil
 no data available

 12.5 Other adverse effects
 no data available

# 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant No				
Regulator	Class	Pack Gro	up Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regula	ited - Not Dange	erous Goods	
ADR/RID (International Road/Rail)	Not Regula	ited - Not Dange	erous Goods	
Chemicals NOI				
IATA (Air Cargo)				
Perfumery Products	3	111	Flammable Liquid	UN1266
IMDG (Sea)	_			
Perfumery Products	3	III	Flammable Liquid	UN1266

15.	Regula	tory Infori	mation				
U.S. Federal Regulations							
TSCA (Toxic Substance Control Act)			ntrol Act)	All components of the substance/mixture are listed or exempt			
40 CF	R(EPCRA,	SARA, CER	CLA and CAA)	This product contains the following components:			
628	3-63-7	211-047-3	5 - 10 %	Amyl Acetate			
98-	86-2	202-708-7	2 - 5 %	Acetophenone			
U.S. State Regulations							
California Proposition 65 Warning Canadian Regulations		arning	No Warning required				
DSL		-		100.00% of the components are listed or exempt.			

# 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid

H303 : May be harmful if swallowed

H315 : Causes skin irritation

H301 : Toxic if swallowedH312 : Harmful in contact with skinH317 : May cause an allergic skin reaction



7820 E Pleasant Valley Road

Independence, OH 44131

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Cherry Slush (KY) Fragrance Oil

Page 8 of 8 Print Date: 2023-02-20

(800) 359-0944 www.RusticEscentuals.com H400 : Very Toxic to aquatic life

H402 : Harmful to aquatic life

H411 : Toxic to aquatic life with long lasting effects **Total Fractional Values** (TFV) Risk (5.89) Eye Damage/Eye Irritation, Category 2A

(5.00) Sensitization, Skin, Category 1A
(4.14) Aquatic Acute Toxicity, Category 2
(2.48) Target Organ Systemic Toxicity - Single Exposure, Category 3-RI
(1.39) Acute Toxicity Inhalation, Category 4

(TFV) Risk

(5.51) Skin Corrosion/Irritation, Category 3

(4.15) Aquatic Chronic Toxicity, Category 3

(2.60) Sensitization, Skin, Category 1B

(2.13) Acute Toxicity Dermal, Category 5

(1.23) Acute Toxicity Oral, Category 4

### Department issuing data sheet:

### Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.