

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-02-20

Page 1 of 7

Product: Oud Wood Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Oud Wood Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Rustic Escentuals

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.RusticEscentuals.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Oud Wood Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 7

Print Date: 2023-02-20

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944 www.RusticEscentuals.com

Signal Word: Warning

Hazard	statements
ı ıazaı u	Statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life

Product:

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

Response:

P273

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	70 - 80 %	H302; H313; H400; H411		
Benzyl Benzoate					
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410		
Hexameth	ylindanopyran				
139504-68-0	412-300-2	5 - 10 %	H320; H401; H411		
1-(2-Butyl	cyclohexyloxy)-2	-butanol			
66068-84-6	266-100-3	2 - 5 %	H316; H400; H411		

Isocamphenyl cyclohexanol (mixed isomers)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 7

Print Date: 2023-02-20

Product: Oud Wood Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410
Cedrol m	ethyl ether		
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	nydrojasmonate		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihya	lro-1,1,2,3,3-per	ntamethyl-4(5H)-	indanone (Cashmeran)
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß-	ionone		
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
a-Isometh	nyl ionone		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.42

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

5. Fire-Fighting measures

5.1 Extinguishing media

Treatment:

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Oud Wood Fragrance Oil**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Page 4 of 7 Print Date: 2023-02-20

Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions 6.2

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Specific end uses

No information available

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Conforms to Standard Odor:



Oud Wood Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 7

Print Date: 2023-02-20

7820 E Pleasant Valley Road

Product:

Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Color:

Yellow Tint (G1) to Golden Yellow (G5)

Viscosity: Liquid

Freezing Point: Not determined Not determined **Boiling Point: Melting Point:** Not determined >200 F (93.33 C) Flashpoint (CCCFP): Auto flammability: Not determined **Explosive Properties:** None Expected **Oxidizing properties:** None Expected

Vapor Pressure (mmHg@20 C): 0.0197 %VOC: 0.70 Specific Gravity @ 25 C: 1.0610 Density (g/mL) @ 25 C: 1.0580 Refractive Index @ 20 C: 1.5390 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1890.9113) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4247.3290) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 173.1304) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Oud Wood Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com Page 6 of 7 Print Date: 2023-02-20

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (70 - 80 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 7

Print Date: 2023-02-20

Product: Oud Wood Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 2 ppm beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H303 : May be harmful if swallowed

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(61.33) Aquatic Chronic Toxicity, Category 3 (28.88) Acute Toxicity Inhalation, Category 5 (6.13) Aquatic Chronic Toxicity, Category 2 (3.51) Aquatic Chronic Toxicity, Category 4 (3.20) Aquatic Acute Toxicity, Category 1 (1.90) Sensitization, Skin, Category 1B

(1.19) Skin Corrosion/Irritation, Category 3 (1.18) Acute Toxicity Dermal, Category 5

(1.06) Acute Toxicity Oral, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.