

## Crafter's Choice™ Bubble Gum Fragrance Oil

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Crafter's Choice™ Bubble Gum Fragrance Oil**

#### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC  
 7820 E. Pleasant Valley Road  
 Independence, Ohio 44131  
 Phone: 1-800-908-7028  
[www.Crafters-Choice.com](http://www.Crafters-Choice.com)

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

<b>(800) 255-3924</b>	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
<b>+1 813 248-0585</b>	International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

##### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3	H226: Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Carcinogenicity, Category 1B	H350: May cause cancer
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

##### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class II Flammable Liquid
Acute Dermal/Eye	10 : May be harmful if absorbed through the skin. 12 : Causes 16 : Causes
Acute Inhalation	21 : Harmful if inhaled. 23 : May cause respiratory tract irritation. 25 : Inhalation at high levels may cause: difficulty in breathing
Acute Oral	2 : Harmful if swallowed
Genotoxicity	36 : Suspected of causing genetic defects
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

**Crafter's Choice™ Bubble Gum  
 Fragrance Oil**

Target Organ Effects

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, thymus gland, stomach, bones, skin, pituitary, gastrointestinal tract, testes, brain, nasal cavity


Carcinogenicity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin  
 This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

**Hazard pictograms**



**Signal Word: Danger**

**Hazard Statements**

- |      |   |
|------|---|
| H226 | Flammable liquid and vapour                     |
| H303 | May be harmful if swallowed                     |
| H304 | May be fatal if swallowed and enters airways    |
| H313 | May be harmful in contact with skin             |
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H319 | Causes serious eye irritation                   |
| H350 | May cause cancer                                |
| H400 | Very Toxic to aquatic life                      |
| H411 | Toxic to aquatic life with long lasting effects |

**Precautionary Statements**

**Prevention:**

- |      |  |
|------|--|
| P201 | Obtain special instructions before use                                   |
| P202 | Do not handle until all safety precautions have been read and understood |
| P233 | Keep container tightly closed  |
| P235 | Keep cool  |
| P240 | Ground/bond container and receiving equipment                            |
| P241 | Use explosion-proof electrical/ventilating/light/.../equipment           |
| P242 | Use only non-sparking tools  |
| P243 | Take precautionary measures against static discharge                     |
| P264 | Wash hands thoroughly after handling                                     |
| P272 | Contaminated work clothing should not be allowed out of the workplace    |
| P273 | Avoid release to the environment   |
| P281 | Use personal protective equipment as required                            |

**Response:**

- |                    |  |
|--------------------|--|
| P301 + P310 + P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting                |
| P302 + P352        | IF ON SKIN: Wash with soap and water   |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower |

## Crafter's Choice™ Bubble Gum Fragrance Oil

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>120-51-4</b> <i>Benzyl Benzoate</i>	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3
<b>8008-57-9</b> <i>Citrus aurantium dulcis (Orange) oil</i>	232-433-8	20 - 30 %	H226; H304; H315; H400; H410	12, 3, 31
<b>123-92-2</b> <i>Isoamyl acetate (Isopentyl acetate)</i>	204-662-3	20 - 30 %	H226; H402	21
<b>119-36-8</b> <i>Methyl salicylate</i>	204-317-7	10 - 20 %	H302; H310; H402	12, 16, 2, 26
<b>101-39-3</b> <i>alpha-Methylcinnamaldehyde</i>	202-938-8	5 - 10 %	H303; H317; H401	31
<b>106-27-4</b> <i>Isoamyl butyrate</i>	203-380-8	5 - 10 %	H226; H316; H402; H412	11, 15
<b>105-54-4</b> <i>Ethyl butyrate</i>	203-306-4	2 - 5 %	H226; H316; H401	11
<b>121-33-5</b> <i>Vanillin</i>	204-465-2	2 - 5 %	H303; H319	31
<b>100-52-7</b> <i>Benzaldehyde</i>	202-860-4	1 - 2 %	H227; H302; H316; H319; H332; H335; H401	10, 11, 15, 23, 25, 26, 3, 31, 36, 39
<b>104-55-2</b> <i>Cinnamal</i>	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
<b>8015-91-6</b> <i>Cinnamomum Zeylanicum (Cinnamon Leaf Oil), ext.</i>	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341; H350; H401; H412	11, 15, 31

See Section 16 for full text of GHS classification codes

Crafter's Choice™ Bubble Gum  
Fragrance OilPage 4 of 8  
2016-03-10

Total Hydrocarbon Content (% w/w) = 19.40

**4. First Aid Measures****4.1 Description of first aid measures**

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

**5. Fire-Fighting measures****5.1 Extinguishing media**

<b>Suitable:</b>	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

**5.2 Special hazards arising from the substance or mixture**

<b>During fire fighting:</b>	Water may be ineffective
------------------------------	--------------------------

**5.3 Advice for firefighters**

<b>Further information:</b>	Standard procedure for chemical fires
-----------------------------	---------------------------------------

**6. Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

**6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

**6.3 Methods and materials for containment and cleaning up**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections**

Not Applicable

## Crafter's Choice™ Bubble Gum Fragrance Oil

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

##### Exposure Limits:

##### Component

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
------------------	-------------------	-----------------	------------------

123-92-2	<i>Isoamyl acetate (Isopentyl acetate)</i>	50	100	100
----------	--	----	-----	-----

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Conforms to Standard
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Yellow to Golden Yellow (G5-8)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	122 F (50.00 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	2.1435
<b>%VOC:</b>	50.9
<b>Specific Gravity @ 25 C:</b>	0.9750
<b>Density @ 25 C:</b>	0.9720
<b>Refractive Index @ 20 C:</b>	1.4920

**Crafter's Choice™ Bubble  
Gum Fragrance Oil**

**Soluble in:** Oil

**10. Stability and Reactivity**

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

**11. Toxicological Information**

**11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 2,141.33) May be harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3,999.92) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LC50: Undetermined) Not classified - the classification criteria are not met
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	May cause cancer
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways

**12. Ecological Information**

**12.1 Toxicity**

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

<b>12.2 Persistence and degradability</b>	no data available
<b>12.3 Bioaccumulative potential</b>	no data available
<b>12.4 Mobility in soil</b>	no data available

## Crafter's Choice™ Bubble Gum Fragrance Oil

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b>				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

### 15. Regulatory Information

#### U.S. Federal Regulations:

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:  
 123-92-2    204-662-3    20 - 30 %    Isoamyl acetate (Isopentyl acetate)

#### U.S. State Regulations:

**California Proposition 65 Warning** This product contains the following components:  
 94-59-7    202-345-4    <= 12 ppm    Safrole (NFS)  
 93-15-2    202-223-0    <= 5 ppm    Methyl Eugenol (NFS)  
 123-35-3(NF)    204-622-5    0.1 - 1.0 %    beta-Myrcene (NFS)

#### Canadian Regulations:

**DSL / NDSL** 100.00% of the components are listed or exempt.

### 16. Other Information

GHS H-Statements referred to under section 3

**Crafter's Choice™ Bubble  
Gum Fragrance Oil**Page 8 of 8  
2016-03-10**Total Fractional Values**

(TFV) Risk

(2.04) Aspiration Hazard, Category 1

(15.00) Sensitization, Skin, Category 1A

(1.00) Carcinogenicity, Category 1B

(8.85) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(2.15) Skin Corrosion/Irritation, Category 2

(1.14) Eye Damage/Eye Irritation, Category 2A

(1.67) Aquatic Acute Toxicity, Category 1

**Remarks**

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.