

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Product: Crafter's Choice[™] Bubble Gum* Fragrance Oil

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Bubble Gum* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-17

Page 2 of 8

Crafter's Choice[™] Bubble Gum* Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Label elements

Labelling (GHS)

Hazard pictograms











Signal Word: Danger

Hazard statements

H226	Flammable liquid and vapour
H303	May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child

H400 Very Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention

P310 Immediately call a POISON CENTER or doctor/physician P312 Call a POISON CENTER or doctor/physician if you feel unwell



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bubble Gum*
Fragrance Oil

Page 3 of 8 Print Date: 2023-03-17

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	
Benzyl Benzoate				
123-92-2	204-662-3	20 - 30 %	H226; H402	
Isoamyl ad	cetate			
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412	
Limonene				
119-36-8	204-317-7	10 - 20 %	H302; H317; H318; H361; H402; H412	
Methyl Salicylate				
101-39-3	202-938-8	5 - 10 %	H303; H317; H401	
alpha-Methylcinnamaldehyde				
106-27-4	203-380-8	5 - 10 %	H226; H401	
Isoamyl bu	utyrate			
105-54-4	203-306-4	2 - 5 %	H226; H319	
Ethyl buty	rate			
121-33-5 vanillin	204-465-2	2 - 5 %	H303; H313; H319; H402	
104-55-2 Cinnamal	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401; H412	
100-52-7	202-860-4	1 - 2 %	H227; H302; H313; H316; H319; H332;	
Benzaldel	nyde		H335; H401	
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 8

Print Date: 2023-03-17

Product: Crafter's ChoiceTM Bubble Gum* Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Total Hydrocarbon Content (% w/w) = 19.87

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bubble Gum*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-03-17

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

80-56-8 *pinene* 20

123-92-2 Isoamyl acetate 50 100 100

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow to Golden/Greenish Yellow (G4-8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

122 F (50.00 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 2.1435

 %VOC:
 50.90

 Specific Gravity @ 25 C:
 0.9770



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Bubble Gum* Fragrance Oil

Page 6 of 8

Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

 Density (g/mL) @ 25 C:
 0.9740

 Refractive Index @ 20 C:
 1.4920

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2114.0274) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4098.0122) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr Not classified - the classification criteria are not met

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Suspected of damaging fertility or the unborn child
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradability

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bubble Gum*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 8 Print Date: 2023-03-17

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (20 - 30 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)				
Perfumery Products	3	III	Flammable Liquid	UN1266
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

123-92-2 204-662-3 20 - 30 % Isoamyl acetate

123-92-2 204-002-3 20 - 30 7

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 12 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 5 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Product: Crafter's Choice[™] Bubble Gum* Fragrance Oil

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid
H302 : Harmful if swallowed
H312 : Harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H332 : Harmful if inhaled
H335 : May cause respiratory irritation

H401 : Toxic to aquatic life

H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H411: Toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(150.00) Reproductive Toxicity, Category 2
(17.31) Aquatic Acute Toxicity, Category 2
(15.04) Sensitization, Skin, Category 1A
(17.31) Aquatic Chronic Toxicity, Category 3

(5.00) Eye Damage/Eye Irritation, Category 1 (5.00) Reproductive Toxicity, Category 2 (2.37) Skin Corrosion/Irritation, Category 3 (2.37) Acute Toxicity Oral, Category 5

(2.33) Aquatic Chronic Toxicity, Category 4 (2.15) Skin Corrosion/Irritation, Category 2

(1.99) Aspiration Hazard, Category 1 (1.66) Aquatic Acute Toxicity, Category 1 (1.22) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.