

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

7820 E. Pleasant Valley Road Independence, OH 44131 (800)359-0944

Crafter's Choice[™] Santal 33* Fragrance Oil

Page 1 of 7 Print Date: 2021-08-23

1. Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Crafter's Choice[™] Santal 33* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Wholesale Supplies Plus, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131

1.4 Emergency telephone number: ChemTel/VelocityEHS

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. **Hazards Identification**

Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Reproductive Toxicology, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Reproductive Toxicology, Category 1B

H315 : Causes skin irritation

- H317 : May cause an allergic skin reaction
- H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word: Danger Hazard statments

H411 : Toxic to aquatic life with long lasting effects



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Crafter's Choice™ Santal 33* Fragrance Oil

Page 2 of 7 Print Date: 2021-08-23

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

1

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410	
Tetrameth	yl Acetyloctahydi	ronaphthalenes		
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene brassylate				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	
Benzyl Benzoate				
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H41	
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)				
91771-62-9	294-955-2	0.1 - 1.0 %	H317; H411	
cyperus scariosus, ext.				



Independence, OH 44131

(800)359-0944

Safety Data Sheet

Revised Date: 2021-01-13 00:00

Crafter's Choice™ Santal 33* Fragrance Oil

Page 3 of 7 Print Date: 2021-08-23

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
80-54-6 Butylphen	201-289-8 yl Methylpropior	0.1 - 1.0 % nal	H227; H302; H315; H317; H360; H401; H412	
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	
4-tert-Butylcyclohexyl acetate				
See Section 16 for full text of GHS classification codes				
See Section 16 for full text of GHS classification codes which where not shown in section 2				

Total Hydrocarbon Content (% w/w) = 0.15

4. First Aid Measures	
4.1 Description of first aid measures	Jres
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms an	nd effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate r	nedical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measu	ires
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from	the substance or mixture
.z Special hazarus arising nom	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



Safety Data Sheet

Revised Date: 2021-01-13 00:00

Crafter's Choice™ Santal 33* Fragrance Oil

Page 4 of 7 Print Date: 2021-08-23

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

- Eye protection:
 Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
- **Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
- **Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless(G0) - Pale Yellow(G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	230 F (110.00 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected



Independence, OH 44131

(800)359-0944

Safety Data Sheet

Revised Date: 2021-01-13 00:00

Crafter's Choice[™] Santal 33* Fragrance Oil

Page 5 of 7 Print Date: 2021-08-23

Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0043
%VOC:	0.23
Specific Gravity @ 25 C:	0.9380
Density @ 25 C:	0.9350
Refractive Index @ 20 C:	1.4560
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 641.9720) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Crafter's Choice™ Santal 33* Fragrance Oil

Page 6 of 7 Print Date: 2021-08-23

2. Ecological Information	
2.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient o 54464-57-2 : (10			hydronaphthalenes	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
15. Regulatory In	formation				
U.S. Federal Regulations					
TSCA (Toxic Substance	Control Act)	All compor	nents of the subs	stance/mixture are listed or	exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

U.S. State Regulations

California Proposition 65 Warning This pro

This product contains the following components:

This product contains NO components of concern.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2021-01-13 00:00

Crafter's Choice[™] Santal 33* Fragrance Oil

Page 7 of 7 Print Date: 2021-08-23

123-35-3(NF	204-622-5	<= 7 ppm	beta-Myrcene (Natural Source)
Canadian Regulati	ons		
DSL			99.34% of the components are listed or exempt.The following components are NOT on the List:
91771-62-9	294-955-2	0.1 - 1.0 %	cyperus scariosus, ext.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H303 : May be harmful if swallowed	H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(50.14) Aquatic Chronic Toxicity, Category 3	(12.00) Sensitization, Skin, Category 1B
(7.79) Acute Toxicity Inhalation, Category 5	(7.00) Sensitization, Skin, Category 1
(7.00) Sensitization, Skin, Category 1A	(5.01) Aquatic Chronic Toxicity, Category 2
(1.45) Skin Corrosion/Irritation, Category 3	(1.36) Skin Corrosion/Irritation, Category 2
(1.33) Reproductive Toxicology, Category 1B	

Remarks

This safety data sheet is based on the properties of the material known to Wholesale Supplies Plus, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wholesale Supplies Plus, LLC holds no responsibility. This document is not intended for quality assurance purposes.