

SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Product: Crafter's Choice[™] Tropical Amber Fragrance Oil

Page 1 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Tropical Amber Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Wholesale Supplies Plus, LLC

7820 E Pleasant Valley Rd Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning

Hazard statments

H303 May be harmful if swallowed

H317 May cause an allergic skin reaction





Revised Date: 2021-05-19 00:00

Product:

Crafter's Choice™ Tropical Amber Fragrance Oil

Page 2 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com

> H333 May be harmful if inhaled H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411			
Benzyl Be	nzoate					
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410			
Tetramethyl Acetyloctahydronaphthalenes						
24851-98-7	246-495-9	2 - 5 %	H402			
Methyldihydrojasmonate						
105-95-3	203-347-8	2 - 5 %	H401			
Ethylene brassylate						
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410			
Hexamethylindanopyran						
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412			
Benzyl Salicylate						
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410			
Cedrol methyl ether						
236391-76-7	431-700-8	1 - 2 %	H401; H411			
Acetic acid, (1-oxopropoxy)-, 1-(3,3-dimethylcyclohexyl)ethyl ester						
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402			
Hydroxycitronellal						



SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Product: Crafter's Choice[™] Tropical Amber Fragrance Oil

Page 3 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
a-Methyl-	1,3-benzodioxo	le-5-propionaldel	hyde
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
82356-51-2	429-900-5	0.1 - 1.0 %	H317; H400; H412
Methylcyd	clopentadeceno	ne	
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

First Aid Measures

4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure:

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. **Fire-Fighting measures**

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Do not use a direct water jet on burning material Unsuitable

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Product: Crafter's Choice[™] Tropical Amber Fragrance Oil

Page 4 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined



SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Page 5 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com Crafter's Choice[™] Tropical Amber Fragrance Oil

Boiling Point:

Melting Point:

Not determined

Not determined

Plashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Product:

Vapor Pressure (mmHg@20 C): 0.0009 **%VOC:** 0.004

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2904.0406) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 199.8783) May be harmful if inhaled

Skin corrosion / irritationNot classified - the classification criteria are not metSerious eye damage / irritationNot classified - the classification criteria are not metRespiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Product: Crafter's Choice[™] Tropical Amber Fragrance Oil

Page 6 of 7

12. **Ecological Information**

12.1 Toxicity

(800) 359-0944 www.crafters-choice.com

7820 E Pleasant Valley Rd Independence, OH 44131

> Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (30 - 40 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulate	d - Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082

15. **Regulatory Information**

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations



SDS v1 GHS / OSHA

Revised Date: 2021-05-19 00:00

Product:

Crafter's Choice™ Tropical Amber Fragrance Oil

Page 7 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.crafters-choice.com

DSL

California Proposition 65 Warning

No Warning required

Canadian Regulations

100.00% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3100-36-5 401-700-2 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

Cyclohexadec-8-en-1-one mixture of cis and trans isomer

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed H313 : May be harmful in contact with skin

H315 : Causes skin irritation
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H319 : Causes serious eye irritation

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn

child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(53.17) Aquatic Chronic Toxicity, Category 3 (25.02) Acute Toxicity Inhalation, Category 5

(6.00) Sensitization, Skin, Category 1B (5.31) Aquatic Chronic Toxicity, Category 2

(1.76) Aquatic Chronic Toxicity, Category 4 (1.72) Acute Toxicity Oral, Category 5

(1.64) Aquatic Acute Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Wholesale Supplies Plus, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wholesale Supplies Plus, LLC holds no responsibility. This document is not intended for quality assurance purposes.