Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil

Page 1 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] All the Fall Feels Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Wholesale Supplies Plus, LLC 7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

fects
f

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

С

Labelling (GHS) Hazard pictograms

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil

Page 2 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	50"	Conc.	
Ingredient	EC#	Range	GHS Classification

7820 E Pleasant Valley Rd Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil Revised Date: 2022-02-11 00:00

Page 3 of 8

AS#	EC#	Conc.	CHS Classification
gredient	20#	Range	GHS Classification
8917-22-0	618-219-0	10 - 20 %	H227
PPG-2 M	ethyl Ether Ace	tate	
4464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410
Tetrameth	nyl Acetyloctahy	rdronaphthalenes	
8-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411
2-t-Butylc	yclohexyl aceta	te	
7-83-8	201-061-8	2 - 5 %	H317; H401; H411
Ethyl Met	hylphenylglycid	ate	
05-95-3	203-347-8	2 - 5 %	H401
Ethylene	brassylate		
7-53-0	202-589-1	2 - 5 %	H303; H316; H317; H319; H401
Eugenol			
01-39-3	202-938-8	2 - 5 %	H303; H317; H401
alpha-Me	thylcinnamaldel		
, 8-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			, , , - , - , -
1-64-5	202-086-7	1 - 2 %	H302; H317; H402
Coumarin			
01-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cini		/3	
989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene		. 270	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
15-95-7	, 204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac		i 2 /0	11227, 11010, 11017, 11020, 11702
8608-32-2	294-461-7	1 - 2 %	H304; H400; H410
	od oil terpenes	I Z /0	1007, 1100, 1110
7-44-5	201-746-1	1 - 2 %	H304; H317
	/ophyllene	I [−] ∠ /0	100 1 , 1017
04-67-6	203-225-4	1 - 2 %	H316; H402; H412
	Indecalactone	I [−] ∠ /0	1010,1102,1112
94-54-1	203-212-3	1 - 2 %	H302; H316; H317; H401
Cinnamyl		I - Z /0	11002, 11010, 11017, 11401
-		1 0 0/	L202. L212. L215. L217. L210. L404.
04-55-2 Cinnamal	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401; H412
		1 2 0/	
8479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402
	hyloct-7-en-2-ol		1204.11444
450625-49-	d	1 - 2 %	H304; H411
Clearwoo			
06-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello			
2210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401

Crafter's Choice Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Crafter's Choice[™] All the Fall Feels Product: **Fragrance Oil**

Page 4 of 8

	7820 E Pleasan Independence, ((800) 359-0944 www.Wholesale	,			Page 4 of 8
	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	
	delta-1-(2	2,6,6-Trimethyl-3	-cyclohexen-1-yl	l)-2-buten-1-one (delta-Damascone)	
	470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402	
	Eucalypto	ol			
	80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
	pinene			H410	
	5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	
	Citral				
	68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethyltetrahydro Benzaldehyde		aldehyde	H411		
	127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	
	beta Pine	ene			
	1885-38-7	217-552-5	0.1 - 1.0 %	H301; H312; H316; H317; H332; H402	
	Cinnamyl	nitrile			
	See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 3.40

4. First Aid Measures				
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion:	Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects,	both acute and delayed			
Symptoms:	no data available			
Risks:	Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures				
5.1 Extinguishing media				
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable	Do not use a direct water jet on burning material			
5.2 Special hazards arising from the substance or mixture				
During fire fighting:	Water may be ineffective			

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil

Page 5 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
80-56-8	pinene	20				
127-91-3	beta Pinene	20				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

Safety Data Sheet

SDS v1 GHS / OSHA

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil Revised Date: 2022-02-11 00:00

Page 6 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	198 F (92.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0860
%VOC:	4.93
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3726.2613) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3669.9850) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 44.0994) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Rd Independence, OH 44131

12.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product: Crafter's Choice[™] All the Fall Feels Fragrance Oil

Page 7 of 8

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not me
Carcinogenicity	Not classified - the classification criteria are not me
Reproductive toxicity	Not classified - the classification criteria are not me
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not me
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not me
Aspiration hazard	Not classified - the classification criteria are not me

Not classified - the classification criteria are not met
Toxic to aquatic life with long lasting effects
no data available

13. Disposal Conditions

Ecological Information

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 54464-57-2 : (5 - 10 %) : Tetramethyl Acetyloctahydronaphthalenes				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					



7820 E Pleasant Valley Rd

Safety Data Sheet

Revised Date: 2022-02-11 00:00

Product:	Crafter's Choice™ All the Fall Feels
	Fragrance Oil

Page 8 of 8

www.WholesaleSupplies					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III	UN3082	
,	-,				
15. Regula	tory Infor	mation			
U.S. Federal Regul	ations				
TSCA (Toxic Su	bstance Co	ntrol Act)	All c	components of the substance/r	nixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)		This	This product contains NO components of concern.		
U.S. State Regulati	ons				
California Prop	osition 65 W	arning	This	product contains the following	components:
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-N	lyrcene (Natural Source)	
93-15-2	202-223-0	<= 35 ppm	Methy	Eugenol (Natural Source)	
Canadian Regulati	ons				
DSL				00% of the components are list ponents are NOT on the List:	ed or exempt. The following
1450625-49-		1 - 2 %	Clearv	laad	

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H332 : Harmful if inhaled
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(113.38) Acute Toxicity Inhalation, Category 5	(45.85) Aquatic Chronic Toxicity, Category 3
(11.00) Sensitization, Skin, Category 1A	(8.00) Sensitization, Skin, Category 1B
(4.57) Aquatic Chronic Toxicity, Category 2	(3.27) Skin Corrosion/Irritation, Category 3
(2.28) Sensitization, Skin, Category 1	(1.88) Skin Corrosion/Irritation, Category 2
(1.43) Eye Damage/Eye Irritation, Category 2A	(1.36) Acute Toxicity Dermal, Category 5
(1.34) Acute Toxicity Oral, Category 5	(1.11) Aquatic Chronic Toxicity, Category 4

Remarks

This safety data sheet is based on the properties of the material known to Wholesale Supplies Plus, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wholesale Supplies Plus, LLC holds no responsibility. This document is not intended for quality assurance purposes.