

Product: Crafter's Choice™ Santal Evergreen Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 1 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Santal Evergreen Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Wholesale Supplies Plus, LLC

7820 E Pleasant Valley Rd Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning Hazard statments

H303

May be harmful if swallowed



Product: Crafter's Choice™ Santal Evergreen Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 2 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | | | | | |
|-----------------------------------------|-----------|----------------|------------------------------|--|--|--|--|--|
| 125-12-2 | 204-727-6 | 2 - 5 % | H227; H316; H401 | | | | | |
| Isobornyl acetate | | | | | | | | |
| 54464-57-2 | 259-174-3 | 2 - 5 % | H315; H317; H400; H410 | | | | | |
| Tetramethyl Acetyloctahydronaphthalenes | | | | | | | | |
| 28219-61-6 | 248-908-8 | 2 - 5 % | H315; H319; H401; H411 | | | | | |
| Ethyl trimethylcyclopentene butenol | | | | | | | | |
| 32210-23-4 | 250-954-9 | 2 - 5 % | H303; H317; H401 | | | | | |
| 4-tert-Butylcyclohexyl acetate | | | | | | | | |
| 120-51-4 | 204-402-9 | 1 - 2 % | H302; H313; H400; H411 | | | | | |
| Benzyl Benzoate | | | | | | | | |
| 127-51-5 | 204-846-3 | 1 - 2 % | H316; H317; H320; H401; H411 | | | | | |
| a-Isomethyl ionone | | | | | | | | |
| 1222-05-5 | 214-946-9 | 1 - 2 % | H316; H400; H410 | | | | | |
| Hexamethylindanopyran | | | | | | | | |
| 65113-99-7 | 265-453-0 | 1 - 2 % | H316; H319; H401; H411 | | | | | |
| Pentamethylcyclopent-3-ene-butanol | | | | | | | | |



Evergreen Fragrance Oil

Product: Crafter's Choice™ Santal

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 3 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | | |
|--------------------------------------------------------------|------------|----------------|-------------------------------------|--|--|
| 87-44-5 | 201-746-1 | 0.1 - 1.0 % | H304; H317 | | |
| Beta-Cary | ophyllene/ | | | | |
| 97-53-0 | 202-589-1 | 0.1 - 1.0 % | H303; H316; H317; H319; H401 | | |
| Eugenol | | | | | |
| 118-58-1 | 204-262-9 | 0.1 - 1.0 % | H303; H317; H320; H401; H412 | | |
| Benzyl Salicylate | | | | | |
| 33704-61-9 | 251-649-3 | 0.1 - 1.0 % | H303; H315; H317; H319; H401; H411 | | |
| 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran) | | | | | |
| 470-82-6 | 207-431-5 | 0.1 - 1.0 % | H226; H303; H317; H320; H402 | | |
| Eucalyptol | | | | | |
| 110-41-8 | 203-765-0 | 0.1 - 1.0 % | H227; H315; H317; H402; H410 | | |
| 2-Methylu | ındecanal | | | | |
| 68737-61-1 | 272-113-5 | 0.1 - 1.0 % | H227; H303; H313; H315; H317; H401; | | |
| Dimethyltetrahydro Benzaldehyde | | | H411 | | |
| See Section 16 for full text of GHS classification codes | | | | | |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.10

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective



Product: Crafter's Choice™ Santal Evergreen Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 4 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard



Product: Crafter's Choice™ Santal
Evergreen Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 5 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0084 **%VOC:** 0.59

Specific Gravity @ 25 C: Not determined

Density (g/mL) @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition productsNone known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4984.7253) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 216.1812) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not met



Revised Date: 2022-05-16 00:00

Page 6 of 7

SDS v1 GHS / OSHA

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Santal Product: **Evergreen Fragrance Oil**

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Aspiration hazard Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Not classified - the classification criteria are not met Acute acquatic toxicity

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

| Marine Pollutant | Yes. Ingredient of greatest environmental impact : | | | | | | |
|------------------------------------------------------------------|----------------------------------------------------|-------------------------------------|------------|----------|--------|--|--|
| 54464-57-2 : (2 - 5 %) : Tetramethyl Acetyloctahydronaphthalenes | | | | | | | |
| Regulator | | Class | Pack Group | Sub Risk | UN-nr. | | |
| U.S. DOT (Non-Bulk) | | Not Regulated - Not Dangerous Goods | | | | | |
| Chemicals NOI | | | | | | | |
| ADR/RID (International Roa | ad/Rail) | | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 | | |
| IATA (Air Cargo) | | | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 | | |
| IMDG (Sea) | | | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 | | |



Product: Crafter's Choice™ Santal
Evergreen Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 7 of 7

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 37 ppm Safrole (Natural Source)

123-35-3(NF 204-622-5 <= 21 ppm beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 4 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 99.50% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(38.72) Aquatic Chronic Toxicity, Category 3(23.13) Acute Toxicity Inhalation, Category 5(3.87) Aquatic Chronic Toxicity, Category 2(3.00) Sensitization, Skin, Category 1B(1.64) Skin Corrosion/Irritation, Category 3(1.00) Acute Toxicity Oral, Category 5

Remarks

This safety data sheet is based on the properties of the material known to Wholesale Supplies Plus, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wholesale Supplies Plus, LLC holds no responsibility. This document is not intended for quality assurance purposes.