SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47 Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

Page 1 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice[™] Magenta Woods & Dahlia Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier:

Wholesale Supplies Plus 7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Page 2 of 8

Signal Word: Warning	
Hazard statements	
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
3 Other Hazards	

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihy	rdrojasmonate		
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexameth	ylindanopyran		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410
Tetramethyl Acetyloctahydronaphthalenes			
63500-71-0	405-040-6	5 - 10 %	H319
Isobutyl M	ethyl Tetrahydrop		

7820 E Pleasant Valley Rd

Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Page 3 of 8

Independence, O (800) 359-0944			
(800) 359-0944 www.WholesaleS	uppliesPlus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
10339-55-6	233-732-6	5 - 10 %	H227; H303; H316; H317; H319; H402
Ethyl Lina	lool		
107-75-5	203-518-7	2 - 5 %	H317; H319; H402
Hydroxyc	itronellal		
66068-84-6	266-100-3	2 - 5 %	H316; H400; H411
Isocamph	enyl cyclohexar	nol (mixed isomei	rs)
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be	enzoate		
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412
Geranyl A	cetate		
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ac	etate		
104-67-6	203-225-4	1 - 2 %	H316; H402; H412
gamma-U	Indecalactone		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace	tate		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. **First Aid Measures**

4.1 Description of first aid measures

-	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate m	edical attention and special treatment needed

Indication of any immediate medical attention and special treatment needed 4.3

Section 2.2 "Response"
C

Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Page 4 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substa	ince or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires
5.2 Special hazards arising from the substa During fire fighting:5.3 Advice for firefighters	Water may be ineffective

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

6.

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits: Component

140-11-4 Benzyl acetate

Use local exhaust as needed. **Engineering Controls:**

8.2 Exposure controls - Personal protective equipment

ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm 10

7820 E Pleasant Valley Rd

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

Page 5 of 8

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0109
%VOC:	1.62
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 4694.8356) May be harmful if swallowed

Crafter'sChoice[®]

Safety Data Sheet

Product: Crafter's Choice[™] Magenta **Dahlia & Woods Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Page 6 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com		Page 6 01 8
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met	
Acute toxicity - Inhalation - (Rat) mg/L/4hr	r (LD50: 60.3345) May be harmful if inhaled	
Skin corrosion / irritation	Causes skin irritation	
Serious eye damage / irritation	Causes serious eye irritation	
Respiratory sensitization	Not classified - the classification criteria are not met	
Skin sensitization	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified - the classification criteria are not met	
Carcinogenicity	Not classified - the classification criteria are not met	
Reproductive toxicity	Not classified - the classification criteria are not met	
Specific target organ toxicity - single expo	osure Not classified - the classification criteria are not met	
Specific target organ toxicity - repeated ex	xposure Not classified - the classification criteria are not met	
Aspiration hazard	Not classified - the classification criteria are not met	
12. Ecological Information		
12.1 Toxicity		
Acute acquatic toxicity	Not classified - the classification criteria are not met	
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (5 - 10 %) : Hexamethylindanopyran				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regula	ted - Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International R	oad/Rail)				

SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com		Crafter's Choice™ Magenta & Woods Fragrance Oil	
Environmentally Hazardous Substance, Liquid, n.o.s. IATA (Air Cargo)	9	III	

Substance, Liquid, n.o.s. IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	111	UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 5 - 10 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	No Warning required
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(82.87) Acute Toxicity Inhalation, Category 5	(70.56) Aquatic Chronic Toxicity, Category 3
(16.10) Sensitization, Skin, Category 1	(16.10) Sensitization, Skin, Category 1A
(8.00) Sensitization, Skin, Category 1B	(7.04) Aquatic Chronic Toxicity, Category 2
(2.90) Skin Corrosion/Irritation, Category 3	(1.48) Eye Damage/Eye Irritation, Category 2A
(1.06) Acute Toxicity Oral, Category 5	(1.06) Aquatic Chronic Toxicity, Category 4
(1.04) Skin Corrosion/Irritation, Category 2	

UN3082

CraftersChoice®

Safety Data Sheet

Product: Crafter's Choice[™] Magenta Dahlia & Woods Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2022-12-13 13:47

Page 8 of 8

7820 E Pleasant Valley Rd Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to Wholesale Supplies Plus, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wholesale Supplies Plus, LLC holds no responsibility. This document is not intended for quality assurance purposes.