

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sunlit Woods

Fragrance Oil

Page 1 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crater's Choice[™] Sunlit Woods Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
lassification OSHA (Provisions 1010 1200 of t	title 20)

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2
Sensitization, Skin, Category 1A
Eye Damage/Eye Irritation, Category 2A

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Sunlit Woods Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 2 of 8 Print Date: 2023-02-16

Signal Word: Warning	
Hazard statements	
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethy	/l Acetyloctahydi	ronaphthalenes		
100-51-6	202-859-9	2 - 5 %	H302; H313; H319	
Benzyl Alco	ohol			
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimethyloct-7-en-2-ol				
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene				

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Sunlit Woods Fragrance Oil

Page 3 of 8 Print Date: 2023-02-16

CAS# Ingredient	EC#	Conc. Range	GHS Classification
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
24851-98-7	246-495-9	2 - 5 %	H402
Methyldihy	/drojasmonate		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene b	orassylate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl cea	Irene		
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401
Citral			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411
(ethoxyme	ethoxy)cyclodod	lecane	
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-(dimethylhydroci	innamal	
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylte	etrahydro Benza	aldehyde	H411
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
Cyclamen	Aldehyde		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
, 86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
		ne carboxaldehyd	
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401
Methyl atra			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
IsoCycloC			
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401
		enzenepropanal	
-		GHS classification	

Total Hydrocarbon Content (% w/w) = 3.66

4. First Aid Measures 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

	Product: Crafter's Choice TM Sunlit Woods	
7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	Fragrance Oil	Page 4 of 8 Print Date: 2023-02-16
Skin Exposure:	Remove contaminated clothes. Wash thoroug Contact physician if symptoms persist.	hly with water (and soap).
Ingestion:	Rinse mouth with water and obtain medical adv	vice.
4.2 Most important symptom	ns and effects, both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immedi	iate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting me	easures	
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning materia	al
5.2 Special hazards arising f	from the substance or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Sunlit Woods Fragrance Oil

Page 5 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Exposure Controls/Personal Protection 8. 8.1 Control parameters **Exposure Limits:** ACGIH ACGIH OSHA OSHA Component TWA ppm STEL ppm TWA ppm STEL ppm 80-56-8 pinene 20 **Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. **Respiratory protection:** Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed. 9. **Physical and Chemical Properties** 9.1 Information on basic physical and chemical properties Appearance: Liquid

Appearance.	Liquid
Odor:	Conforms to Standard
Color:	Yellow(G6) - Golden Yellow(G8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	209 F (98.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0411
%VOC:	4.34
Specific Gravity @ 25 C:	0.9310
Density (g/mL) @ 25 C:	0.9280
Refractive Index @ 20 C:	1.4580
Soluble in:	Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable10.3 Possibility of hazardous reactionsNone known

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] Sunlit Woods
	Fragrance Oil

Page 6 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

10.5 Incompatible materials

None known Strong oxidizing agents, strong acids, and alkalis

None known

11. **Toxicological Information**

10.6 Hazardous decomposition products

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4783.6956) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 92.4820) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. **Ecological Information** 12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] Sunlit Woods
Fragrance Oil	

Page 7 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant		of greatest environ 5 %) : Hexamethy			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
140-67-0 205-427-8 <= 2 ppm	Estragole (Methyl chavicol) (Natural Source)
89-82-7 201-943-2 <= 1 ppm	Pulegone (Natural Source)
Canadian Regulations	
DSL	99.85% of the components are listed or exempt.The following components are NOT on the List:
125109-85-5 412-050-4 0.1 - 1.0 %	Isopropylphenylbutanal

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H320 : Causes eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] Sunlit Woods	
Fragrance Oil		

Page 8 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Fractional Values

(TFV) Risk
(54.10) Acute Toxicity Inhalation, Category 5
(10.16) Sensitization, Skin, Category 1
(6.10) Sensitization, Skin, Category 1B
(1.94) Aquatic Chronic Toxicity, Category 2
(1.05) Eye Damage/Eye Irritation, Category 2A

(TFV) Risk

(19.60) Aquatic Chronic Toxicity, Category 3

(10.16) Sensitization, Skin, Category 1A

(2.11) Skin Corrosion/Irritation, Category 3

(1.83) Skin Corrosion/Irritation, Category 2

(1.05) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.