

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

Fragrance Oil

Page 1 of 7 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Watermelon Waves Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924	Domestic USA,	Canada,	Puerto Rico,	and US \	/irgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)

# Sensitization, Skin, Category 1A

H317 : May cause an allergic skin reaction

## **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements H303 H317

May be harmful if swallowed May cause an allergic skin reaction



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

**Fragrance Oil** Page 2 of 7 7820 E Pleasant Valley Road Print Date: 2023-02-16 Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com H333 May be harmful if inhaled Harmful to aquatic life with long lasting effects H412 **Precautionary Statements Prevention:** P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment **Response:** P302 + P352 IF ON SKIN: Wash with soap and water P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention Wash contaminated clothing before reuse P363 Other Hazards 2.3

#### no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
5471-51-2	226-806-4	5 - 10 %	H402		
Raspberry	/ Ketone				
100-79-8	202-888-7	2 - 5 %	H319		
Isopropylic	deneglycerol				
4940-11-8	225-582-5	2 - 5 %	H302; H401		
Ethyl Malte	ol				
24851-98-7	246-495-9	1 - 2 %	H402		
Methyldihy	ydrojasmonate				
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401		
Citral					
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411		
Allyl cyclo	Allyl cyclohexylpropionate				
106-72-9	203-427-2	0.1 - 1.0 %	H227; H317; H401		
Dimethyl H	Heptenal				
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411		
Ethyl 2,2-dimethylhydrocinnamal					
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;		
Dimethyltetrahydro Benzaldehyde H411					
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402		
Hydroxyci	tronellal				

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

**Fragrance Oil** Page 3 of 7 7820 E Pleasant Valley Road Print Date: 2023-02-16 Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com Conc. CAS# EC# **GHS Classification** Range Ingredient 5989-27-5 227-813-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412 Limonene 127-51-5 H316; H317; H320; H401; H411 204-846-3 0.1 - 1.0 % a-Isomethyl ionone See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.15

4. First Aid Measures			
4.1 Description of first aid meas	ures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms a	nd effects, both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting meas	ures		
5.1 Extinguishing media	Orthon disside (200) Druck anised From		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from	i the substance or mixture		
During fire fighting:	Water may be ineffective		
5.3 Advice for firefighters			
Further information:	Standard procedure for chemical fires		

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com Fragrance Oil

Page 4 of 7 Print Date: 2023-02-16

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

- Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.<br/>as may be appropriate for the exposure
- Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
- **Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com	Fragrance Oil	Page 5 of 7 Print Date: 2023-02-16
Oxidizing properties:	None Expected	
Vapor Pressure (mmHg@20 C):	0.0333	
%VOC:	1.82	
Specific Gravity @ 25 C:	Not determined	
Density (g/mL) @ 25 C:	Not determined	

# 10. Stability and Reactivity

Refractive Index @ 20 C:

Soluble in:

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Not determined

Oil

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4023.3911) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 265.7226) May be harmful if inhaled
Skin corrosion / irritation	Not classified - the classification criteria are not met
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>TM</sup> Watermelon Waves

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com Fragrance Oil

Page 6 of 7 Print Date: 2023-02-16

www.WholesaleSuppliePlus.com				
12. Ecological Information	1			
12.1 Toxicity				
Acute acquatic toxicity	Not classified - the classification criteria are not met			
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects			
Toxicity Data on soil	no data available			
Toxicity on other organisms	no data available			
12.2 Persistence and degradability	no data available			
12.3 Bioaccumulative potential	no data available			
12.4 Mobility in soil	no data available			
12.5 Other adverse effects	no data available			

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI				
IATA (Air Cargo)	Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI				
IMDG (Sea)	Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI				

15.	Regulatory Information	
U.S. Fede	eral Regulations	
TSCA	(Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations		This product contains NO components of concern.
123	rnia Proposition 65 Warning 3-35-3(NF 204-622-5 <= 30 ppm n Regulations	This product contains the following components: beta-Myrcene (Natural Source)
DSL	-	100.00% of the components are listed or exempt.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Watermelon Waves Fragrance Oil

Page 7 of 7 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliePlus.com

## 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H312 : Harmful in contact with skin
- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H401 : Toxic to aquatic life
- H411 : Toxic to aquatic life with long lasting effects

## **Total Fractional Values**

(TFV) Risk

(18.82) Acute Toxicity Inhalation, Category 5

- (13.04) Sensitization, Skin, Category 1A
- (1.24) Acute Toxicity Oral, Category 5

H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life

(TFV) Risk(13.04) Sensitization, Skin, Category 1(2.54) Aquatic Chronic Toxicity, Category 3

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.