

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Beachwalk Bliss
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-02-16

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Beachwalk Bliss Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning Hazard statements

H303 May be harmful if swallowed





Revised Date: 2023-02-07 00:00

Crafter's ChoiceTM Beachwalk Bliss Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 2 of 8 Print Date: 2023-02-16

vw.vvnolesalesuppilesPlus.com	
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P272	Contaminated work clothing should not be allowed out of the workplace

Response:

P273

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

Avoid release to the environment

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
24851-98-7	246-495-9	5 - 10 %	H402		
Methyldih	ydrojasmonate				
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411		
2-t-Butylc	2-t-Butylcyclohexyl acetate				
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411		
Tetrameth	Tetramethyl Acetyloctahydronaphthalenes				
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402		
Linalool					
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411		
Ethyl trimethylcyclopentene butenol					
105-95-3	203-347-8	1 - 2 %	H401		
Ethylene l	brassylate				
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412		
Limonene					



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

roduct: Crafter's ChoiceTM Beachwalk Bliss

Page 3 of 8 Print Date: 2023-02-16

7820 E Pleasant Valley Road Independence, OH 44131			Fragrance Oil	
(800) 359-0944 www.WholesaleS	SuppliesPlus.com			
CAS#	EC#	Conc.	GHS Classification	

CAS# Ingredient	EC#	Conc. Range	GHS Classification
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
6259-76-3	228-408-6	1 - 2 %	H316; H317; H400; H410
Hexyl sall	icylate		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
Cyclamer	n Aldehyde		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
Allyl cyclo	ohexylpropionate	9	
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401
cis-3-Hex	enyl methyl carl	bonate	
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxyc	itronellal		
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
127-51-5 a-Isometh	204-846-3 hyl ionone	0.1 - 1.0 %	H316; H317; H320; H401; H411
	-	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.68

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Beachwalk Bliss
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com grance Oil Page 4 of 8
Print Date: 2023-02-16

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

80-56-8 *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's ChoiceTM Beachwalk Bliss Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 5 of 8 Fragrance Oil

Print Date: 2023-02-16

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined Not determined **Boiling Point: Melting Point:** Not determined 220 F (104.44 C) Flashpoint (CCCFP): Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0390 %VOC: 3.17

Specific Gravity @ 25 C: Not determined Density (g/mL) @ 25 C: Not determined Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 3871.0620) May be harmful if swallowed



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Beachwalk Bliss
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-02-16

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 98.4837) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (10 - 20 %): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Beachwalk Bliss

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Fragrance Oil

Page 7 of 8 Print Date: 2023-02-16

www.WholesaleSuppliesPlus.com			
Environmentally Hazardous	9	III	UN3082
Substance, Liquid, n.o.s.			
IATA (Air Cargo)			
Environmentally Hazardous	9	III	UN3082
Substance, Liquid, n.o.s.			

IMDG (Sea)
Environmentally Hazardous

Substance, Liquid, n.o.s.

9 III UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 99.78% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 0.01 - 0.1% Tetrahydro-4-methyl-2-phenyl-2H-pyran

198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H312 : Harmful in contact with skin

H313 : May be harmful in contact with skin

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(50.77) Acute Toxicity Inhalation, Category 5 (15.19) Aquatic Chronic Toxicity, Category 3

(10.30) Sensitization, Skin, Category 1 (10.30) Sensitization, Skin, Category 1A

(2.15) Sensitization, Skin, Category 1B (1.56) Skin Corrosion/Irritation, Category 3

(1.50) Aquatic Chronic Toxicity, Category 2 (1.29) Acute Toxicity Oral, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Beachwalk Bliss Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 8 Print Date: 2023-02-16

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.