



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Happy for Men* Fragrance Oil

Page 1 of 8 2018-11-19

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

Product Name: Crafter's Choice[™] Happy for Men* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International


2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

	5	· · ·			
	Flammable Liquids, Category 4		H227: Combustible liquid		
	Acute Toxicity Oral, Category 5		H303: May be harmful if swallowed		
	Acute Toxicity Dermal, Category 5		1313: May be harmful in contact with skin		
	Skin Corrosion/Irritation, Categor	ry 2	H315: Causes skin irritation		
	Sensitization, Skin, Category 1B		H317: May cause an allergic skin reaction		
	Eye Damage/Eye Irritation, Cate	gory 2A	H319: Causes serious eye irritation		
	Acute Toxicity Inhalation, Catego	ory 5	H333: May be harmful if inhaled		
	Aquatic Acute Toxicity, Category	1	H400: Very Toxic to aquatic life		
	Aquatic Chronic Toxicity, Catego	ry 2	H411: Toxic to aquatic life with long lasting effects		
Clas	ssification OSHA (Provisions 19	10.1200 of title	29)		
	Flammability	Class IIIA Com	bustible Liquid		
	Acute Dermal/Eye 12 : Causes sk		kin irritation.		
		16 : Causes ey	e irritation.		
	Acute Oral	3 : May be harr	nful if swallowed or if aspirated into the lungs		
	Reproductive/Developmental	39 : Causes rep	productive/developmental toxicity in animals.		
	Sensitization/Allergic Response	31 : May cause	allergic skin reaction.		
	Target Organ Effects	-	or repeated ingestion may cause damage to: kidneys, adrenal ale reproductive system.		
		28 : Prolonged testes	or repeated Dermal Exposure may cause damage to: kidneys, skin,		
	Carcinogenicity		ntains ingredients identified as carcinogens, at 0.1% or greater, g:None [X] ACGIH [] IARC [] NTP [] OSHA []		





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Happy for Men* Fragrance Oil

Page 2 of 8 2018-11-19

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

	P235	Keep cool
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
F	Response:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
	P391	Collect Spillage
2.3	Other Hazards	

no data available



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com Crafter's Choice™ Happy for Men* Fragrance Oil

Page 3 of 8 2018-11-19

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
101-86-0	202-983-3	20 - 30 %	H303; H316; H317; H400; H411	11, 15
	namaldehyde	20 00 /0		,
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	11, 15
Hexameth	nylindanopyran			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetrameth	yl Acetyloctahyd	ronaphthalenes		
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylphen	yl Methylpropion	al	H412	
68917-33-9	284-515-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31
Lemon oil	terpenes			
103-95-7	203-161-7	2 - 5 %	H227; H303; H315; H317; H401; H412	11, 15, 31
2-Methyl-3	3-(p-isopropylphe	enyl)propionaldel	hyde	
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Limonene	•			
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15
	hyloct-7-en-2-ol			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H319; H402	
Linalyl ace				
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412	31
Benzyl Sa	-			
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31
	dicyclopentadien	•		
18127-01-0	242-016-2	0.1 - 1.0 %	H227; H303; H315; H317; H361; H373;	11, 15, 2, 31, 39
	yldihydrocinnama	-	H401; H412	
	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
ß-Pinene		o 4 4 o o/		
8016-23-7	289-632-8	0.1 - 1.0 %	H315; H317; H401; H411	
Guaiac wo		0.4 4 0.04		10
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	12
	hyde cyclododec 250-954-9		L202. L217. L101	11 15
32210-23-4		0.1 - 1.0 %	H303; H317; H401	11, 15
4-leri-Buty	ylcyclohexyl acet	aie		



	Safety Data Sheet			
Cr	after's Choice™ Happy for Men* Fragrance Oil	Page 4 of 2018-11-		
Conc. Range	GHS Classification	OSHA Classification		
0.1 - 1.0 % nzaldehyde	H227; H303; H313; H315; H317; H401; H411	12, 15, 31		
of GHS classificat Content (% w/w)				
asures				
id measures				
	Remove from exposure site to fresh air a Obtain medical advice.	and keep at rest.		
	Flush immediately with water for at least Contact physician if symptoms persist.	15 minutes.		
	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
ptoms and effect	Rinse mouth with water and obtain medi ts, both acute and delayed	cal advice.		
	no data available			
nediate medical	Refer to Section 2.2 "Hazard Statements attention and special treatment needed	5"		
	Refer to Section 2.2 "Response"			
measures				
l	Carbon diavida (CO2) Dry abamiaal Fa	~~~		
	Carbon dioxide (CO2), Dry chemical, Fo			
ing from the sub	Do not use a direct water jet on burning stance or mixture	material		
'S	Water may be ineffective			
	Standard procedure for chemical fires			

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Happy for Men* Fragrance Oil

Page 5 of 8 2018-11-19

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
127-91-3	ß-Pinene		20			
Engineering 8.2 Exposure co		Use local exhaust as needed. onal protective equipment				
Eye protection:		Tightly sealed goggles, face shield, or s as may be appropriate for the exposure		es with bro	ow guards	and side shields, etc.
Respiratory	protection:	Avoid excessive inhalation of concentra	ated vapors.	Apply loc	al ventilati	on where appropriate.
Skin protect	ion:	Avoid Skin contact. Use chemically res	istant gloves	s as neede	ed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2) to Golden Yellow G3/4
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	178 F (81.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0796

Crafter'sChoice[®]

Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com	Crafter's Choice™ Happy for Men* Fragrance Oil	Page 6 of 8 2018-11-19	
%VOC:	6.6233		
Specific Gravity @ 25 C:	0.9330		
Density @ 25 C:	0.9300		
Refractive Index @ 20 C:	1.4940		
Soluble in:	Oil		

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3,107.85) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,534.55) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 36.44) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

Acute aquatic toxicityVery Toxic to aquatic lifeChronic aquatic toxicityToxic to aquatic life with long lasting effectsToxicity Data on soilno data availableToxicity on other organismsno data available



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com	Crafter's Choice™ Happy for Men* Fragrance Oil	Page 7 of 8 2018-11-19
12.2 Persistence and degradabilit	y no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

_		•			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulate	d - Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082
15. Regulatory Inf	ormation				
U.S. Federal Regulations:					
TSCA (Toxic Substance	Control Act):	All comp	onents of the subs	stance/mixture are listed or	exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:		A) This proc	luct contains NO o	components of concern.	
California Proposition 65	5 Warning	This proc	luct contains the f	ollowing components:	

California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (NFS)
Canadian Regulations:	
DSL / NDSL	100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour

Crafter'sChoice[®]

Safety Data Sheet

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com	908-7028 Fragrance Oil		e 8 of 8 8-11-19
H304 : May be fatal if swallowed ar	nd enters airways	H316 : Causes mild skin irritation	
H317 : May cause an allergic skin r	reaction	H320 : Causes eye irritation	
H361 : Suspected of damaging fert	ility or the unborn child	H373 : May cause damage to organs through prolo repeated exposure	nged or
H401 : Toxic to aquatic life		H402 : Harmful to aquatic life	
H410 : Very toxic to aquatic life with	n long lasting effects	H412 : Harmful to aquatic life with long lasting effect	ts
Total Fractional Values			
(TFV) Risk		(TFV) Risk	
(2.86) Skin Corrosion/Irritation, Cat	egory 2	(271.50) Sensitization, Skin, Category 1B	
(1.46) Eye Damage/Eye Irritation, C	Category 2A	(2.06) Aquatic Acute Toxicity, Category 1	
(7.28) Aquatic Chronic Toxicity, Ca	tegory 2		

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.