

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] First Rain*

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] First Rain* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Eye Damage/Eye Irritation, Category 2A

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable	Liquids, Category 4	H227 : Combustible liquid
Acute Toxic	ity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corros	ion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization	n, Skin, Category <mark>1</mark> B	H317 : May cause an allergic skin reaction
Eye Damag	e/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxic	ity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chr	onic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification O	SHA (Provisions 1910.1200 of tit	le 29)
Flammable	Liquids, Category 4	H227 : Combustible liquid
Sensitization	n, Skin, Category 1B	H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] First Rain* Fragrance Oil

Page 2 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihydrojasmonate			

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

Product: Crafter's Choice[™] First Rain* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-03-28

(800) 359-0944 www.Wholesales	SuppliesPlus.com			Print Date: 2023-03
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
107-75-5	203-518-7	5 - 10 %	H317; H319; H402	
Hydroxyd	citronellal			
118-58-1 Benzyl S	204-262-9 alicvlate	5 - 10 %	H303; H317; H320; H401; H412	
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412	
Limonene		0 10 /0	,,,,,	
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	
Linalool				
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	
Benzyl ad				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	
Hexamet	hylindanopyran			
65405-77-8	265-745-8	1 - 2 %	H303; H400; H411	
cis-3-He>	kenyl salicylate			
128-51-8	204-891-9	1 - 2 %	H303; H317; H319; H401; H411	
Nopyl ac	etate			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	
Hexyl cin	namal			
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	
phenethy	rl alcohol			
18871-14-2	242-640-5	1 - 2 %	H402	
4-Acetox	y-3-pentyltetrahy	ydropyran		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412	
IsoCyclo	Citral			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	
Citronello	bl			
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	
Methoxy	dicyclopentadie	ne carboxaldehy	de	
See Section	16 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.80

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.



7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] First Rain*
	Fragrance Oil

Page 4 of 8 Print Date: 2023-03-28

(800) 359-0944 www.WholesaleSuppliesPlus.com		
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
1.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substa	ance or mixture	
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] First Rain* Fragrance Oil

Page 5 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Con	trols/Personal Protection
8.1 Control parameters	
Exposure Limits:	
Component	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4 Benzyl ac	netate 10
Engineering Controls:	Use local exhaust as needed.
8.2 Exposure controls - Per	sonal protective equipment
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Greenish Yellow (G3-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	199 F (92.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0582
%VOC:	8.30
Specific Gravity @ 25 C:	0.9480
Density (g/mL) @ 25 C:	0.9450
Refractive Index @ 20 C:	1.4740
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] First Rain* Fragrance Oil

Page 6 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

10.6 Hazardous decomposition products

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4195.4243) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 45.9752) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] First Rain*
	Fragrance Oil

Page 7 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (1 - 2 %) : Hexamethylindanopyran				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regula	atory Infor	mation		
U.S. Federal Regul	ations			
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA)		RCLA and CAA)	This product contains the following components:	
1222-05-5 214-946-9 1 - 2 %		1 - 2 %	Hexamethylindanopyran	
U.S. State Regulat	ions			
California Prop	osition 65 W	arning	This product contains the following components:	
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)	
94-59-7	202-345-4	<= 10 ppm	Safrole (Natural Source)	
93-15-2	202-223-0	<= 4 ppm	Methyl Eugenol (Natural Source)	
140-67-0	205-427-8	<= 2 ppm	Estragole (Methyl chavicol) (Natural Source)	
89-82-7	201-943-2	<= 2 ppm	Pulegone (Natural Source)	
Canadian Regulati	ons			
DSL			99.20% of the components are listed or exempt.The following components are NOT on the List:	
Giv#2100719)	0.1 - 1.0 %	Yuzu Zest ABJ7091N (Givaudan Compound)	

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects



SDS v1 GHS / OSHA

(11.14) Aquatic Chronic Toxicity, Category 3

(1.55) Skin Corrosion/Irritation, Category 3

(1.19) Acute Toxicity Oral, Category 5

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] First Rain* Fragrance Oil

Page 8 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Fractional Values

(TFV) Risk
(108.75) Acute Toxicity Inhalation, Category 5
(8.00) Sensitization, Skin, Category 1B
(1.53) Eye Damage/Eye Irritation, Category 2A
(1.05) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

ory 2

(TFV) Risk

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.