

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

**Crafter's Choice™ Rustic Trails Fragrance Oil** 

Page 1 of 8 2018-11-19

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Name: Crafter's Choice™ Rustic Trails Fragrance Oil

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

# 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Carcinogenicity, Category 1B H350: May cause cancer

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid Acute Dermal/Eye 11 : May cause skin irritation.

16: Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 3 : May be harmful if swallowed or if aspirated into the lungs Reproductive/Developmental 39 : Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, stomach,

brain, tongue, mucous membranes, musculo-skeletal system.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

**Crafter's Choice™ Rustic Trails Fragrance Oil** 

Page 2 of 8 2018-11-19

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

# **Hazard pictograms**







# Signal Word: Danger

#### **Hazard statments**

H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H350	May cause cancer
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

## Response:

- I	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

### 2.3 Other Hazards

## no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

**Crafter's Choice™ Rustic Trails Fragrance Oil** 

Page 3 of 8 2018-11-19

# 3. Composition/Information on Ingredients

# 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	28, 3		
Benzyl Be	Benzyl Benzoate					
8014-09-3	282-493-4	5 - 10 %	H304; H316; H401; H411			
Pogostem	on cablin oil					
140-11-4	205-399-7	5 - 10 %	H303; H316; H401; H412	15, 25, 26, 31, 39		
Benzyl ace	Benzyl acetate					
68990-83-0	294-461-7	2 - 5 %	H304; H316; H400; H410	3		
Juniperus	mexicana					
32388-55-9	251-020-3	2 - 5 %	H316; H317; H400; H410	16, 19		
Acetyl cea	Irene					
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15		
Hexyl cinn	amaldehyde					
825-51-4	212-545-3	1 - 2 %	H316; H320	11, 15		
Decahydro	Decahydro-ß-naphthol					
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412	31		
Benzyl Sa	licylate					
31906-04-4	250-863-4	1 - 2 %	H317; H402			
Hydroxyis	ohexyl 3-cyclohe	exene carboxalde	ehyde			
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15		
Hexameth	ylindanopyran					
8000-27-9	285-370-3	1 - 2 %	H304; H316; H400; H410	3		
Juniperus	Virginiana Oil					
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39		
Butylphen	yl Methylpropion	al	H412			
77-54-3	201-036-1	0.1 - 1.0 %	H317; H400; H410	12, 15		
Cedryl ace	Cedryl acetate					
8015-91-6	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341;	11, 15, 31		
Oil Cinnan	Oil Cinnamon Leaf Ceylon H350; H401; H412					
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	12, 26		
Linalool						
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9		
Coumarin						
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31		
Dimethyltetrahydro Benzaldehyde H411						
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	11, 15		
4-tert-Butylcyclohexyl acetate						



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rustic Trails Fragrance Oil

Page 4 of 8 2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
127-43-5	204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	11, 15, 19, 26, 28, 31
Methyl-ß-	-ionone			
8016-96-4	282-490-8	0.1 - 1.0 %	H315; H317; H319; H401; H411	11, 15
Vetiveria	zizanoides root	oil		
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410	15
Cedrol m	ethyl ether			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402	
Linalyl ac	etate			
See Section	16 for full toxt of	CHS classification	on codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.92

### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

# 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rustic Trails Fragrance Oil

Page 5 of 8 2018-11-19

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

**Exposure Limits:** 

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

>200 F (93.33 C)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

**Crafter's Choice™ Rustic Trails Fragrance Oil** 

Page 6 of 8 2018-11-19

Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): -1

\*VOC: -1

 Specific Gravity @ 25 C:
 1.0070

 Density @ 25 C:
 1.0040

 Refractive Index @ 20 C:
 1.5040

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,626.67) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,907.60) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 74.58) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

**Germ cell mutagenicity**Not classified - the classification criteria are not met

**Carcinogenicity** May cause cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Rustic Trails Fragrance Oil

Page 7 of 8 2018-11-19

# 12. Ecological Information

# 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

# 15. Regulatory Information

## **U.S. Federal Regulations:**

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

### **California Proposition 65 Warning**

This product contains the following components:

94-59-7 202-345-4 <= 36 ppm Safrole (NFS)

93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (NFS)



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

**Crafter's Choice™ Rustic Trails Fragrance Oil** 

Page 8 of 8 2018-11-19

123-35-3(NF 204-622-5 <= 21 ppm beta-Myrcene (NFS)

Canadian Regulations:

**DSL / NDSL** 100.62% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 <= 16 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

# 16. Other Information

#### GHS H-Statements referred to under section 3

H227 : Combustible liquid H302 : Harmful if swallowed

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation

H341 : Suspected of causing genetic defects H361 : Suspected of damaging fertility or the unborn child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk	(TFV) Risk
(1.09) Aspiration Hazard, Category 1	(2.68) Skin Corrosion/Irritation, Category 3
(100.00) Sensitization, Skin, Category 1A	(3.00) Carcinogenicity, Category 1B
(1.87) Aquatic Acute Toxicity, Category 1	(5.76) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.