7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

### Crafter's Choice™ Yuzu Fragrance Oil

Page 1 of 8 2016-03-10

### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

#### Crafter's Choice™ Yuzu Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 4	H332: Harmful if inhaled
Reproductive Toxicology, Category 2	H361: Suspected of damaging fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects
estimation OCUA (Dravisions 4040 4000 of tit	la 00)

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes moderate
	15 : May cause
Acute Inhalation	23 : May cause respiratory tract irritation.
	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# **Safety Data Sheet**

# Crafter's Choice™ Yuzu Fragrance Oil

Page 2 of 8 2016-03-10

26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, stomach, gastrointestinal tract, brain, tongue, mucous membranes, musculo-skeletal system,
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin, testes
This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Carcinogenicity

Target Organ Effects

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms





#### Signal Word: Danger

#### Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

### Prevention:

P2	201	Obtain special instructions before use
P2	202	Do not handle until all safety precautions have been read and understood
P2	235	Keep cool
P2	264	Wash hands thoroughly after handling
P2	271	Use only outdoors or in a well-ventilated area
P2	272	Contaminated work clothing should not be allowed out of the workplace
P2	273	Avoid release to the environment
P2	281	Use personal protective equipment as required
Respo	nse:	
P3	301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P3	302 + P352	IF ON SKIN: Wash with soap and water
P3	304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P3	305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P3	308 + P313	IF exposed or concerned: Get medical advice/attention
P3	312	Call a POISON CENTER or doctor/physician if you feel unwell

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Yuzu Fragrance Oil

Page 3 of 8 2016-03-10

P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

### 2.3 Other Hazards

#### no data available

### 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411	12, 2
2-t-Butylcy	clohexyl acetate	)		
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H319; H402	12, 26
Linalool				
103-60-6	203-127-1	10 - 20 %	H316	11
2-Phenoxy	ethyl isobutyrate/	9		
18479-58-8	242-362-4	5 - 10 %	H227; H303; H316; H319; H402	11, 15
2,6-dimeth	nyloct-7-en-2-ol			
68647-72-3	232-433-8	5 - 10 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus aura	antium var. dulcis	S		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinn	amaldehyde			
142-19-8	205-527-1	2 - 5 %	H227; H301; H311; H316; H331; H400;	11, 15, 3
Allyl hepta	noate		H412	
93-92-5	202-288-5	2 - 5 %	H227; H401	
methylber	zyl acetate			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410	11, 15, 23
Limonene				
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ac	etate			
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3
Benzyl Be	nzoate			
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
Butylphenyl Methylpropional H411				
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3
phenethyl	alcohol			

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

# Crafter's Choice™ Yuzu Fragrance Oil

SDS Type: GHS / OSHA

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
68737-61-1	272-113-5	2 - 5 %	H227; H303; H313; H315; H317; H319;	12, 15, 31
Dimethylte	etrahydro Benalo	lehyde	H402; H412	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15
Hexameth	ylindanopyran			
115-95-7	204-116-4	2 - 5 %	H227; H315; H319; H401; H402	
Linalyl ace	etate			
99-87-6	202-796-7	2 - 5 %	H226; H303; H304; H316; H401; H411	11, 15
p-Cymene	)			
6259-76-3	228-408-6	1 - 2 %	H315; H317; H319; H400; H410	11, 15
Hexyl salid	cylate			
10094-34-5	233-221-8	1 - 2 %	H316; H401; H411	11, 15
a ,a-Dime	thylphenethyl bu	tyrate		
8016-20-4	289-904-6	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus gra	ndis peel oil			
706-14-9	211-892-8	1 - 2 %	H316	
gamma-D	ecalactone			
54830-99-8	259-367-2	1 - 2 %	H303; H316; H402; H412	
Acetoxydi	hydrodicyclopen	tadiene		
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401	26
Citral				
68912-13-0	272-805-7	1 - 2 %	H316; H401; H411	11, 15
Hexahydro	o-methanoinden	yl Propionate		
See Section 1	See Section 16 for full text of GHS classification codes			

Total Hydrocarbon Content (% w/w) = 12.45

# First Aid Measures Description of first aid measured

4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects	, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical at	ttention and special treatment needed

Refer to Section 2.2 "Response"



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

### Crafter's Choice™ Yuzu Fragrance Oil

Page 5 of 8 2016-03-10

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the subs	tance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires
6 Accidental Release Measur	29

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

I	Exposure Lim	its:		
_	Component		ACGIH ACGIH OSHA TWA.ppm STEL.ppm TWA.ppm	OSHA STEL ppm
	140-11-4	Benzyl acetate	10	

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Yuzu Fragrance Oil

Page 6 of 8 2016-03-10

Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint (G0/1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	160 F (71.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2153
%VOC:	24.5
Specific Gravity @ 25 C:	0.9350
Density @ 25 C:	0.9320
Refractive Index @ 20 C:	1.4750
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg
Acute toxicity - Dermal - (Rabbit) mg/kg
Acute toxicity - Inhalation - (Rat) mg/L/4hr
Skin corrosion / irritation

(LD50: 2,150.64) May be harmful if swallowed (LD50: 2,925.28) May be harmful in contact with skin (LC50: 18.21) Harmful if inhaled Causes skin irritation

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Yuzu Fragrance Oil

SDS Type: GHS / OSHA

Page 7 of 8 2016-03-10

Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

# **12.** Ecological Information 12.1 Toxicity

-			
Acute aquatic toxicity	Very Toxic to aquatic life		
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
ADR/RID (International Road Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	111		UN3082
Environmentally Hazardous Liquid, n.o.s. <b>IMDG (Sea)</b>	Substance,	9	111		UN3082

**Crafter's**Choice®

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

### Crafter's Choice™ Yuzu Fragrance Oil

Page 8 of 8 2016-03-10

Environmentally Hazardous S Liquid, n.o.s.	Substance,	9	III	UN3082
15. Regulatory Inform	mation			
U.S. Federal Regulations:				
TSCA (Toxic Substance Cor	ntrol Act):		All components of the substance/miz	xture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. U.S. State Regulations:				
California Proposition 65 W 123-35-3(NF 204-622-5	•		This product contains the following c ta-Myrcene (NFS)	components:
Canadian Regulations:				
DSL / NDSL			99.99% of the components are listed	d or exempt.
16. Other Informatio	n			
GHS H-Statements referred to under section 3				
Total Fractional Values				

(TFV) Risk

- (1.25) Aspiration Hazard, Category 1
  (4.20) Sensitization, Skin, Category 1B
  (1.00) Reproductive Toxicology, Category 2
- (7.12) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

- (3.40) Skin Corrosion/Irritation, Category 2
- (2.98) Eye Damage/Eye Irritation, Category 2A
- (1.04) Aquatic Acute Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.