

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 1 of 8
Print Date: 2023-03-23

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Cool Water for Men\* - EO & FO Blend

# 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

# 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 





Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>Tm</sup> Cool Water for Men\* Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **EO & FO Blend** 

Print Date: 2023-03-23

Page 2 of 8







# Signal Word: Warning

### **Hazard statements**

H227 Combustible liquid H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H333 May be harmful if inhaled

Suspected of damaging fertility or the unborn child H361

H411 Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

#### Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### Other Hazards

#### no data available





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*
EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 8 Print Date: 2023-03-23

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification					
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402					
2,6-dimethyloct-7-en-2-ol								
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412					
Limonene								
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411					
Benzyl Be	Benzyl Benzoate							
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402					
Linalyl Acetate								
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402					
Linalool								
32388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410					
Acetyl cedrene								
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410					
Hexameth	Hexamethylindanopyran							
80-56-8	201-291-9	1 - 2 %	H226; H302; H304; H315; H317; H400;					
pinene			H410					
54464-57-2		1 - 2 %	H315; H317; H401; H411					
Tetramethyl Acetyloctahydronaphthalenes								
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410					
Acetyl hexamethyl tetralin								
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411					
Hexyl cinnamal								
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361					
•	gamma-Terpinene							
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402					
Coumarin								
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411					
2.a.,4a.a.,8.ß.)-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalene-8(5H)-one								
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410					
beta Piner								
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402					
Eucalyptol		0.4.4.0.0/	11000 11047 11404					
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401					
-	vlcyclohexyl aceta		11040 11045 11047 11040 11404					
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401					
Citral								



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend

Print Date: 2023-03-23

Page 4 of 8

CAS# Conc.
Ingredient EC# Range GHS Classification

**86803-90-9** 429-860-9 0.1 - 1.0 % H303; H317; H401; H411

Methoxy dicyclopentadiene carboxaldehyde

**24720-09-0** 246-430-4 0.1 - 1.0 % H302; H313; H317; H401; H411

alpha-damascone

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 9.95

# 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 5 of 8
Print Date: 2023-03-23

# 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow/Greenish Yellow to Golden Yellow (G3-4)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **EO & FO Blend** 

Print Date: 2023-03-23

Page 6 of 8

Flashpoint (CCCFP): 163 F (72.78 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.2009 %VOC: 12.65 Specific Gravity @ 25 C: 0.9230 Density (g/mL) @ 25 C: 0.9200 Refractive Index @ 20 C: 1.4630 Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None Stable 10.2 Chemical stability

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4008.2307) May be harmful if swallowed Not classified - the classification criteria are not met Acute toxicity - Dermal - (Rabbit) mg/kg

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 94.9427) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity Reproductive toxicity Suspected of damaging fertility or the unborn child Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Not classified - the classification criteria are not met Aspiration hazard



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 7 of 8
Print Date: 2023-03-23

# 12. Ecological Information

# 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

32388-55-9: (2 - 5%): Acetyl cedrene

0_000 00 0 1 (_ 0 /6/1/1001). 00010110							
Regulator	Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods						
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IATA (Air Cargo)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IMDG (Sea)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			

# 15. Regulatory Information

## **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>Tm</sup> Cool Water for Men\*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 8 of 8
Print Date: 2023-03-23

# California Proposition 65 Warning

123-35-3(NF 204-622-5 0.1 - 1.0 %

This product contains the following components:

beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following components are NOT on the List:

149713-23-5 838-290-3 <= 1 ppm 2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H302 : Harmful if swallowed and enters airways

H313 : May be harmful in contact with skin H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction H320 : Causes eye irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(52.66) Acute Toxicity Inhalation, Category 5 (34.79) Aquatic Chronic Toxicity, Category 3

(6.64) Sensitization, Skin, Category 1B (6.11) Reproductive Toxicity, Category 2 (3.45) Aquatic Chronic Toxicity, Category 2 (3.01) Skin Corrosion/Irritation, Category 3

(2.57) Skin Corrosion/Irritation, Category 2 (2.31) Sensitization, Skin, Category 1

(2.31) Sensitization, Skin, Category 1 (2.31) Sensitization, Skin, Category 1A (1.25) Acute Toxicity Oral, Category 5

(1.11) Eye Damage/Eye Irritation, Category 2A

#### Department issuing data sheet:

# Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.