

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 1 of 8 2016-03-10

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Mid Summer's Night\* Fragrance Oil

1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 10 : May be harmful if absorbed through the skin.

12 : Causes moderate

16: Causes

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 2 : Harmful if swallowed

Genotoxicity 36 : Suspected of causing genetic defects Reproductive/Developmental 39 : Causes reproductive/developmental



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 2 of 8 2016-03-10

Sensitization/Allergic Response 31: May cause allergic skin reaction.

32 : May cause light-induced allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, stomach, bones, skin, pituitary, gastrointestinal tract, brain, nasal

cavity, tongue, muco

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

testes

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms







## **Signal Word: Warning**

### **Hazard Statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Response:

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	present and easy to do. continue mising
P308 + P313	IF exposed or concerned: Get medical advice/attention



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 3 of 8 2016-03-10

P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
	120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	28, 3
	Benzyl Bei	Benzyl Benzoate			
	18479-58-8	242-362-4	10 - 20 %	H227; H303; H316; H319; H402	11, 15
	2,6-dimeth	yloct-7-en-2-ol			
	115-95-7	204-116-4	5 - 10 %	H227; H315; H319; H401; H402	
	Linalyl ace	tate			
	78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H319; H402	12, 26
	Linalool				
	80-54-6	201-289-8	5 - 10 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
	Butylpheny	/l Methylpropiona	al	H411	
	118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H371; H401; H412	31
	Benzyl Sal	licylate			
	8008-56-8	284-515-8	2 - 5 %	H226; H304; H315; H400; H410	12, 3, 31, 32
	Citrus med	lica limonum (Lei	mon) peel oil		
	140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl acetate					
	10094-34-5	233-221-8	1 - 2 %	H316; H401; H411	11, 15
a ,a-Dimethylphenethyl butyrate					
	8007-35-0	232-357-5	1 - 2 %	H316; H401; H411	11
	Terpineol a	acetate			
	88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	12, 2
2-t-Butylcyclohexyl acetate					
	105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412	11, 15
	Geranyl ad	etate			



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>101-86-0</b> Hexyl cint	202-983-3 namaldehyde	1 - 2 %	H303; H316; H317; H400; H411	11, 15
104-55-2 Cinnamal	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
<b>32210-23-4</b> <i>4-tert-But</i>	250-954-9 ylcyclohexyl acet	1 - 2 % ate	H303; H317; H401	11, 15
<b>32388-55-9</b> Acetyl ced	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19
475-20-7 Longifoler	207-491-2	1 - 2 %	H304; H316; H317; H400; H410	11, 15
119-36-8  Methyl sa	204-317-7	1 - 2 %	H302; H310; H402	12, 16, 2, 26
121-32-4 Ethyl vani	204-464-7	1 - 2 %	H303; H320; H402	
57378-68-4	260-709-8	0.1 - 1.0 % cyclohexen-1-yl)-	H302; H315; H317; H318; H400; H410 -2-buten-1-one (delta-Damascone)	11, 15, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 3.91

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters



Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

# **Safety Data Sheet**

Crafter's Choice™ Mid Summers Night\* Fragrance Oil SDS Type: GHS / OSHA

Page 5 of 8 2016-03-10

Further information:

Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## **Safety Data Sheet**

## Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 6 of 8 2016-03-10

SDS Type: GHS / OSHA

Color: Pale Yellow (G2/3) to Yellow (G5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

180 F (82.22 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0707

 %VOC:
 5.7585

 Specific Gravity @ 25 C:
 0.9660

 Density @ 25 C:
 0.9630

 Refractive Index @ 20 C:
 1.4970

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,437.70) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,844.13) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 30.53) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicitySuspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure May cause damage to organs



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 7 of 8 2016-03-10

Specific target organ toxicity - repeated exposure

**Aspiration hazard** 

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

## 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Roa	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

### 15. Regulatory Information

### **U.S. Federal Regulations:**

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Mid Summers Night\* Fragrance Oil

Page 8 of 8 2016-03-10

**California Proposition 65 Warning** 

93-15-2 202-223-0 <= 8 ppm 123-35-3(NF 204-622-5 0.01 - 0.1% This product contains the following components: Methyl Eugenol (NFS) beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL/NDSL** 

100.00% of the components are listed or exempt.

## 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk

(3.27) Skin Corrosion/Irritation, Category 2

(4.90) Eye Damage/Eye Irritation, Category 2A

(5.80) Target Organ Systemic Toxicity - Single Exposure,

Category 2

(7.37) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(12.00) Sensitization, Skin, Category 1A

(2.17) Reproductive Toxicology, Category 2

(1.55) Aquatic Acute Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.