

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>TM</sup> Festival of Lights\* -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 1 of 8
Print Date: 2023-03-28

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Festival of Lights\* - EO & FO Blend

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Revised Date: 2023-02-06 00:00

Crafter's Choice<sup>™</sup> Festival of Lights\* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 2 of 8 Print Date: 2023-03-28



#### Signal Word: Warning

#### **Hazard statements**

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P264 Wash hands thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace P272

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation or a rash occurs: Get medical advice/attention P333 + P313

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

#### 2.3 Other Hazards

no data available

#### 3. **Composition/Information on Ingredients**

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-39-3	202-938-8	30 - 40 %	H303; H317; H401
alpha-M	ethylcinnamaldeh	nyde	
97-53-0	202-589-1	10 - 20 %	H303; H316; H317; H319; H401
Eugenol			





Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>™</sup> Festival of Lights\* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Page 3 of 8 Print Date: 2023-03-28

www.WholesaleS	EC#	Conc.			
Ingredient	EC#	Range	GHS Classification		
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
<b>104-55-2</b> Cinnamal	203-213-9	5 - 10 %	H303; H312; H315; H317; H319; H401; H412		
91-64-5	202-086-7	2 - 5 %	H301; H317; H402		
Coumarin	,				
87-44-5	201-746-1	2 - 5 %	H304; H317		
Beta-Cary	ophyllene/				
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401		
Citral					
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402		
Linalyl Acetate					
93-28-7	202-235-6	1 - 2 %	H302; H401		
Eugenyl acetate					
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411		
alpha-damascone					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene	)				
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.10

See Section 16 for full text of GHS classification codes

## 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>TM</sup> Festival of Lights\* -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **EO & FO Blend**Page 4 of 8
Print Date: 2023-03-28

## 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**80-56-8** *pinene* 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice<sup>™</sup> Festival of Lights\* -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 5 of 8 EO & FO Blend Print Date: 2023-03-28

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

## **Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Greenish Yellow (G3/4)

Viscosity: Liquid

**Freezing Point:** Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Not determined Auto flammability: **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0290 %VOC: 1.20 Specific Gravity @ 25 C: 1.0270 Density (g/mL) @ 25 C: 1.0240 Refractive Index @ 20 C: 1.5510 Soluble in: Oil

#### 10. Stability and Reactivity

None 10.1 Reactivity 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 2111.5720) May be harmful if swallowed



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice<sup>™</sup> Festival of Lights\* -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 6 of 8 EO & FO Blend Print Date: 2023-03-28

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2857.8962) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 41.6209) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eve irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Not classified - the classification criteria are not met **Aspiration hazard** 

#### 12. **Ecological Information**

#### 12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

**Toxicity Data on soil** no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available no data available 12.4 Mobility in soil 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. **Transport Information**

Marine Pollutant No

Regulator Class **Pack Group** Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice<sup>TM</sup> Festival of Lights\* -Product:

EO & FO Blend

Page 7 of 8 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Not Regulated - Not Dangerous Goods

IATA (Air Cargo) Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

#### 15. Regulatory Information

**U.S. Federal Regulations** 

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

94-59-7 202-345-4 0.01 - 0.1% Safrole (Natural Source)

93-15-2 202-223-0 0.01 - 0.1% Methyl Eugenol (Natural Source) 123-35-3(NF 204-622-5 <= 68 ppm beta-Myrcene (Natural Source)

Canadian Regulations

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid H301: Toxic if swallowed H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways H312: Harmful in contact with skin

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H320: Causes eye irritation H400: Very Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H411: Toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(120.13) Acute Toxicity Inhalation, Category 5 (64.34) Sensitization, Skin, Category 1A

(38.20) Sensitization, Skin, Category 1B (14.50) Sensitization, Skin, Category 1

(8.27) Aquatic Acute Toxicity, Category 2 (6.68) Aquatic Chronic Toxicity, Category 3

(2.39) Skin Corrosion/Irritation, Category 3 (2.37) Acute Toxicity Oral, Category 5

(2.16) Eye Damage/Eye Irritation, Category 2A (1.75) Acute Toxicity Dermal, Category 5

#### Department issuing data sheet:

(1.03) Skin Corrosion/Irritation, Category 2

## Department E-mail address:



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>™</sup> Festival of Lights\* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 8 Print Date: 2023-03-28

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.