

EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> First Snow -

Print Date: 2023-03-28

Page 1 of 9

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Crafter's Choice™ First Snow - EO & FO Blend

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

IndiMade Brands, LLC DBA Wholesale Supplies Plus Manufacturer:

7820 Wholesale Supplies Plus Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

H361: Suspected of damaging fertility or the unborn child Reproductive Toxicity, Category 2

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms




SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> First Snow EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com









# Signal Word: Warning

## **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

# Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

# Response:

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

### 2.3 Other Hazards

# no data available





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> First Snow EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9 Print Date: 2023-03-28

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
100-51-6	202-859-9	10 - 20 %	H302; H313; H319		
Benzyl Ald	Benzyl Alcohol				
125-12-2	204-727-6	5 - 10 %	H227; H316; H401		
Isobornyl	acetate				
107-75-5	203-518-7	5 - 10 %	H317; H319; H402		
Hydroxyci	tronellal				
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412		
Limonene					
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412		
Benzyl Sa	licylate				
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410		
Amyl salid	cylate				
140-11-4	205-399-7	2 - 5 %	H303; H401; H412		
Benzyl ac					
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411		
Hexyl cinr	namal				
105-95-3	203-347-8	2 - 5 %	H401		
Ethylene l	•				
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319		
phenethyl	alcohol				
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411		
Terpineol	acetate				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402		
Linalool					
18871-14-2		2 - 5 %	H402		
=	r-3-pentyltetrahyd				
121-32-4	204-464-7	1 - 2 %	H303; H320; H402		
Ethyl Van	illin				
24851-98-7		1 - 2 %	H402		
Methyldih	ydrojasmonate				
93-92-5	202-288-5	1 - 2 %	H227; H402		
methylber	nzyl acetate				
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402		
Eucalypto	Eucalyptol				
14073-97-3	237-926-1	1 - 2 %	H227; H302; H315; H317; H402; H412		
I-Menthon	е				



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9

Print Date: 2023-03-28

roduct: Crafter's Choice<sup>™</sup> First Snow -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylte	etrahydro Benza	aldehyde	H411
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401
I-Carvone			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	rophyllene		
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
2-Methylu	ndecanal		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy dicyclopentadiene carboxaldehyde			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
IsoCycloC	Citral		
112-45-8	203-973-1	0.1 - 1.0 %	H316; H317; H332; H401; H412
Undecylei	nal		
119-36-8	204-317-7	0.1 - 1.0 %	H302; H317; H318; H361; H402; H412
Methyl Sa	licylate		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 8.38

### 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> First Snow EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 9 Print Date: 2023-03-28

# 5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# roduct: Crafter's Choice<sup>™</sup> First Snow -EO & FO Blend

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

181 F (82.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.1329

 %VOC:
 16.09

 Specific Gravity @ 25 C:
 0.9770

 Density (g/mL) @ 25 C:
 0.9740

 Refractive Index @ 20 C:
 1.4860

 Soluble in:
 Oil

# 10. Stability and Reactivity

**10.1 Reactivity** None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2970.8179) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3948.9444) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 45.0818) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> First Snow -**EO & FO Blend** 

Page 7 of 9 Print Date: 2023-03-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Suspected of damaging fertility or the unborn child
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

#### 12. **Ecological Information**

# 12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available no data available 12.3 Bioaccumulative potential 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. **Transport Information**

**Marine Pollutant** Yes. Ingredient of greatest environmental impact:

2050-08-0 : (2 - 5 %) : Amyl salicylate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	on-Bulk) Not Regulated - Not Dan		s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

IMDG (Sea)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> First Snow -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Page 8 of 9 Print Date: 2023-03-28

www.WholesaleSuppliesPlus.com
Environmentally Hazardous

Substance, Liquid, n.o.s.

UN3082

# 15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

9

U.S. State Regulations

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%

beta-Myrcene (Natural Source)

This product contains the following components:

Ш

Canadian Regulations

**DSL** 100.00% of the components are listed or exempt.

# 16. Other Information

# GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

H320 : Causes eye irritation H332 : Harmful if inhaled H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### Total Fractional Values

(TFV) Risk

(110.91) Acute Toxicity Inhalation, Category 5 (26.61) Aquatic Chronic Toxicity, Category 3

(8.00) Sensitization, Skin, Category 1B (3.76) Eye Damage/Eye Irritation, Category 2A (3.65) Skin Corrosion/Irritation, Category 3 (2.58) Aquatic Chronic Toxicity, Category 2

(2.00) Reproductive Toxicity, Category 2 (2.68) Acute Toxicity Oral, Category 5

(1.59) Skin Corrosion/Irritation, Category 2 (1.39) Aquatic Chronic Toxicity, Category 4

(1.27) Acute Toxicity Dermal, Category 5

# Department issuing data sheet:

### Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9

Print Date: 2023-03-28

Crafter's Choice<sup>™</sup> First Snow -**EO & FO Blend** 

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com