

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood Sage -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 7 Print Date: 2023-03-21

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Cedarwood Sage - EO & FO Blend

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []


#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms









Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood Sage - EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 2 of 7 Print Date: 2023-03-21

**Signal Word: Warning** 

## Hazard statements

H227	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

#### Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

#### Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification
	115-95-7	204-116-4	20 - 30 %	H227; H315; H317; H320; H402
Linalyl Acetate				
	120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Benzoate				
	78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402
	Linalool			
	469-61-4	207-418-4	5 - 10 %	H304; H315; H400; H410
alpha-Cedrene				



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Cedarwood Sage EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-21

Page 3 of 7

www.wnoiesales	www.vvnolesale5uppliesPlus.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
<b>77-53-2</b> <i>Cedrol</i>	201-035-6	5 - 10 %	H401; H411	
125-12-2	204-727-6	5 - 10 %	H227; H316; H401	
Isobornyl acetate				
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412	
Benzyl Salicylate				
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarin				
515-69-5	208-205-9	0.1 - 1.0 %	H317: H411	

alpha bisabolol
See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 6.42

### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cedarwood Sage EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 7 Print Date: 2023-03-21

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow Tint (G0/1)

Viscosity: Liquid

Freezing Point: Not determined



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Cedarwood Sage -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 7 Print Date: 2023-03-21

Boiling Point:

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

188 F (86.67 C)

Auto flammability:

Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.0366

 %VOC:
 0.50

 Specific Gravity @ 25 C:
 0.9500

 Density (g/mL) @ 25 C:
 0.9470

 Refractive Index @ 20 C:
 1.4860

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr

Not classified - the classification criteria are not met

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

The side of the si

Aspiration hazard Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>™</sup> Cedarwood Sage -EO & FO Blend

Page 6 of 7 Print Date: 2023-03-21

UN-nr.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 12. Ecological Information

#### 12.1 Toxicity

Regulator

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

**Pack Group** 

Sub Risk

## 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

469-61-4 : (5 - 10 %) : alpha-Cedrene

Class

. togulato.	0.000	Tuest Group Gub triest	•
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous Goods	
Chemicals NOI			
ADR/RID (International Road/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous	9	III	UN3082

## 15. Regulatory Information

## **U.S. Federal Regulations**

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> Cedarwood Sage -Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend

Print Date: 2023-03-21

Page 7 of 7

### California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1% 140-67-0 205-427-8 <= 8 ppm

89-82-7 201-943-2 <= 5 ppm

This product contains the following components: beta-Myrcene (Natural Source)

Estragole (Methyl chavicol) (Natural Source)

Pulegone (Natural Source)

#### Canadian Regulations

DSL

100.00% of the components are listed or exempt.

#### 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H301: Toxic if swallowed H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways H303: May be harmful if swallowed

H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction H320 : Causes eye irritation H401: Toxic to aquatic life H400: Very Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### Total Fractional Values

(TFV) Risk (TFV) Risk (32.48) Aquatic Chronic Toxicity, Category 3 (26.77) Sensitization, Skin, Category 1B (4.98) Skin Corrosion/Irritation, Category 3 (4.48) Skin Corrosion/Irritation, Category 2 (3.23) Aquatic Chronic Toxicity, Category 2 (3.18) Eye Damage/Eye Irritation, Category 2B (1.50) Sensitization, Skin, Category 1 (1.50) Sensitization, Skin, Category 1A (1.16) Aquatic Chronic Toxicity, Category 4 (1.20) Eye Damage/Eye Irritation, Category 2A

#### Department issuing data sheet:

## Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.