

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Euphoria* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 9 Print Date: 2023-03-27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Euphoria* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eve Damage/Eve Irritation, Category 2A H319: Causes serious eve irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Euphoria* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 2 of 9 Print Date: 2023-03-27

Hazard pictograms







Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response

sponse:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing		
P308 + P313	IF exposed or concerned: Get medical advice/attention		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P337 + P313	If eye irritation persists: Get medical advice/attention		
P362	Take off contaminated clothing and wash before reuse		
P363	Wash contaminated clothing before reuse		
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material		
P391	Collect Spillage		

2.3 Other Hazards

no data available





Crafter's Choice[™] Euphoria* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-27

3. Composition/Information on Ingredients

Product:

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
60-12-8	200-456-2	30 - 40 %	H302; H313; H316; H319
phenethyl	alcohol		
140-11-4	205-399-7	20 - 30 %	H303; H401; H412
Benzyl ac	etate		
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	namal		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	nzoate		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
90-17-5	201-972-0	2 - 5 %	H401; H411
Trichloromethyl phenyl carbinyl acetate			
24851-98-7	246-495-9	1 - 2 %	H402
Methyldihydrojasmonate			
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexamethylindanopyran			
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401
Citronellol			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
Geraniol	265-453-0	1 - 2 %	
65113-99-7	H316; H319; H401; H411		
Pentamethylcyclopent-3-ene-butanol			
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol	004 004 0	0.4.4.0.0/	11000 11000 11004 11045 11047 11400
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
pinene	004.070.5	0.4.4.0.0/	
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	1 U		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Euphoria* -EO & FO Blend

Page 4 of 9

Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361

gamma-Terpinene

18096-62-3 241-997-4 0.1 - 1.0 % H303; H361

4,4a,5,9b-Tetrahydroindeno[1,2-d]-1,3-dioxine

260-709-8 0.1 - 1.0 % 57378-68-4 H302; H315; H317; H318; H400; H410

delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)

0.1 - 1.0 %

Beta-Carvophyllene

87-44-5

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

H304; H317

Total Hydrocarbon Content (% w/w) = 4.03

4. **First Aid Measures**

Description of first aid measures 4.1

201-746-1

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

Extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam Suitable:

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Euphoria* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 9 Print Date: 2023-03-27

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



EO & FO Blend

Crafter's Choice[™] Euphoria* -

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

Appearance: Liquid

Odor: Conforms to Standard

9.1 Information on basic physical and chemical properties

Color: Nearly Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

181 F (82.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0778

 %VOC:
 23.97

 Specific Gravity @ 25 C:
 1.0050

 Density (g/mL) @ 25 C:
 1.0020

 Refractive Index @ 20 C:
 1.5160

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2718.3351) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 1871.6266) Harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 49.4671) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Euphoria* -**EO & FO Blend**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 7 of 9 Print Date: 2023-03-27

UN-nr.

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Risk

14. **Transport Information**

Marine Pollutant Yes. Ingredient of greatest environmental impact:

1222-05-5 : (1 - 2 %) : Hexamethylindanopyran Class

. togulato.			• • • • • • • • • • • • • • • • • • • •	•
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

IMDG (Sea)

Regulator



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Produc

Crafter's Choice[™] Euphoria* -EO & FO Blend

Ш

Page 8 of 9

Independence, OH 44131 (800) 359-0944

7820 E Pleasant Valley Road

www.WholesaleSuppliesPlus.com

9

UN3082

Print Date: 2023-03-27

Environmentally Hazardous Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1%

beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 24 ppm 93-15-2 202-223-0 <= 10 ppm Safrole (Natural Source)
Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

99.79% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 %

3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 <= 80 ppm

Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin

H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage
H320 : Causes eye irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(101.08) Acute Toxicity Inhalation, Category 5 (20.14) Aquatic Chronic Toxicity, Category 3

(12.00) Sensitization, Skin, Category 1B (5.82) Skin Corrosion/Irritation, Category 3

(5.26) Eye Damage/Eye Irritation, Category 2A (2.34) Reproductive Toxicity, Category 2

(2.14) Aquatic Chronic Toxicity, Category 4 (1.90) Aquatic Chronic Toxicity, Category 2

(1.84) Acute Toxicity Oral, Category 5 (1.50) Sensitization, Skin, Category 1A

(1.17) Skin Corrosion/Irritation, Category 2 (1.07) Acute Toxicity Dermal, Category 4

Department issuing data sheet:

Department E-mail address:



Revised

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-27

Page 9 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com roduct: Crafter's Choice[™] Euphoria* -EO & FO Blend

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.