

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-03-15

### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

### 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice™ Bamboo Fragrance Oil

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

H319: Causes serious eye irritation Eye Damage/Eye Irritation, Category 2A

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9

use

Print Date: 2023-03-15

Product: Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 2.2 Label elements

# Labelling (GHS)

# **Hazard pictograms**







# Signal Word: Danger

# **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

# Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

# Response:

sponse.	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not a direct water jet on burning material



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-03-15

Product: Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

P391 Collect Spillage

## 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification				
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412				
Benzyl Sa	Benzyl Salicylate						
6259-76-3	228-408-6	10 - 20 %	H316; H317; H400; H410				
Hexyl salid	cylate						
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412				
Limonene							
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402				
Linalool							
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411				
Hexyl cinn							
140-11-4	205-399-7	2 - 5 %	H303; H401; H412				
Benzyl ace							
93-92-5	202-288-5	2 - 5 %	H227; H402				
	zyl acetate						
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401				
•	lcyclohexyl acet						
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401;				
•	trahydro Benzal	-	H411				
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401				
	Citronellol						
80-56-8	201-291-9	1 - 2 %	H226; H302; H304; H315; H317; H400; H410				
pinene	000 540 7	4 00/					
107-75-5	203-518-7	1 - 2 %	H317; H319; H402				
Hydroxycit		4 0.07	11000, 11040, 11400, 11444				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411				
Benzyl Be		0.4.4.0.0/	11204, 11247, 11402				
91-64-5 Coumarin	202-086-7	0.1 - 1.0 %	H301; H317; H402				
99-85-4	202 704 6	0.1 1.0 9/	H226, H202, H204, H246, H264				
	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361				
gamma-Te <b>104-55-2</b>	203-213-9	0.1 - 1.0 %	<b>□202. □212. □215. □217. □210. □101</b> .				
Cinnamal	∠U3-∠ I3-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401; H412				
Giriraffial							



Crafter's Choice<sup>TM</sup> Bamboo

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131

Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>1335-66-6</b> IsoCycloC	215-638-7 Citral	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
<b>87-44-5</b> Beta-Cary	201-746-1 cophyllene	0.1 - 1.0 %	H304; H317
<b>97-53-0</b> <i>Eugenol</i>	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
4180-23-8 Anethole	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 11.16

# 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

# 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



Fragrance Oil

Crafter's Choice<sup>TM</sup> Bamboo

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## **Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

# Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### Reference to other sections

Not Applicable

# **Handling and Storage**

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### Specific end uses 7.3

No information available

#### 8. **Exposure Controls/Personal Protection**

## 8.1 Control parameters

**Exposure Limits:** 

ACGIH ACGIH **OSHA OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10 80-56-8 pinene 20

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Avoid Skin contact. Use chemically resistant gloves as needed. Skin protection:

### 9. **Physical and Chemical Properties**

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-15

Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Color: Nearly Colorless to Yellow Tint (G0/1)

Viscosity: Liquid

**Freezing Point:** Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 163 F (72.78 C) Auto flammability: Not determined **Explosive Properties:** None Expected **Oxidizing properties:** None Expected

Vapor Pressure (mmHg@20 C): 0.1446 %VOC: 17.17 Specific Gravity @ 25 C: 0.9690 Density (g/mL) @ 25 C: 0.9660 Refractive Index @ 20 C: 1.4810 Soluble in: Oil

### 10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3454.5813) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4769.2153) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 41.2093) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Suspected of damaging fertility or the unborn child



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-15

Page 7 of 9

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

May be fatal if swallowed and enters airways

# 12. Ecological Information

# 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

6259-76-3: (10 - 20 %): Hexyl salicylate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 9

Print Date: 2023-03-15

Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

### 15. Regulatory Information

# **U.S. Federal Regulations**

www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 5 ppm Safrole (Natural Source)

202-223-0 <= 2 ppm 93-15-2 Methyl Eugenol (Natural Source)

Canadian Regulations

**DSL** 99.92% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.01 - 0.1% 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

#### 16. Other Information

# GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H301: Toxic if swallowed

H302: Harmful if swallowed H312: Harmful in contact with skin

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H320: Causes eye irritation H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(136.00) Sensitization, Skin, Category 1 (136.00) Sensitization, Skin, Category 1A (121.33) Acute Toxicity Inhalation, Category 5 (64.40) Aquatic Chronic Toxicity, Category 3

(14.40) Sensitization, Skin, Category 1B (6.33) Aquatic Chronic Toxicity, Category 2

(5.95) Reproductive Toxicity, Category 2 (3.95) Skin Corrosion/Irritation, Category 3

(2.04) Skin Corrosion/Irritation, Category 2 (2.03) Aquatic Chronic Toxicity, Category 4

(1.48) Eye Damage/Eye Irritation, Category 2B (1.45) Acute Toxicity Oral, Category 5

(1.17) Eye Damage/Eye Irritation, Category 2A (1.17) Aquatic Acute Toxicity, Category 1

(1.12) Aspiration Hazard, Category 1 (1.05) Acute Toxicity Dermal, Category 5

# Department issuing data sheet:

### Department E-mail address:



Crafter's Choice<sup>TM</sup> Bamboo Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 9 of 9

Print Date: 2023-03-15

## Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.