7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# **Safety Data Sheet**

### Crafter's Choice™ Energizing -EO & FO Blend

Page 1 of 7 2016-03-10

#### 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Energizing – EO & FO Blend

#### 1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3	H226: Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Carcinogenicity, Category 1B	H350: May cause cancer
Aquatic Chronic Toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

<b>`</b>	
Flammability	Class II Flammable Liquid
Acute Dermal/Eye	12 : Causes moderate
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
	4 : Harmful
Genotoxicity	36 : Suspected of causing genetic defects
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

## Crafter's Choice™ Energizing -EO & FO Blend

Page 2 of 7 2016-03-10

#### Hazard pictograms



#### Signal Word: Danger


#### **Hazard Statements**

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H350	May cause cancer
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention



P362 Take off contaminated clothing and wash before reuse

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## **Safety Data Sheet**

### Crafter's Choice™ Energizing -EO & FO Blend

Page 3 of 7 2016-03-10

	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
	P391	Collect Spillage
2.3	Other Hazards	

# no data available

#### 3. **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8008-57-9	232-433-8	40 - 50 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aur	antium dulcis (O	range) oil		
68647-72-3	232-433-8	40 - 50 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Citrus aurantium var. dulcis				
8007-08-7	283-634-2	5 - 10 %	H227; H304; H315; H316; H319; H402;	11, 3, 31
Zingiber officinale (Ginger) Root Oil H412				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
8000-34-8	284-638-7	1 - 2 %	H303; H304; H313; H316; H319; H401	12, 31, 36, 4
Eugenia caryophyllus (Clove) leaf oil				
93-08-3	202-216-2	1 - 2 %	H302; H401	
2-Acetonaphthone				
8015-91-6	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341;	11, 15, 31
Cinnamomum Zeylanicum (Cinnamon Leaf 🗇 🥵 t H401; H412				
See Section 16 for full text of GHS classification codes				

Total Hydrocarbon Content (% w/w) = 84.06

4. First Aid Measures	
4.1 Description of first aid measu	ires
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms an	d effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Safety Data Sheet

### Crafter's Choice™ Energizing -EO & FO Blend

Page 4 of 7 2016-03-10

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5.Fire-Fighting measure5.1Extinguishing media	es
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
UnsuitableDo not use a direct water jet on burning material5.2Special hazards arising from the substance or mixture	
During fire fighting:Water may be ineffective5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## **Safety Data Sheet**

### Crafter's Choice™ Energizing -EO & FO Blend

Page 5 of 7 2016-03-10

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Yellow (G5-8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	124 F (51.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.8298
%VOC:	86.45
Specific Gravity @ 25 C:	0.8510
Density @ 25 C:	0.8480
Refractive Index @ 20 C:	1.4740
Soluble in:	Oil

#### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,366.81) May be harmful if swallowed (LD50: 4,608.01) May be harmful in contact with skin

# **Crafter's**Choice<sup>®</sup>

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

### Crafter's Choice™ Energizing -EO & FO Blend

Page 6 of 7 2016-03-10

Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 35.80) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	May cause cancer
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

#### 12. Ecological Information

12.1 Toxicity

-	
Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Very toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

<b>Regulator</b> <b>U.S. DOT (Non-Bulk)</b> Chemicals NOI		Class Not Regulated	Pack Group - Not Dangerou	Sub Risk s Goods	UN-nr.
ADR/RID (International Roa Environmentally Hazardous Liquid, n.o.s.	<b>d/Rail)</b> Substance,	9	Ш		UN3082
IATA (Air Cargo) Perfumery Products		3	Ш	Flammable Liquid	UN1266

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Safety Data Sheet

### Crafter's Choice™ Energizing -EO & FO Blend

Page 7 of 7 2016-03-10

Environmentally Hazardous Liquid, n.o.s. <b>IMDG (Sea)</b>	Substance,	9	Ш		UN3082
Perfumery Products		3	III	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15.	Regulatory	Informatior

U.S. Federal Regul	ations:		
TSCA (Toxic Substance Control Act):		ntrol Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations:		CLA and CAA)	This product contains NO components of concern.
California Proposition 65 Warning		arning	This product contains the following components:
94-59-7	202-345-4	<= 36 ppm	Safrole (NFS)
93-15-2	202-223-0	<= 15 ppm	Methyl Eugenol (NFS)
123-35-3(NF	204-622-5	1 - 2 %	beta-Myrcene (NFS)
Canadian Regulati	ons:		
DSL / NDSL			100.00% of the components are listed or exempt.
16. Other l	nformatio	n	

#### **GHS H-Statements referred to under section 3**

#### **Total Fractional Values**

(TFV) Risk
(9.45) Aspiration Hazard, Category 1
(40.09) Sensitization, Skin, Category 1
(3.00) Carcinogenicity, Category 1B

(TFV) Risk
(9.35) Skin Corrosion/Irritation, Category 2
(1.59) Eye Damage/Eye Irritation, Category 2A
(3.41) Aquatic Chronic Toxicity, Category 1

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice<sup>™</sup> at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice<sup>™</sup> holds no responsibility. This document is not intended for quality assurance purposes.