

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Muscle Rescue - EO & FO Blend

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 3 H226: Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 4 H332: Harmful if inhaled

Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class II Flammable Liquid

Acute Dermal/Eye 12 : Causes

15: May cause

Acute Inhalation 21 : Harmful if inhaled.

24: Causes respiratory tract irritation.

25 : Inhalation at high levels may cause: headache, dizziness, eye irritation,

pulmonary tract, nausea, rapid heart action

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

4: Harmful or fatal

Sensitization/Allergic Response 31: May cause allergic skin reaction.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

Crafter's Choice™ Muscle Rescue - EO & FO Blend

Page 2 of 8 2016-03-10

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver,

stomach, brain, central nervous system, salivary gland

27: Prolonged or repeated inhalation may cause damage to: kidneys, liver, spleen,

heart, respiratory system, nasal mucosa, nervous system

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger

Hazard Statements

H226	Flammable liquid and vapour
H303	May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H332 Harmful if inhaled

H371 May cause damage to organs

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233

1 200	Reep container lightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//e

Use explosion-proof electrical/ventilating/light/.../equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge P260 Do not breathe dust/fume/gas/mist/vapors/spray

Keen container tightly closed

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin

with water/shower



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue - EO & FO Blend

Page 3 of 8 2016-03-10

P304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
8008-57-9	232-433-8	50 - 60 %	H226; H304; H315; H400; H410	12, 3, 31	
Citrus aur	antium dulcis (O	range) oil			
8000-48-4	283-406-2	20 - 30 %	H226; H303; H304; H313; H315; H319;	11, 3, 31	
Eucalyptus globulus leaf oil H401; H411					
80-56-8	201-291-9	5 - 10 %	H226; H303; H304; H315; H317	11, 15, 25	
a-Pinene					
464-49-3	207-355-2	5 - 10 %	H228; H302; H332; H371; H402	21, 26, 27, 4	
Camphor					
470-82-6	207-431-5	2 - 5 %	H226; H303; H316; H317	26, 27, 3	
Eucalyptol					
79-92-5	201-234-8	2 - 5 %	H228; H316; H319; H400; H410		
Camphene					
8006-90-4	282-015-4	2 - 5 %	H227; H303; H315; H401; H411	11, 15, 26, 31	
Mentha piperita (Peppermint) oil					
127-91-3	204-872-5	1 - 2 %	H226; H304; H315; H317	11, 15, 24, 25, 31	
ß-Pinene					
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31	
Citrus aurantium var. dulcis					

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 68.35



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 4 of 8 2016-03-10

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 5 of 8 2016-03-10

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH ACGIH OSHA TWAppm STELppm TWAppm	OSHA STEL ppm
80-56-8	a-Pinene	20	
127-91-3	ß-Pinene	20	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow (G6-8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

118 F (47.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 1.138

 %VOC:
 90.125

 Specific Gravity @ 25 C:
 0.8700

 Density @ 25 C:
 0.8670



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 6 of 8 2016-03-10

Refractive Index @ 20 C: 1.4680 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,731.16) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,046.36) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 12.59) Harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Very toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 7 of 8 2016-03-10

12.5 Other adverse effects

no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Pail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Perfumery Products		3	Ш	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Perfumery Products		3	Ш	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

89-82-7 201-943-2 0.01 - 0.1% Pulegone (NFS) 123-35-3(NF 204-622-5 1 - 2 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Muscle Rescue – EO & FO Blend

Page 8 of 8 2016-03-10

(8.31) Aspiration Hazard, Category 1(6.68) Sensitization, Skin, Category 1B(5.25) Target Organ Systemic Toxicity - Single Exposure, Category 2

(8.48) Skin Corrosion/Irritation, Category 2(2.35) Eye Damage/Eye Irritation, Category 2A(2.28) Aquatic Chronic Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.