Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

EO & FO Blend

Page 1 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Bamboo Sugar Cane* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

| Manufacturer: | IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road |
|---------------|---|
| | Independence, OH 44131 |
| | (800) 359-0944 |
| | www.WholesaleSuppliesPlus.com |

1.4 Emergency telephone number

| (800) 255-3924 | Domestic USA, Canada, Puerto Rico, and US Virgin Islands |
|-----------------|--|
| +1 813 248-0585 | International |

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

| elassification according to ente | |
|---|--|
| Flammable Liquids, Category 3 | H226 : Flammable liquid and vapour |
| Acute Toxicity Oral, Category 5 | H303 : May be harmful if swallowed |
| Aspiration Hazard, Category 1 | H304 : May be fatal if swallowed and enters airways |
| Acute Toxicity Dermal, Category 5 | H313 : May be harmful in contact with skin |
| Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| Acute Toxicity Inhalation, Category 5 | H333 : May be harmful if inhaled |
| Reproductive Toxicity, Category 1B | H360 : May damage fertility or the unborn child |
| Aquatic Acute Toxicity, Category 1 | H400 : Very Toxic to aquatic life |
| Aquatic Chronic Toxicity, Category 2 | H411 : Toxic to aquatic life with long lasting effects |
| Classification OSHA (Provisions 1910.1200 | of title 29) |
| Flammable Liquids, Category 3 | H226 : Flammable liquid and vapour |
| Aspiration Hazard, Category 1 | H304 : May be fatal if swallowed and enters airways |
| Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| Reproductive Toxicity, Category 1B | H360 : May damage fertility or the unborn child |
| Classification Other | |
| Carcinogenicity This mi | xture contains ingredients identified as carcinogens, at 0,1% or greater |

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

Crafter'sChoice[®] Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend

Page 2 of 9 Print Date: 2023-03-15

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Danger

| Hazard statements | |
|-------------------|---|
| H226 | Flammable liquid and vapour |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H360 | May damage fertility or the unborn child |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| Frevention. | |
|--------------------|--|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P233 | Keep container tightly closed |
| P235 | Keep cool |
| P240 | Ground/bond container and receiving equipment |
| P241 | Use explosion-proof electrical/ventilating/light//equipment |
| P242 | Use only non-sparking tools |
| P243 | Take precautionary measures against static discharge |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |
| Response: | |
| P301 + P310 + P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9 Print Date: 2023-03-15

| v.WholesaleSuppliesPlus.com | |
|-----------------------------|--|
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P352 | Wash with soap and water |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |
| Other Hazarde | |

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | |
|--------------------------------------|-----------------|----------------|------------------------------------|--|
| 5989-27-5 | 227-813-5 | 10 - 20 % | H226; H304; H315; H317; H400; H412 | |
| Limonene | | | | |
| 120-51-4 | 204-402-9 | 10 - 20 % | H302; H313; H400; H411 | |
| Benzyl Be | nzoate | | | |
| 93-92-5 | 202-288-5 | 5 - 10 % | H227; H402 | |
| methylben | zyl acetate | | | |
| 115-95-7 | 204-116-4 | 5 - 10 % | H227; H315; H317; H320; H402 | |
| Linalyl Ace | etate | | | |
| 5392-40-5 | 226-394-6 | 5 - 10 % | H313; H315; H317; H319; H401 | |
| Citral | | | | |
| 18479-58-8 | 242-362-4 | 2 - 5 % | H227; H303; H315; H319; H402 | |
| 2,6-dimeth | yloct-7-en-2-ol | | | |
| 7549-37-3 | 231-434-0 | 2 - 5 % | H227; H316 | |
| Citral dime | ethyl acetal | | | |
| 78-70-6 | 201-134-4 | 1 - 2 % | H227; H303; H315; H317; H319; H402 | |
| Linalool | | | | |
| 5182-36-5 | 225-963-6 | 1 - 2 % | H302; H402; H412 | |
| 2,4,6-Trimethyl-4-phenyl-1,3-dioxane | | | | |
| 101-86-0 | 202-983-3 | 1 - 2 % | H303; H316; H317; H400; H411 | |
| Hexyl cinn | amal | | | |
| 7452-79-1 | 231-225-4 | 1 - 2 % | H226 | |
| Ethyl 2-me | ethylbutyrate | | | |
| 1222-05-5 | 214-946-9 | 1 - 2 % | H316; H400; H410 | |
| Hexameth | ylindanopyran | | | |
| | | | | |

Crafter's Choice" Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

| 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 | | | EO & FO Blend | Page 4 of 9 Print Date: 2023-03-15 |
|---|----------------------|--------------------|---|---------------------------------------|
| www.WholesaleS CAS# Ingredient | SuppliesPlus.com EC# | Conc. Range | GHS Classification | |
| 1205-17-0 | 214-881-6 | 1 - 2 % | H303; H317; H361; H401; H411 | |
| a-Methyl- | 1,3-benzodioxo | le-5-propionaldel | nyde | |
| 81782-77-6 | 279-815-0 | 1 - 2 % | H227; H400; H411 | |
| Methyl De | ecenol | | | |
| 80-56-8 pinene | 201-291-9 | 1 - 2 % | H226; H302; H304; H315; H317; H400; H410 | |
| 68737-61-1 | 272-113-5 | 1 - 2 % | H227; H303; H313; H315; H317; H401; | |
| Dimethylt | etrahydro Benz | aldehyde | H411 | |
| 6259-76-3 | 228-408-6 | 1 - 2 % | H316; H317; H400; H410 | |
| Hexyl sal | icylate | | | |
| 127-91-3 | 204-872-5 | 0.1 - 1.0 % | H226; H304; H315; H317; H400; H410 | |
| beta Pine | ne | | | |
| 80-54-6 | 201-289-8 | 0.1 - 1.0 % | H227; H302; H315; H317; H360; H401; | |
| Butylpher | nyl Methylpropio | nal | H412 | |
| 99-85-4 | 202-794-6 | 0.1 - 1.0 % | H226; H303; H304; H316; H361 | |
| gamma-T | erpinene | | | |
| 67634-15-5 | 266-819-2 | 0.1 - 1.0 % | H315; H317; H400; H411 | |
| Ethyl 2,2- | dimethylhydroci | innamal | | |
| 121-39-1 | 204-467-3 | 0.1 - 1.0 % | H303; H317; H402 | |
| Ethylpher | nyl-2,3-epoxypro | pionate | | |
| 105-87-3 | 203-341-5 | 0.1 - 1.0 % | H315; H317; H401; H412 | |
| Geranyl A | Acetate | | | |
| 86803-90-9 | 429-860-9 | 0.1 - 1.0 % | H303; H317; H401; H411 | |
| Methoxy | dicyclopentadiel | ne carboxaldehyd | de | |
| See Section 1 | 6 for full text of | GHS classification | on codes | |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 20.18

| 4. First Aid Measures | |
|--|--|
| 4.1 Description of first aid measures | |
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Exposure: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Exposure: | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Ingestion: | Rinse mouth with water and obtain medical advice. |
| 4.2 Most important symptoms and effects | , both acute and delayed |
| Symptoms: | no data available |
| Risks: | Refer to Section 2.2 "Hazard Statements" |
| 4.3 Indication of any immediate medical at | ttention and special treatment needed |



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

EO & FO Blend

Page 5 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Treatment:

Refer to Section 2.2 "Response"

| 5. Fire-Fighting measures | |
|--|---|
| 5.1 Extinguishing media | |
| Suitable: | Carbon dioxide (CO2), Dry chemical, Foam |
| Unsuitable | Do not use a direct water jet on burning material |
| 5.2 Special hazards arising from the | substance or mixture |
| During fire fighting: 5.3 Advice for firefighters | Water may be ineffective |
| Further information: | Standard procedure for chemical fires |
| | Standard Dioleguie for chemical illes |

| 6 | Accide | ntal Rol | lagea M | leasures |
|----|--------|----------|---------|----------|
| 0. | Accide | ntai kei | lease w | leasures |

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

 80-56-8
 pinene

 127-91-3
 beta Pinene

Crafter'sChoice[®] Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 6 of 9 Print Date: 2023-03-15

| Engineering Controls: | Use local exhaust as needed. | | |
|---|---|--|--|
| 8.2 Exposure controls - Personal protective equipment | | | |
| Eye protection: | Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure | | |
| Respiratory protection: | Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. | | |
| Skin protection: | Avoid Skin contact. Use chemically resistant gloves as needed. | | |

Physical and Chemical Properties 9.

9.1 Information on basic physical and chemical properties

| Appearance: | Liquid |
|-----------------------------|-----------------------------------|
| Odor: | Conforms to Standard |
| Color: | Yellow Tint to Pale Yellow (G0-2) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 140 F (60.00 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 0.4108 |
| %VOC: | 23.52 |
| Specific Gravity @ 25 C: | 0.9350 |
| Density (g/mL) @ 25 C: | 0.9320 |
| Refractive Index @ 20 C: | 1.4800 |
| Soluble in: | Oil |
| | |

Stability and Reactivity 10.

| 10.1 Reactivity | None |
|---|--|
| 10.2 Chemical stability | Stable |
| 10.3 Possibility of hazardous reactions | None known |
| 10.4 Conditions to avoid | None known |
| 10.5 Incompatible materials | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products | None known |

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Bamboo Sugar Cane* Product: EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 www.WholesaleSuppliesPlus.com

Page 7 of 9 Print Date: 2023-03-15

11. **Toxicological Information**

11.1 Toxicological Effects

(800) 359-0944

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 3373.4083) May be harmful if swallowed |
|--|--|
| Acute toxicity - Dermal - (Rabbit) mg/kg | (LD50: 4534.2748) May be harmful in contact with skin |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LD50: 67.3785) May be harmful if inhaled |
| Skin corrosion / irritation | Causes skin irritation |
| Serious eye damage / irritation | Causes serious eye irritation |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | Not classified - the classification criteria are not met |
| Reproductive toxicity | May damage fertility or the unborn child |
| Specific target organ toxicity - single exposure | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard | May be fatal if swallowed and enters airways |
| | |

12. **Ecological Information**

| 12.1 Toxicity | |
|------------------------------------|---|
| Acute acquatic toxicity | Very Toxic to aquatic life |
| Chronic acquatic toxicity | Toxic to aquatic life with long lasting effects |
| Toxicity Data on soil | no data available |
| Toxicity on other organisms | no data available |
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential | no data available |
| 12.4 Mobility in soil | no data available |
| 12.5 Other adverse effects | no data available |
| | |

Disposal Conditions 13.

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend

Page 8 of 9 Print Date: 2023-03-15

14. Transport Information

| Marine Pollutant | Yes. Ingredient of greatest 5989-27-5 : (10 - 20 %) : Li | | : | |
|----------------------------|--|------------|------------------|--------|
| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
| U.S. DOT (Non-Bulk) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| ADR/RID (International Roa | ad/Rail) | | | |
| Environmentally Hazardous | | III | | UN3082 |
| Substance, Liquid, n.o.s. | | | | |
| IATA (Air Cargo) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| Environmentally Hazardous | | III | | UN3082 |
| Substance, Liquid, n.o.s. | | | | |
| IMDG (Sea) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| Environmentally Hazardous | s 9 | III | | UN3082 |
| Substance, Liquid, n.o.s. | | | | |

| 15. Regulatory Information | |
|-------------------------------------|--|
| U.S. Federal Regulations | |
| TSCA (Toxic Substance Control Act) | All components of the substance/mixture are listed or exempt |
| 40 CFR(EPCRA, SARA, CERCLA and CAA) | This product contains the following components: |
| 1222-05-5 214-946-9 1 - 2 % | Hexamethylindanopyran |
| U.S. State Regulations | |
| California Proposition 65 Warning | This product contains the following components: |
| 123-35-3(NF 204-622-5 0.1 - 1.0 % | beta-Myrcene (Natural Source) |
| Canadian Regulations | |
| DSL | 100.00% of the components are listed or exempt. |

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

| H227 : Combustible liquid | H302 : Harmful if swallowed |
|---|---|
| H316 : Causes mild skin irritation | H317 : May cause an allergic skin reaction |
| H320 : Causes eye irritation | H361 : Suspected of damaging fertility or the unborn child |
| H401 : Toxic to aquatic life | H402 : Harmful to aquatic life |
| H410 : Very toxic to aquatic life with long lasting effects | H412 : Harmful to aquatic life with long lasting effects |
| Total Fractional Values | |
| (TFV) Risk | (TFV) Risk |
| (74.21) Acute Toxicity Inhalation, Category 5 | (52.16) Sensitization, Skin, Category 1 |
| (52.16) Sensitization, Skin, Category 1A | (28.76) Aquatic Chronic Toxicity, Category 3 |

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Sugar Cane* EO & FO Blend

Page 9 of 9 Print Date: 2023-03-15

| ···F-···, -·· · · · · · · | |
|--|---|
| (800) 359-0944 | |
| www.WholesaleSuppliesPlus.com | |
| (17.06) Sensitization, Skin, Category 1B | (14.40) Reproductive Toxicity, Category 2 |
| (7.65) Reproductive Toxicity, Category 1B | (4.77) Skin Corrosion/Irritation, Category 3 |
| (3.99) Skin Corrosion/Irritation, Category 2 | (2.80) Aquatic Chronic Toxicity, Category 2 |
| (2.55) Reproductive Toxicity, Category 1B | (2.01) Aspiration Hazard, Category 1 |
| (1.92) Aquatic Chronic Toxicity, Category 4 | (1.69) Aquatic Acute Toxicity, Category 1 |
| (1.48) Acute Toxicity Oral, Category 5 | (1.24) Eye Damage/Eye Irritation, Category 2A |
| (1.10) Acute Toxicity Dermal, Category 5 | |
| | |

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.