# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

Certified 100% Pure

Page 1 of 8 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO - Certified 100% Pure

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

chacement according to one	
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child
Classification Other	

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Certified 100% Pure

Page 2 of 8 Print Date: 2023-03-27

2.2 Label elements

#### Labelling (GHS)

Hazard pictograms







#### Signal Word: Danger

Hazard statements	
H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell

# **Crafter's**Choice®

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

**Certified 100% Pure** 

Page 3 of 8 Print Date: 2023-03-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	Print Date: 2023-03-27
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
2.3 Other Hazards	

#### 2.3 Other Hazards

no data available

7820 E Pleasant Valley Road

#### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
470-82-6	207-431-5	> 80 %	H226; H303; H317; H320; H402
Eucalyptol	1		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
99-85-4	202-794-6	2 - 5 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		
80-56-8	201-291-9	2 - 5 %	H226; H302; H304; H315; H317; H400;
pinene			H410
99-87-6	202-796-7	2 - 5 %	H226; H303; H304; H331; H361; H401;
p-cymene			H411
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	ne		
562-74-3	209-235-5	0.1 - 1.0 %	H227; H302; H313; H315; H317; H320;
4-terpineo	Ι		H331; H336; H401
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400;
Terpinoler	ne		H410
See Section 10	6 for full text of G	HS classification	n codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 17.22

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

Inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.



## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944	Certified 100% Pure	Page 4 of 8 Print Date: 2023-03-27
www.WholesaleSuppliesPlus.com		
Eye Exposure:	Flush immediately with water for at least 15 minute Contact physician if symptoms persist.	S.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly v Contact physician if symptoms persist.	with water (and soap).
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and e	ffects, both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate med	lical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measure	S	
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the	e substance or mixture	
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters	-	
Further information:	Standard procedure for chemical fires	

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.



## **Safety Data Sheet**

Revised Date: 2023-02-07 00:00

#### Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### **Certified 100% Pure**

Page 5 of 8 Print Date: 2023-03-27

#### Specific end uses 7.3

No information available

#### 8. **Exposure Controls/Personal Protection**

#### 8.1 Control parameters

Exposure Lin	nits:					
Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene		20	)		
127-91-3	beta Pinene	9	20	)		
Engineering (	Controls:	Use local exhaust as needed.				
8.2 Exposure controls - Personal protective equipment						
Eye protectio	on:	Tightly sealed goggles, face shield, or as may be appropriate for the exposur		es with bro	w guards	and side shields, etc.

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. **Physical and Chemical Properties**

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless - Yellow Tint G1
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	110 F (43.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	1.7000
%VOC:	100.00
Specific Gravity @ 25 C:	0.9090
Density (g/mL) @ 25 C:	0.9060
Refractive Index @ 20 C:	1.4590
Soluble in:	Oil

# **Crafter's**Choice®

## Safety Data Sheet

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Certified 100% Pure

Page 6 of 8 Print Date: 2023-03-27

#### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

#### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2659.5744) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4972.5000) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 159.2219) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

#### 12. **Ecological Information** 12.1 Toxicity Acute acquatic toxicity Not classified - the classification criteria are not met Chronic acquatic toxicity Toxic to aquatic life with long lasting effects **Toxicity Data on soil** no data available Toxicity on other organisms no data available no data available 12.2 Persistence and degradability 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



## **Safety Data Sheet**

Revised Date: 2023-02-07 00:00

#### Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

Certified 100% Pure

Page 7 of 8 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest e 80-56-8 : (2 - 5 %) : pinene	environmental impact	:	
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)				
Perfumery Products	3	III	Flammable Liquid	UN1266
ADR/RID (International Ro	ad/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s.		III		UN3082
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.		III		UN3082
IMDG (Sea)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.		111		UN3082

15.	Regulatory Information	
U.S. Fe	ederal Regulations	

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H316 : Causes mild skin irritation	H331 : Toxic if inhaled
H336 : May cause drowsiness or dizziness	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice<sup>™</sup> Eucalyptus (80/85) EO -

7820 E Pleasant Valley Road	Certified 100% Pure	Page 8 of 8	
ndependence, OH 44131		Print Date: 2023-03-2	
(800) 359-0944 www.WholesaleSuppliesPlus.com			
H410 : Very toxic to aquatic life with long lasting effect	s H412 : Harmful to aquatic life v	/ith long lasting effects	
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(82.12) Sensitization, Skin, Category 1B	(31.40) Acute Toxicity Inhalatio	n, Category 5	
(30.00) Reproductive Toxicity, Category 2	(16.55) Aquatic Chronic Toxicit	(16.55) Aquatic Chronic Toxicity, Category 3	
(8.23) Eye Damage/Eye Irritation, Category 2B	(1.88) Acute Toxicity Oral, Cate	(1.88) Acute Toxicity Oral, Category 5	
(1.72) Aspiration Hazard, Category 1	(1.62) Aquatic Chronic Toxicity	(1.62) Aquatic Chronic Toxicity, Category 2	
(1.50) Skin Corrosion/Irritation, Category 3	(1.19) Skin Corrosion/Irritation,	(1.19) Skin Corrosion/Irritation, Category 2	
(1.01) Acute Toxicity Dermal, Category 5	(1.00) Reproductive Toxicity, C	ategory 2	

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.