

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-15

Page 1 of 9

Product: Crafter's Choice<sup>TM</sup> Beach\* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Beach\* Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-03-15

NOVIDOG Bato. 2

Product: Crafter's Choice<sup>TM</sup> Beach\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### **Hazard pictograms**









#### Signal Word: Danger

#### **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Collect Spillage

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Response

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

# P391 **2.3 Other Hazards**

#### no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9

Print Date: 2023-03-15

Product: Crafter's Choice<sup>TM</sup> Beach\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
118-58-1	204-262-9	20 - 30 %	H303; H317; H320; H401; H412	
Benzyl Sal	Benzyl Salicylate			
140-11-4	205-399-7	10 - 20 %	H303; H401; H412	
Benzyl ace	etate			
60-12-8	200-456-2	10 - 20 %	H302; H313; H316; H319	
phenethyl a	alcohol			
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	
Benzyl Ber	nzoate			
122-40-7	204-541-5	5 - 10 %	H303; H316; H317; H401; H411	
Amyl Cinna	amal			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	
Linalool				
107-75-5	203-518-7	2 - 5 %	H317; H319; H402	
Hydroxycit	ronellal			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402	
Linalyl Ace				
106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H402	
Geraniol				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	
Hexyl cinn				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;	
	Butylphenyl Methylpropional		H412	
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411	
•	,3-benzodioxole-			
134-20-3	205-132-4	1 - 2 %	H303; H316; H319; H401	
Methyl anti				
87-44-5	201-746-1	1 - 2 %	H304; H317	
Beta-Caryo	ophyllene			
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401	
Terpineol				
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412	
Limonene				
106-25-2	203-378-7	1 - 2 %	H303; H315; H317; H319; H401	
Nerol				
31906-04-4	250-863-4	1 - 2 %	H317; H402	
Hydroxyisohexyl 3-cyclohexene carboxaldehyde				



Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 4 of 9

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www. WholesaleSunnliesPlus.com

Crafter's Choice<sup>TM</sup> Beach\* Product: Fragrance Oil

CAS# Ingredient	EC#	Conc. Range	GHS Classification
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	ol .		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-	-dimethylhydroc	innamal	
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-1	Terpinene		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ene		
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	ol		
See Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.12

#### **First Aid Measures**

**Description of first aid measures** 

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

#### Fire-Fighting measures

Extinguishing media 5.1

> Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-03-15

Product: Crafter's Choice<sup>TM</sup> Beach\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

#### **Exposure Limits:**

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

tevised Date. 2023-02-07 00.00

Print Date: 2023-03-15

Page 6 of 9

Product: Crafter's Choice<sup>TM</sup> Beach\*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Greenish Yellow (G1-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

188 F (86.67 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.1094

 %VOC:
 14.38

 Specific Gravity @ 25 C:
 1.0180

 Density (g/mL) @ 25 C:
 1.0150

 Refractive Index @ 20 C:
 1.5215

 Soluble in:
 Oil

#### 10. Stability and Reactivity

**10.1 Reactivity** None

**10.2 Chemical stability** Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2570.1794) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3151.3490) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 52.5235) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 9 Print Date: 2023-03-15

UN-nr.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice<sup>TM</sup> Beach\* Product: Fragrance Oil

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

#### 12. **Ecological Information**

#### 12.1 Toxicity

Regulator

IMDG (Sea)

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

**Pack Group** 

Sub Risk

#### 14. **Transport Information**

**Marine Pollutant** Yes. Ingredient of greatest environmental impact:

120-51-4: (5 - 10 %): Benzyl Benzoate

Class

1109010101				•
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
	Chemicals NOI  ADR/RID (International Road/Rail)  Environmentally Hazardous Substance, Liquid, n.o.s.  IATA (Air Cargo)  Environmentally Hazardous	Chemicals NOI  ADR/RID (International Road/Rail)  Environmentally Hazardous 9 Substance, Liquid, n.o.s.  IATA (Air Cargo)  Environmentally Hazardous 9	Chemicals NOI  ADR/RID (International Road/Rail)  Environmentally Hazardous 9 III  Substance, Liquid, n.o.s.  IATA (Air Cargo)  Environmentally Hazardous 9 III	Chemicals NOI  ADR/RID (International Road/Rail)  Environmentally Hazardous 9 III  Substance, Liquid, n.o.s.  IATA (Air Cargo)  Environmentally Hazardous 9 III



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice<sup>TM</sup> Beach\* Fragrance Oil

Ш

Page 8 of 9

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Environmentally Hazardous Substance, Liquid, n.o.s.

UN3082

#### 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

9

**U.S. State Regulations** 

**California Proposition 65 Warning** 

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn

child

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk (95.20) Acute Toxicity Inhalation, Category 5 (25.30) Sens

(95.20) Acute Toxicity Inhalation, Category 5 (25.30) Sensitization, Skin, Category 1B (25.00) Reproductive Toxicity, Category 1B (16.00) Reproductive Toxicity, Category 2

(14.25) Aquatic Chronic Toxicity, Category 3 (10.00) Sensitization, Skin, Category 1A

(8.33) Reproductive Toxicity, Category 1B (5.82) Eye Damage/Eye Irritation, Category 2A

(4.56) Skin Corrosion/Irritation, Category 3 (2.87) Eye Damage/Eye Irritation, Category 2B

(2.53) Aquatic Chronic Toxicity, Category 4 (2.13) Skin Corrosion/Irritation, Category 2

(1.95) Acute Toxicity Oral, Category 5 (1.59) Acute Toxicity Dermal, Category 5

(1.26) Aquatic Chronic Toxicity, Category 2 (1.03) Eye Damage/Eye Irritation, Category 1

#### Department issuing data sheet:

#### **Department E-mail address:**



Crafter's Choice<sup>TM</sup> Beach\* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 9 of 9

Print Date: 2023-03-15

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LCC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.