

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 1 of 8 2016-03-10

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Crafter's Choice™ Baby Powder Fragrance Oil

## 1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

## 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

15: May cause

9: Harmful if absorbed through the skin.

Acute Inhalation 21 : Harmful if inhaled.

24 : Causes respiratory tract irritation.

25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, stomach, brain, bile duct, tongue, mucous membranes, musculo-skeletal

system



7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

## Safety Data Sheet

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 2 of 8 2016-03-10

SDS Type: GHS / OSHA

27: Prolonged or repeated inhalation may cause damage to: hematopoietic system 28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

skin, brain

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

### **Hazard pictograms**





## Signal Word: Warning

## Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. Continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

#### No data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 3 of 8 2016-03-10

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
8000-41-7	232-268-1	50 - 60 %	H227; H303; H315; H319; H402	11, 15, 24
Terpineol				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
120-57-0	204-409-7	5 - 10 %	H303; H317; H401	31
Piperonal				
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ac	Benzyl acetate			
123-11-5	204-602-6	2 - 5 %	H303; H316; H402	11, 15
Anisaldeh	Anisaldehyde			
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarin				
101-84-8	202-981-2	2 - 5 %	H303; H320; H401; H411	12, 15, 21, 27, 28
Diphenyl	Ether			
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402	
Linalyl ac	etate			
68990-83-0	294-461-7	1 - 2 %	H304; H316; H400; H410	3
Cedarwoo	od oil, Texas			
103-26-4	203-093-8	1 - 2 %	H303; H317	
Methyl cir	nnamate			
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H401	11, 15, 31
Geraniol				
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	11, 15, 3
phenethyl	alcohol			
14901-07-6	238-969-9	1 - 2 %	H316; H401; H411	11, 39
beta-lono	beta-lonone			
<b>104-93-8</b> p-Methyla	203-253-7 nisole	0.1 - 1.0 %	H226; H302; H315; H361; H402; H412	11, 15

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.36

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 4 of 8 2016-03-10

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 5 of 8 2016-03-10

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**140-11-4** Benzyl acetate 10

**101-84-8** Diphenyl Ether 1

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0208

 %VOC:
 5.4722

 Specific Gravity @ 25 C:
 0.9960

 Density @ 25 C:
 0.9930

 Refractive Index @ 20 C:
 1.5090

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Baby Powder **Fragrance Oil**

Page 6 of 8 2016-03-10

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2,616.18) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2,238.67) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 26.32) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eve damage / irritation Causes serious eve irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met

#### 12. **Ecological Information**

#### 12.1 Toxicity

**Aspiration hazard** 

Not classified - the classification criteria are not met Acute aquatic toxicity

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 7 of 8 2016-03-10

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Baby Powder Fragrance Oil

Page 8 of 8 2016-03-10

## 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 6 ppm beta-Myrcene (NFS)

**Canadian Regulations:** 

**DSL / NDSL** 100.00% of the components are listed or exempt.

## 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(5.84) Skin Corrosion/Irritation, Category 2 (5.31) Sensitization, Skin, Category 1B (7.42) Eye Damage/Eye Irritation, Category 2A (1.45) Aquatic Chronic Toxicity, Category 2

## Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.