

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice Beautiful* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5

Carcinogenicity, Category 2

Aquatic Acute Toxicity, Category 1

H333: May be harmful if inhaled
H351: Suspected of causing cancer
H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

16: Causes

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous

membranes, musculo-skeletal s

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin, testes



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 2 of 8 2016-03-10

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard Statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 3 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
2050-08-0	218-080-2	5 - 10 %	H302; H316; H400; H410	
Amyl salic	Amyl salicylate			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
•	namaldehyde			
127-51-5	204-846-3	2 - 5 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
a-Isometh	yl ionone			
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	15, 25, 26, 31, 39
Benzyl ac	etate			
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3
phenethyl				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	11, 15, 26, 28, 3, 31, 39
	yl Methylpropion		H411	
81-14-1	201-328-9	1 - 2 %	H316; H351; H400; H410	11, 15
Musk keto				
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19
Acetyl ced				
24851-98-7	246-495-9	1 - 2 %	H402	
	ydrojasmonate			
77-54-3	201-036-1	1 - 2 %	H316; H401; H411	12, 15
Cedryl ace				
8000-27-9	285-370-3	1 - 2 %	H304; H316; H400; H401; H410; H411	3
-	Virginiana Oil			
31906-04-4	250-863-4	1 - 2 %	H317; H402	
Hydroxyisohexyl 3-cyclohexene carboxa			-	
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15
	nylindanopyran	0.4.4.0.07	11000 11040 11045 11045 11046 1115	40.45.0.04.2
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H401	12, 15, 3, 31, 9
Iso Eugen	101			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.39

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 4 of 8 2016-03-10

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



Fragrance Oil

Crafter's Choice™ Beautiful*

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

8.

Page 5 of 8 2016-03-10

SDS Type: GHS / OSHA

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Pale Yellow to Greenish Yellow (G2-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Oxidizing properties:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0073

 %VOC:
 2.8693

 Specific Gravity @ 25 C:
 1.0630

 Density @ 25 C:
 1.0600

 Refractive Index @ 20 C:
 1.5410

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 6 of 8 2016-03-10

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,945.58) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,762.86) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 72.71) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicityNot classified - the classification criteria are not met

Specific target organ toxicity - single exposureNot classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Beautiful* Fragrance Oil

Page 7 of 8 2016-03-10

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class	Pack Group - Not Dangerous	Sub Risk	UN-nr.
Chemicals NOI	Not Regulated	Not Dangerous	3 00003		
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 6 ppm Safrole (NFS)

93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 <= 2 ppm beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 99.99% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk (TFV) Risk

(4.19) Skin Corrosion/Irritation, Category 3 (1.50) Sensitization, Skin, Category 1A

(1.90) Carcinogenicity, Category 2 (3.12) Aquatic Acute Toxicity, Category 1

(9.18) Aquatic Chronic Toxicity, Category 2



Crafter's Choice™ Beautiful* Fragrance Oil

Page 8 of 8 2016-03-10

SDS Type: GHS / OSHA

Remarks

www.crafters-choice.com

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.