

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Drakkar Noir* -

EO & FO Blend

Page 1 of 9 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Drakkar Noir* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of	title 29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Carcinogenicity, Category 2	H351 : Suspected of causing cancer

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

Reproductive Toxicity, Category 1B

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA


Revised Date: 2023-02-07 00:00

Page 2 of 9

Print Date: 2023-03-24

Product: Crafter's Choice[™] Drakkar Noir* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger Hazard statements

zard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Drakkar Noir* -Product: EO & FO Blend

Page 3 of 9 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410
Amyl salic	ylate		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
125-12-2	204-727-6	1 - 2 %	H227; H316; H401
Isobornyl a			
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402
Eucalyptol			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be			
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
• • •	yl Methylpropiona		H412
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
54464-57-2	259-174-3	0.1 - 1.0 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	ronaphthalenes	
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy d	licyclopentadiene	e carboxaldehyde	2
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411
2 <i>.a.,4a.a.,</i>	8.ß.)-Hexahydro-	1,1,5,5-tetramet	hyl-2H-2,4a-methanonaphthalene-8(5H)-one
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	ne		

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Drakkar Noir* -EO & FO Blend

Page 4 of 9 Print Date: 2023-03-24

CAS# Ingredient	EC#	Conc. Range	GHS Classification
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
4-tert-But	tylcyclohexyl ace	etate	
140-67-0	205-427-8	0.1 - 1.0 %	H227; H302; H315; H317; H341; H351;
Estragole	e (Methyl Chavic	ol)	H401; H412
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	tetrahydro Benza	aldehyde	H411
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400;
Terpinole	ene		H410
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Car	yophyllene		
See Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 5.60

4. First Aid Measures			
4. First Ald Measures 4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion: Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms:	no data available		
Risks: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the substance or mixture			
During fire fighting:	Water may be ineffective		



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Drakkar Noir* -EO & FO Blend

Page 5 of 9 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

 Exposure Limits:

 Component
 ACGIH TWA ppm
 ACGIH STEL ppm
 OSHA TWA ppm
 OSHA STEL ppm
 OSHA STEL ppm

 80-56-8
 pinene
 20
 20

 127-91-3
 beta Pinene
 20
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Drakkar Noir* -EO & FO Blend

Page 6 of 9 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow to Golden Yellow (G3-8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	178 F (81.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1021
%VOC:	11.63
Specific Gravity @ 25 C:	0.9365
Density (g/mL) @ 25 C:	0.9335
Refractive Index @ 20 C:	1.4620
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3739.3446) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 131.8401) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

Crafter'sChoice[®]

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Drakkar Noir* -Product: EO & FO Blend

Page 7 of 9 Print Date: 2023-03-24

(800) 359-0944 www.WholesaleSuppliesPlus.com	
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Suspected of causing cancer
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.	Ecological Information	
12.1 Toxi	icity	
Acute	acquatic toxicity	Not classified - the classification criteria are not met
Chron	nic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxici	ity Data on soil	no data available
Toxici	ity on other organisms	no data available
12.2 P	Persistence and degradability	no data available
12.3 B	Bioaccumulative potential	no data available
12.4 N	lobility in soil	no data available
12.5 C	Other adverse effects	no data available

Disposal Conditions 13.

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 2050-08-0 : (2 - 5 %) : Amyl salicylate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IMDG (Sea)					

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Product:	Crafter's Choice [™] Drakkar Noir* ·
	EO & FO Blend

Page 8 of 9 Print Date: 2023-03-24

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com			Print Date: 2023
Environmentally Hazardous Substance, Liquid, n.o.s.	9		UN3082
15. Regulatory Information			
U.S. Federal Regulations			

	•		
TSCA (Toxic	Substance	Control	Act)

40 CFR(EPCRA, SARA, CERCLA and CAA)

All components of the substance/mixture are listed or exempt

This product contains NO components of concern.

U.S. State Regulations

7820 E Pleasant Valley Road

California	Proposition	65	Warning
------------	-------------	----	---------

140-67-0	205-427-8	0.1 - 1.0 %
123-35-3(NF	204-622-5	0.01 - 0.1%
94-59-7	202-345-4	<= 24 ppm
93-15-2	202-223-0	<= 2 ppm
89-82-7	201-943-2	<= 1 ppm

This product contains the following components: Estragole (Methyl chavicol) (Natural Source) beta-Myrcene (Natural Source) Safrole (Natural Source) Methyl Eugenol (Natural Source) Pulegone (Natural Source)

100.00% of the components are listed or exempt.

Canadian Regulations

DSL

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H313 : May be harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H361 : Suspected of damaging fertility or the unborn child
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

- (37.92) Acute Toxicity Inhalation, Category 5
- (8.10) Sensitization, Skin, Category 1B
- (3.67) Reproductive Toxicity, Category 2
- (2.22) Skin Corrosion/Irritation, Category 3
- (2.00) Carcinogenicity, Category 2
- (1.86) Eye Damage/Eye Irritation, Category 2A
- (1.14) Eye Damage/Eye Irritation, Category 2B

Department issuing data sheet:

Department E-mail address:

- H301 : Toxic if swallowed H304 : May be fatal if swallowed and enters airways H316 : Causes mild skin irritation H318 : Causes serious eye damage H341 : Suspected of causing genetic defects H400 : Very Toxic to aquatic life H402 : Harmful to aquatic life H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (21.94) Aquatic Chronic Toxicity, Category 3
- (8.00) Reproductive Toxicity, Category 1B
- (2.67) Reproductive Toxicity, Category 1B
- (2.14) Aquatic Chronic Toxicity, Category 2
- (1.92) Skin Corrosion/Irritation, Category 2
- (1.34) Acute Toxicity Oral, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Drakkar Noir* -EO & FO Blend

Page 9 of 9 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.